

# Package ‘GEOmap’

May 17, 2022

**Type** Package

**Title** Topographic and Geologic Mapping

**Version** 2.5-0

**Date** 2022-05-17

**Depends** R (>= 3.0)

**Imports** RPMG, splancs, fields, MBA

**Suggests** geomapdata, maps, RFOC

**LazyData** yes

**Author** Jonathan M. Lees [aut, cre]

**Maintainer** Jonathan M. Lees <jonathan.lees@unc.edu>

**Description** Set of routines for making map projections (forward and inverse), topographic maps, perspective plots, geological maps, geological map symbols, geological databases, interactive plotting and selection of focus regions.

**License** GPL (>= 2)

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2022-05-17 18:30:02 UTC

## R topics documented:

GEOmap-package . . . . .	4
addLLXY . . . . .	6
addTIX . . . . .	8
along.great . . . . .	9
antipolygon . . . . .	10
BASICTOPOMAP . . . . .	12
bcars . . . . .	14
boundGEOmap . . . . .	16
CCcheck . . . . .	17
ccw . . . . .	18
coastmap . . . . .	19

ColorScale . . . . .	20
darc . . . . .	24
DATUMinfo . . . . .	26
demcmap . . . . .	27
difflon . . . . .	27
distaz . . . . .	28
dms . . . . .	30
DUMPLOC . . . . .	31
EHB.LLZ . . . . .	32
Ellipsoidal.Distance . . . . .	32
eqswath . . . . .	36
ExcludeGEOmap . . . . .	37
expandbound . . . . .	38
explode . . . . .	39
ExplodeSymbols . . . . .	40
faultdip . . . . .	42
faultperp . . . . .	43
fixCoastwrap . . . . .	44
gclc . . . . .	45
geoarea . . . . .	46
geoLEGEND . . . . .	47
GEOmap.breakline . . . . .	50
GEOmap.breakpoly . . . . .	50
GEOmap.cat . . . . .	51
GEOmap.CombineStrokes . . . . .	52
GEOmap.Extract . . . . .	53
GEOmap.list . . . . .	54
GEOsymbols . . . . .	55
GEOTopo . . . . .	56
getETOPO . . . . .	58
getGEOmap . . . . .	59
getGEOperim . . . . .	61
getgreatarc . . . . .	62
getmagsize . . . . .	63
getnicetix . . . . .	64
getspline . . . . .	65
getsplineG . . . . .	66
GETXprofile . . . . .	67
GLOB.XY . . . . .	68
GLOBE.ORTH . . . . .	69
GlobeView . . . . .	72
gmat . . . . .	73
goodticdivs . . . . .	74
horseshoe . . . . .	75
inpoly . . . . .	77
insertNA . . . . .	78
insertvec . . . . .	79
inside . . . . .	79

insideGEOmapXY	81
KINOUT	82
lamaz.eqarea	83
LandSeaCol	85
lcgc	87
linesGEOmapXY	88
Lintersect	89
list.GEOmap	90
ll2xyz	92
Lll2xyz	92
LLlabel	93
LOCPOLIMAP	94
locworld	95
Lxyz2ll	96
MAPconstants	97
maplim	98
maps2GEOmap	99
mapTeleSeis	101
Markup	103
merid	104
niceLLtix	106
NoOverlap	107
normalfault	108
NSarrow	110
NSWath	111
ortho.proj	112
OverTurned	113
perpen	115
pgon	116
pline	117
plotGEOmap	118
plotGEOmapXY	120
plothypos	122
plotnicetix	125
plotusa	126
plotUTM	127
plotworldmap	128
PointsAlong	129
polyintern	131
printGEOinfo	132
printGEOmap	133
projtype	134
rectPERIM	135
rekt2line	136
rose	137
rotateGEOmap	139
rotdelta4	141
rotmat2D	142

rotx4 . . . . .	143
roty4 . . . . .	144
SELGEOMap . . . . .	145
setMarkup . . . . .	146
setplotmat . . . . .	147
SETPOLIMAP . . . . .	148
setPROJ . . . . .	149
settropocol . . . . .	150
sizelegend . . . . .	151
sqrTICXY . . . . .	152
SSfault . . . . .	154
STROKEinfo . . . . .	155
subsetTOPO . . . . .	156
SynAnticline . . . . .	158
targetLL . . . . .	159
teeth . . . . .	160
thrust . . . . .	162
TOPOCOL . . . . .	163
trans4 . . . . .	165
UTM.ll . . . . .	166
utm.sphr.ll . . . . .	167
utm.sphr.xy . . . . .	168
UTM.xy . . . . .	169
utmbox . . . . .	170
UTMzone . . . . .	171
X.prod . . . . .	172
XSECDEMg . . . . .	173
XSECSEQ . . . . .	174
XSECwin . . . . .	176
XY.GLOB . . . . .	178
xyz2ll . . . . .	179
zebra . . . . .	180

**Index****182**

---

GEOmap-package*GEOmap*

---

**Description**

Topographic and Geologic Mapping

## Details

Package:	GEOmap
Type:	Package
Version:	1.6-09
Date:	2012-10-08
License:	GPL

Set of routines for making Map Projections (forward and inverse), Topographic Maps, Perspective plots, geological databases, interactive plotting and selection of focus regions.

## Note

**High level plotting:** BASICTOPOMAP DOTOPOMAPI geoLEGEND GEOsymbols locworld plotGEOmap plotGEOmapXY linesGEOmapXY rectGEOmapXY textGEOmapXY pointsGEOmapXY insideGEOmapXY plotUTM plotworldmap XSECDEM

**PLOTTING:** circle addLLXY addTIX antipolygon zebra demcmap setXMCOL shade.col

**Geological Map Symbols:** bcars faultdip faultperp horseshoe normalfault OverTurned perpen teeth thrust SynAnticline SSfault

**Data manipulation:** getGEOmap boundGEOmap SELGEOmap geoarea GEOTopo getGEoperim GETXprofile Lintersect LOCPOЛИMAP pline selectPOLImap setplotmat SETPOLIMAP set-topocol subsetTOPO

**Misc:** getgreatarc ccw difflon DUMPLOC getsplineG inpoly inside PointsAlong polyintern

**Projections:** setPROJ projtype GLOB.XY XY.GLOB MAPconstants GCLCFR lambert.cc.ll lambert.cc.xy lambert.ea.ll lambert.ea.xy lgc merc.sphr.ll merc.sphr.xy utmbox utm.elps.ll utm.elps.xy utm.sphr.ll utm.sphr.xy stereo.sphr.ll stereo.sphr.xy equid.cyl.ll equid.cyl.xy

## Author(s)

Jonathan M. Lees<jonathan.lees.edu> Maintainer: Jonathan M. Lees<jonathan.lees@unc.edu>

## References

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

Lees, J. M., Geotouch: Software for Three and Four Dimensional GIS in the Earth Sciences, Computers & Geosciences, 26, 7, 751-761, 2000.

## See Also

RSEIS

## Examples

```
#####
# projections
proj = setPROJ(type = 2, LAT0 = 23, LON0 = 35)
```

```

### get lat-lon
LL = XY.GLOB(200, 300, proj)

## find x-y again, should be the same
XY = GLOB.XY(LL$lat, LL$lon, proj)
XY
#####
library(geomapdata)
data(worldmap)
KAMlat = c(48.5, 65)
KAMlon = c(150, 171)

PLOC=list(LON=KAMlon,LAT=KAMlat)

PLON = seq(from=KAMlon[1], to=KAMlon[2], by=2)
PLAT = seq(from=KAMlat[1], to=KAMlat[2], by=2)

proj = setPROJ(2, LON0=mean(KAMlon), LAT0=mean(KAMlat))

xy = GLOB.XY(KAMlat, KAMlon , proj)
kbox=list(x=range(xy$x, na.rm=TRUE), y=range(xy$y, na.rm=TRUE))

plot(kbox$x,kbox$y, type='n', axes=FALSE, xlab="", ylab="", asp=1)
  plotGEOmapXY(worldmap, LIM=c(KAMlon[1], KAMlat[1], KAMlon[2],
KAMlat[2]), add=TRUE, PROJ=proj, axes=FALSE, xlab="", ylab="" )
sqrtICXY(kbox , proj, side=c(1,2,3,4), LLgrid=TRUE, col=grey(.7) )
title("Crude Map of Kamchatka")

```

addLLXY

*Add Lat-Lon points using projection*

## Description

Add Lat-Lon points using projection

## Usage

```
addLLXY(lats, lons, PROJ = PROJ, PMAT = NULL,
col = gray(0.7), GRID = TRUE, GRIDcol = 1, LABS = NULL,
LABcol = 1, BORDER = NULL, TICS = c(1, 1), xpd=TRUE)
```

**Arguments**

lats	Latitudes in Degrees
lons	Longitude in Degrees
PROJ	Map Projection list
PMAT	Perspective matrix conversion
col	color
GRID	logical, TRUE=add grid lines
GRIDcol	color for grid lines
LABS	vector of labels
LABcol	color for labels
BORDER	add border
TICS	tick marks
xpd	logical, expand plotting region (see par)

**Value**

Graphical Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

plotGEOmapXY, sqrTICXY

**Examples**

```
library(geomapdata)

data('fujitopo', package='geomapdata')
data('japmap', package='geomapdata')

PLOC=list(LON=range(c( japmap$STROKES$LON1,japmap$STROKES$LON2) ),
LAT=range(c( japmap$STROKES$LAT1,japmap$STROKES$LAT2) ))
PLOC$x = PLOC$LON
PLOC$y = PLOC$LAT

PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )
isel1 = which( japmap$STROKES$code != "i" & japmap$STROKES$num>120 )

plotGEOmapXY(japmap, PROJ=PROJ,SEL=isel1, add=FALSE, axes=FALSE, xlab="", ylab="")
A = PLOC
```

```

PLAT = pretty(A$LAT)
PLAT = c(min(A$LAT), PLAT[PLAT>min(A$LAT) & PLAT<max(A$LAT)],max(A$LAT))
PLON = pretty(A$LON)
PLON = c(min(A$LON), PLON[PLON>min(A$LON) & PLON<max(A$LON)],
max(A$LON))

addLLXY(PLAT, PLON, PROJ=PROJ, LABS=TRUE, PMAT=NULL, TICS=c(.1,.1) )

#####

```

**addTIX***Add Tic marks to map***Description**

Add Tic marks to map

**Usage**

```
addTIX(lats, lons, PROJ = list(), PMAT = NULL,
col = gray(0.7), TICS = c(1, 1), OUTER = TRUE,
sides = c(1, 2, 3, 4))
```

**Arguments**

lats	Latitudes in Degrees
lons	Longitude in Degrees
PROJ	Map Projection list
PMAT	Perspective matrix conversion
col	color
TICS	tic labels
OUTER	logical
sides	sides, 1,2,3,4

**Details**

attempts to make correct default values

**Value**

Graphical Side Effects

**Author(s)**

Jonathan M. Lees&lt;jonathan.lees.edu&gt;

**See Also**

addLLXY

**Examples**

```
#####3 this program is run internally

PLOC=list(LON=c(137.008, 141.000),
LAT=c(34.000, 36.992),
x=c(137.008, 141.000),
y=c(34.000, 36.992))

PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )

gxy = GLOB.XY(PLOC$LAT, PLOC$LON, PROJ)

PLAT = pretty(PLOC$LAT)

PLAT = c(min(PLOC$LAT),PLAT[PLAT>min(PLOC$LAT)&PLAT<max(PLOC$LAT)],max(PLOC$LAT))

PLON = pretty(PLOC$LON)

PLON = c(min(PLOC$LON), PLON[PLON>min(PLOC$LON)&PLON<max(PLOC$LON)], max(PLOC$LON))

plot(gxy$x, gxy$y, asp=TRUE)

addTIX(PLAT, PLON, PMAT=NULL, col='red', TICS=c(.1,.1), PROJ=PROJ)
```

**Description**

Calculate points along a great arc

**Usage**

```
along.great(phi1, lam0, c, Az)
```

**Arguments**

phi1	start lat, radians
lam0	start lon, radians
c	distance, radians
Az	Azimuthal direction, radiansm

**Details**

All input and output is radians

**Value**

List:

phi	latitudes, radians
lam	longitudes, radians

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
lat1 <- 48.856578
lon1 <- 2.351828

A = along.great(lat1*pi/180, lon1*pi/180, 50*pi/180, -63*pi/180)

lat=A$phi*pi/180/pi
lon = A$lam*pi/180/pi
```

antipolygon

*Fill the complement of a polygon*

**Description**

Fill a plot with a color outside the confines of a polygon.

**Usage**

```
antipolygon(x, y, col = 0, corner=1, pct=.4)
```

## Arguments

x	x coordinates of polygon
y	y coordinates of polygon
col	Fill color
corner	Corner on the plot to connect to at the end: 1 = LowerLeft(default) ; 2:UpperLeft 3 = UpperRight; 4=LowerRight
pct	Decimal percent of usr coordinates to expand beyond the polygon

## Details

antipolygon uses par("usr") to determine the external bounds of plotting region. Corners are labels from bottom left counter-clockwise, 1-4.

## Value

List:

x	x-coordinates of mask
y	y-coordinates of mask

Used for graphical side effect

## Note

If the figure is resized after plotting, filling may not appear correct.

## Author(s)

Jonathan M. Lees <jonathan.lees@unc.edu>

## See Also

`polygon, par`

## Examples

```
set.seed(2018)
x = runif(100)
y = runif(100)

##### some data points to plot:

plot(x,y)
##### create polygon:
pp =list(x=c(0.231,0.316,0.169,0.343,0.311,0.484,0.757,
           0.555,0.800,0.563,0.427,0.412,0.203),
         y=c(0.774,0.622,0.401,0.386,0.138,0.312,0.200,0.459,
             0.658,0.624,0.954,0.686,0.813))

polygon(pp)
```

```
antipolygon(x=pp$x, y=pp$y,col='blue')
##### where as this does not look so good
plot(x,y)
antipolygon(x=pp$x, y=pp$y,col='blue', corner=2)
```

**BASICSTOPOMAP***Basic Topogrpahy Map***Description**

Basic Topogrpahy Map

**Usage**

```
BASICSTOPOMAP(xo, yo, DOIMG, DOCONT, UZ, AZ, IZ, perim, PLAT, PLON,
PROJ = PROJ, pnts = NULL, GRIDcol = NULL)
```

**Arguments**

xo	vector of x-coordinates
yo	vector of y-coordinates
DOIMG	logical, add image
DOCONT	logical, add contours
UZ	matrix of image values under sea level
AZ	matrix of image values above sea level
IZ	matrix of image values
perim	perimeter vectors
PLAT	latitudes for tic-marks
PLON	longitude for tic-marks
PROJ	projection list
pnts	points to add to plot
GRIDcol	color for grid

**Details**

Image is processed prior to calling

**Value**

Graphical Side effects

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

DOTOPOMAPI, GEOTOPO

**Examples**

```
## Not run:

library(geomapdata)
library(MBA) ## for interpolation
##### set up topo data
data(fujitopo)
##### set up map data
data('japmap', package='geomapdata' )

### target region
PLOC= list(LON=c(138.3152, 139.0214),
LAT=c(35.09047, 35.57324))

PLOC$x =PLOC$Lon
PLOC$y =PLOC$Lat

#####
# set up projection
PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )

#####
# select data from the topo data internal to the target
topotemp = list(lon=fujitopo$lon, lat= fujitopo$lat, z=fujitopo$z)

#####
# project target
A = GLOB.XY(PLOC$LAT , PLOC$Lon , PROJ)

#####
# select topo
selectionflag = topotemp$lat>+PLOC$LAT[1] & topotemp$lat<=PLOC$LAT[2] &
topotemp$lon>+PLOC$Lon[1] & topotemp$lon<=PLOC$Lon[2]

#####
# project topo data
B = GLOB.XY( topotemp$lat[selectionflag] ,topotemp$lon[selectionflag] , PROJ)

#####
# set up out put matrix:
### xo = seq(from=range(A$x)[1], to=range(A$x)[2], length=200)
### yo = seq(from=range(A$y)[1], to=range(A$y)[2], length=200)
```

```

##### interpolation using akima
### IZ = interp(x=B$x , y=B$y, z=topotemp$z[selectionflag] , xo=xo, yo=yo)
DF = cbind(x=B$x , y=B$y , z=topotemp$z[selectionflag])
IZ = mba.surf(DF, 200, 200, extend=TRUE)$xyz.est

xo = IZ[[1]]
yo = IZ[[2]]


### image(IZ)

##### underwater section
UZ = IZ$z
UZ[IZ$z>=0] = NA
#### above sea level
AZ = IZ$z
AZ[IZ$z<=-.01] = NA

#### create perimeter:
perim= getGEOperim(PLOC$LON, PLOC$LAT, PROJ, 50)

### lats for tic marks:
PLAT = pretty(PLOC$LAT)

PLAT = c(min(PLOC$LAT),
PLAT[PLAT>min(PLOC$LAT) & PLAT<max(PLOC$LAT)],max(PLOC$LAT))
PLON = pretty(PLOC$LON)

### main program:
DOIMG = TRUE
DOCONT = TRUE
PNTS = NULL

BASICTOPOMAP(xo, yo , DOIMG, DOCONT, UZ, AZ, IZ, perim, PLAT, PLON,
PROJ=PROJ, pnts=NULL, GRIDcol=NULL)

### add in the map information
plotGEOmapXY(japmap, LIM=c(PLOC$LON[1], PLOC$LAT[1],PLOC$LON[2],
PLOC$LAT[2]) , PROJ=PROJ, add=TRUE )

## End(Not run)

```

## Description

Add Box Cars to a line.

**Usage**

```
bcars(x, y, h1 = 1, h2 = 0.3, rot, col = "black", border = "black")
```

**Arguments**

x	x-coordinates
y	y-coordinates
h1	length, mm
h2	thickness, mm
rot	rotation vectors, (cosines and sines)
col	color
border	color

**Details**

Used for plotting detachment faults in USGS format.

**Value**

Graphical Side effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
G=list()
G$x=c(-1.0960,-0.9942,-0.8909,-0.7846,-0.6738,-0.5570,-0.4657,-0.3709,
-0.2734,-0.1740,-0.0734, 0.0246, 0.1218, 0.2169, 0.3086, 0.3956, 0.4641,
0.5293, 0.5919, 0.6530, 0.7131)
G$y=c(-0.72392,-0.62145,-0.52135,-0.42599,-0.33774,-0.25896,-0.20759,
-0.16160,-0.11981,-0.08105,-0.04414,-0.00885, 0.02774, 0.06759, 0.11262,
0.16480, 0.21487, 0.27001, 0.32895, 0.39044, 0.45319)
```

```
g = PointsAlong(G$x, G$y, N=6)

sk = 3

#####
plot(G$x, G$y, type='n',asp=1, axes=FALSE, xlab='', ylab='')

lines(G$x,G$y,col='blue')
bcars(g$x,g$y,h1=sk,h2=sk*.5, rot=g$rot , col='blue')

#####
```

```
plot(G$x, G$y, type='n',asp=1, axes=FALSE, xlab='', ylab='')
lines(G$x,G$y,col='blue')
bcars(g$x,g$y,h1=sk,h2=sk*.5, rot=g$rot , col=NA, border='blue')
```

**boundGEOmap***Set Bounds for GEOmap***Description**

Given a GEOmap strucutre, set the bounds for the strokes.

**Usage**

```
boundGEOmap(MAP, NEGGLON = FALSE, projtype = 2)
```

**Arguments**

MAP	GEOmap structure
NEGGLON	whether to allow negative longitudes
projtype	suggestion (local) map projection to use when getting bounds

**Details**

Used to rectify a new map after reading in from ascii file. Can take GMT map ascii map files and convert to GEOmap.

**Value**

List structure:

STROKES	list(nam, num, index, col, style, code, LAT1, LAT2, LON1, LON2)
POINTS	list(lat, lon)
PROJ	list(type, LAT0, LON0, LAT1, LAT2, LATS, LONS, DLAT, DLON, FE, FN, name)

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

[worldmap](#)

## Examples

```
library(geodata)
data(worldmap)
worldmap = boundGEOmap(worldmap)
```

CCcheck

*Counter Clockwise check*

## Description

Check for counter-clockwise orientation for polygons. Positive is counterclockwise.

## Usage

```
CCcheck(Z)
```

## Arguments

Z	list(x,y)
---	-----------

## Details

Uses sign of the area of the polygon to determine polarity.

## Value

j	sign of area
---	--------------

## Note

Based on the idea calculated area of a polygon.

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## Examples

```
Y=list()
Y$x=c(170,175,184,191,194,190,177,166,162,164)
Y$y=c(-54,-60,-60,-50,-26,8,34,37,10,-15)

plot(c(160, 200),c(-85, 85), type='n')
```

```

points(Y)
lines(Y)

CCcheck(Y)

Z = list(x=rev(Y$x), y=rev(Y$y))

CCcheck(Z)

```

**ccw***Counter Clockwise Whorl***Description**

Used for determining if points are in polygons.

**Usage**

```
ccw(p0, p1, p2)
```

**Arguments**

p0	point 0
p1	point 1
p2	point 2

**Value**

returns 1 or 0 depending on position of points

**Author(s)**

Jonathan M. Lees <jonathan.lees@unc.edu>

**See Also**

[Intersect](#)

**Examples**

```

l1 = list(p1=list(x=0, y=0), p2=list(x=1,y=1))
l2 = list(p1=list(x=6, y=4), p2=list(x=-1,y=-12))

ccw(l1$p1, l1$p2, l2$p1)

```

---

coastmap*Global Coast Map*

---

## Description

Global Maps of Coast

## Usage

```
data(coastmap)
```

## Format

List structure:

**STROKES** list(nam, num, index, col, style, code, LAT1, LAT2, LON1, LON2)

**POINTS** list(lat, lon)

**PROJ** list(type, LAT0, LON0, LAT1, LAT2, LATS, LONS, DLAT, DLON, FE, FN, name)

## Details

This map list is used for filling in coastal lines for global maps. The style=3 is for filling in polygons. The strokes are named for easier access to particular parts of the globe. Asia and Africa are one stroke, as are North and South America. There are currently three codes: C=major coast, c=smaller coasts, L=interior lakes.

## Examples

```
data(coastmap)
##### see the codes:
unique(coastmap$STROKES$code)
##### see the different names:
unique(coastmap$STROKES$nam)

##### change the colors based on code
coastmap$STROKES$col[coastmap$STROKES$code=="C" ] = rgb(1, .6, .6)
coastmap$STROKES$col[coastmap$STROKES$code=="c" ] = rgb(1, .9, .9)
coastmap$STROKES$col[coastmap$STROKES$code=="L" ] = rgb(.6, .6, 1)

plotGEOmap(coastmap , border='black' , add=FALSE, xaxs='i')

##
```

**ColorScale***Color Scale***Description**

Graded Color Scale position by locator

**Usage**

```
ColorScale(z, loc = list(x = 0, y = 0), thick=1, len=1, offset=.2, col
= rainbow(100), border='black', gradcol='black', numbcoll='black', unitscol='black',
units = "", SIDE = 1, font = 1, fontindex =1, cex=1)
```

**Arguments**

<code>z</code>	values to be scaled
<code>loc</code>	x-y location boundary of plotting area, user coordinates
<code>thick</code>	width of scale bar in inches
<code>len</code>	length of scale bar in inches
<code>offset</code>	offset from border, in inches
<code>col</code>	color palette
<code>border</code>	color for border of scale, NA=do not plot
<code>gradcol</code>	color for gradiation marks of scale, NA=do not plot
<code>numbcoll</code>	color for number values of scale, NA=do not plot
<code>unitscol</code>	color for units character string, NA=do not plot
<code>units</code>	character, units for values
<code>SIDE</code>	side, 1,2,3,4 as in axis
<code>font</code>	vfont number
<code>fontindex</code>	font index number
<code>cex</code>	character expansion, see par for details

**Details**

Locations (loc) are given in User coordinates. The scale is plotted relative to the location provided in user coordinates and offset by so many inches outside that unit. to get a scale plotted on the interior of a plot, send ColorScale a rectangular box inside the plotting region and give it a 0 offset. All other measures are given in inches. To suppress the plotting of a particular item, indicate NA for its color.

Since the list of the bounding box is returned, this can be used to modify the text, e.g. change the way the units are displayed.

**Value**

list Graphical Side effects and list of bounding box for color scale:

x	x coordinates of box
y	y coordinates of box

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

HOZscale

**Examples**

```

data(volcano)

d = dim(volcano)
x=seq(from=1,by=1, length=d[1]+1)
y=seq(from=1,by=1, length=d[2]+1)
plot(range(x), range(y), type='n', asp=1, ann=FALSE, axes=FALSE)

image(x=x, y=y, z=volcano, col = rainbow(100), add=TRUE)

z=volcano

ColorScale(volcano, loc=list(x=range(x), y=range(y)) ,
           col = rainbow(100), units = "Elev:m", font = 1, SIDE = 1)

ColorScale(volcano, loc=list(x=range(x), y=range(y)) ,
           col = rainbow(100), units = "Elev:m", font = 1, SIDE = 2)

ColorScale(volcano, loc=list(x=range(x), y=range(y)) ,
           col = rainbow(100), units = "Elev:m", font = 1, SIDE = 3)

ColorScale(volcano, loc=list(x=range(x), y=range(y)) ,
           col = rainbow(100), units = "Elev:m", font = 1, SIDE = 4)

plot(range(x), range(y), type='n', asp=1, ann=FALSE, axes=FALSE)

## image(x=x, y=y, z=volcano, col = rainbow(100), add=TRUE)

XAX = pretty(x)
XAX = XAX[XAX>=min(x) & XAX<=max(x)]

axis(1, at=XAX, pos=y[1])

```

```

YAX = pretty(y)
YAX = YAX[YAX>=min(y) & YAX<=max(y)]

axis(2, at=YAX, pos=x[1])

rect(x[1], y[1], max(x), max(y))

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.8,
           col = rainbow(100), units = "Elev:m", font = 2, SIDE = 1)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.8 ,
           col = rainbow(100), units = "Elev:m", font = 1, fontindex = 2,SIDE = 2)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.2 ,
           col = rainbow(100), units = "Elev:m", font = 1, fontindex = 3, SIDE = 3)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.2 ,
           col = rainbow(100), units = "Elev:m", font = 2, fontindex = 3, SIDE = 4)

plot(range(x), range(y), type='n', asp=1, ann=FALSE, axes=FALSE)

##   image(x=x, y=y, z=volcano, col = rainbow(100), add=TRUE)

XAX = pretty(x)
XAX = XAX[XAX>=min(x) & XAX<=max(x)]

axis(1, at=XAX, pos=y[1])

YAX = pretty(y)
YAX = YAX[YAX>=min(y) & YAX<=max(y)]

axis(2, at=YAX, pos=x[1])

rect(x[1], y[1], max(x), max(y))

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.8, gradcol= NA,
           col = rainbow(100), units = "Elev:m", font = 2, SIDE = 1)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.8 ,numbcol
           = NA,
           col = rainbow(100), units = "Elev:m", font = 1, fontindex = 2,SIDE = 2)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.2
           ,unitscol = NA,
           col = rainbow(100), units = "Elev:m", font = 1, fontindex = 3, SIDE = 3)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.2 ,border
           = NA, gradcol = 'black', numbcol = 'blue', unitscol = 'purple',

```

```

col = rainbow(100), units = "Elev:m", font = 2, fontindex = 3, SIDE
= 4)

#####
plot(range(x), range(y), type='n', asp=1, ann=FALSE, axes=FALSE)

## image(x=x, y=y, z=volcano, col = rainbow(100), add=TRUE)

XAX = pretty(x)
XAX = XAX[XAX>=min(x) & XAX<=max(x)]

axis(1, at=XAX, pos=y[1])

YAX = pretty(y)
YAX = YAX[YAX>=min(y) & YAX<=max(y)]

axis(2, at=YAX, pos=x[1])

rect(x[1], y[1], max(x), max(y))

B = ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.2 ,border
= NA, gradcol = NA, numcol = NA, unitscol = NA,
col = rainbow(100), units = "Elev:m", font = 2, fontindex = 3, SIDE = 3)

text(mean(B$x), B$y[2], "scaled data", pos=3, xpd=TRUE)

text(B$x[1], mean(B$y), min(volcano), pos=2, xpd=TRUE)
text(B$x[2], mean(B$y), max(volcano), pos=4, xpd=TRUE)

#### dark background
par(fg="white")
par(bg="black")
par(col.axis="white", col.lab="white", col.main="white", col.sub="white")

plot(range(x), range(y), type='n', asp=1, ann=FALSE, axes=FALSE,
fg='white')
image(x=x, y=y, z=volcano, col = rainbow(100), add=TRUE)

XAX = pretty(x)
XAX = XAX[XAX>=min(x) & XAX<=max(x)]

axis(1, at=XAX, pos=y[1])

YAX = pretty(y)
YAX = YAX[YAX>=min(y) & YAX<=max(y)]

axis(2, at=YAX, pos=x[1])

rect(x[1], y[1], max(x), max(y), border='white')

```

```

ColorScale(volcano, loc=list(x=range(x), y=range(y)) ,offset=-.6,
gradcol= 'black', unitscol =rgb(.9, .9, 1) , numbcoll =rgb(.9, 1, .9) , border="white",
col = rainbow(100), units = "Elev:m", font = 2, fontindex = 3, SIDE = 1)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.8
, numbcoll = rgb(1, .85, .85) ,
col = rainbow(100), units = "Elev:m", font = 1, fontindex = 2,SIDE = 2)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=-.2,unitscol = NA,
col = rainbow(100), units = "Elev:m", font = 1, fontindex = 3, SIDE = 3)

ColorScale(volcano, loc=list(x=range(x), y=range(y)), offset=.2 ,border
= NA, gradcol = 'white', numbcoll = 'blue', unitscol = 'purple',
col = rainbow(100), units = "Elev:m", font = 2, fontindex = 3, SIDE = 4)

plot(range(x), range(y), type='n', asp=1, ann=FALSE, axes=FALSE,
fg='white' )

XAX = pretty(x)
XAX = XAX[XAX>=min(x) & XAX<=max(x)]

axis(1, at=XAX, pos=y[1])

YAX = pretty(y)
YAX = YAX[YAX>=min(y) & YAX<=max(y)]

axis(2, at=YAX, pos=x[1])

rect(x[1], y[1], max(x), max(y), border='black')

ColorScale(volcano, loc=list(x=c(20, 40), y=c(10, 40)), thick=.2, offset=0 ,
col = rainbow(100), units = "Elev:m", font = 1, fontindex = 2,SIDE
= 2, cex=.5)

```

**Description**

Draw a circular arc from angle 1 to angle 2 at a given location.

**Usage**

```
darc(rad = 1, ang1 = 0, ang2 = 360, x1 = 0, y1 = 0, n = 1)
```

**Arguments**

rad	radius
ang1	angle 1, degrees
ang2	angle 2, degrees
x1	x location, plot coordinates
y1	y location, plot coordinates
n	increment for number of segments, degrees

**Details**

If angle1 > angle2 arc is drawn in opposite direction

**Value**

```
list(x,y)
```

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
plot(c(0,1), c(0,1), type='n', ann=FALSE, asp=1)
A = darc(.3, 23, 47, .5, .5, n=1)
lines(A$x, A$y)
```

---

**DATUMinfo***Datum information.*

---

**Description**

Return a small data base of Datum values for use in UTM projections.

**Usage**

```
DATUMinfo()
```

**Details**

The function just return a list with the relavent information.

**Value**

List:

Datum	character name
Equatorial Radius, meters (a)	
	numeric
Polar Radius, meters (b)	
	numeric
Flattening (a-b)/a	
	numeric
Use	character usage

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**References**

websource = <https://stevedutch.net/usefuldata/utmformulas.htm>

**See Also**

UTM.xy, UTM.ll, setPROJ

**Examples**

```
h = DATUMinfo()
data.frame(h)
```

---

demcmap	<i>Color Map from DEM</i>
---------	---------------------------

---

**Description**

create a color map from a DEM (Digital Elevation Map)

**Usage**

```
demcmap(ZTOPO, n = 100, ccol = NULL)
```

**Arguments**

ZTOPO	Topography structure
n	number of colors
ccol	color structure

**Value**

vector of rgb colors

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

rgb, settopocol

---

difflon	<i>Difference between Longitudes</i>
---------	--------------------------------------

---

**Description**

Difference between Longitudes

**Usage**

```
difflon(LON1, LON2)
```

**Arguments**

LON1	Longitude in degrees
LON2	Longitude in degrees

**Details**

takes into account crossing the zero longitude

**Value**

deg	degrees difference
sn	direction of rotation

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**Examples**

```
difflon( 34 , 67)

### here we cross the zero line
difflon( 344 , 67)
```

*distaz*

*Distance and Azimuth from two points*

**Description**

Calculate distance, Azimuth and Back-Azimuth from two points on Globe.

**Usage**

```
distaz(olat, olon, tlat, tlön)
```

**Arguments**

olat	origin latitude, degrees
olon	origin longitude, degrees
tlat	target latitude, degrees
tlön	target longitude, degrees

**Details**

Program is set up for one origin (olat, olon) pair and many target (tlat, tlön) pairs given as vectors.

If multiple olat and olon are given, the program returns a list of outputs for each.

If olat or any tlat is greater than 90 or less than -90 NA is returned and error flag is 0.

If any tlat and tlön is equal to olat and olon, the points are coincident. In that case the distances are set to zero, but the az and baz are NA, and the error flag is set to 0.

**Value**

List:

del	Delta, angle in degrees
az	Azimuth, angle in degrees
baz	back Azimuth, (az+180) in degrees
dist	distance in km
err	0 or 1, error flag. 0=error, 1=no error, see details

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

along.great, getgreatarc

**Examples**

```
##### one point
d = distaz(12, 23, -32,      -65)
d

##### many random target points
org = c(80.222, -100.940)
targ = cbind(runif(10, 10, 50), runif(10, 20, 100))

distaz(org[1], org[2], targ[,1], targ[,2])

##### if origin and target are identical
##### the distance is zero, but the az and baz are not defined
distaz(80.222, -100.940, 80.222, -100.940)

#####
##### set one of the targets equal to the origin
targ[7,1] = org[1]
targ[7,2] = org[2]

distaz(org[1], org[2], targ[,1], targ[,2])

#####
# put in erroneous latitude data

targ[3,1] = -91.3

distaz(org[1], org[2], targ[,1], targ[,2])
```

---

dms

---

*Convert decimal degrees to degree, minutes, seconds*

---

## Description

Convert decimal degrees to degree, minutes, seconds

## Usage

dms(d1)

## Arguments

d1            decimal degrees

## Value

list

d            degrees

m            minutes

s            seconds

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## Examples

```
dms(33.12345)
```

```
H = dms(-91.8765)
```

```
print(H)
```

```
newH = H$d+H$m/60+H$s/3600
print(newH)
```

---

DUMPLOC*DUMP vectors to screen in list format*

---

**Description**

For saving vectors to a file after the locator function has been executed.

**Usage**

```
DUMPLOC(zloc, dig = 12)
```

**Arguments**

zloc	x,y list of locator positions
dig	number of digits in output

**Value**

Side effects: print to screen

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
G=list()
G$x=c(-1.0960,-0.9942,-0.8909,-0.7846,-0.6738,-0.5570,-0.4657,-0.3709,
-0.2734,-0.1740,-0.0734, 0.0246, 0.1218, 0.2169, 0.3086, 0.3956, 0.4641,
0.5293, 0.5919, 0.6530, 0.7131)
G$y=c(-0.72392,-0.62145,-0.52135,-0.42599,-0.33774,-0.25896,-0.20759,
-0.16160,-0.11981,-0.08105,-0.04414,-0.00885, 0.02774, 0.06759, 0.11262,
0.16480, 0.21487, 0.27001, 0.32895, 0.39044, 0.45319)

g = PointsAlong(G$x, G$y, N=3)
DUMPLOC(g, dig = 5)
```

EHB.LLZ

*Earthquake Location Data***Description**

Global Earthquake catalog locations from Engdahl, et al.

**Usage**

```
data(EHB.LLZ)
```

**Format**

**lat** Latitude

**lon** Longitude

**z** depth in km

**Source**

Data is extracted from an earthquake data base of relocated events provided by Robert Engdahl.

**References**

Engdahl, E. R., R. D. van der Hilst, S. H. Kirby, G. Ekstrom, K. M. Shedlock, and A. F. Sheehan (1998), A global survey of slab structures and internal processes using a combined data base of high-resolution earthquake hypocenters, tomographic images and focal mechanism data, *Seismol. Res. Lett.*, 69, 153-154.

**Examples**

```
data(EHB.LLZ)
## maybe str(EHB.LLZ) ; plot(EHB.LLZ) ...
```

Ellipsoidal.Distance    *Ellipsoidal Distance***Description**

Ellipsoidal Distance given Latitude and Longitude

**Usage**

```
Ellipsoidal.Distance(olat, olon, tlat, tlon, a = 6378137, b = 6356752.314, tol=10^(-12))
```

## Arguments

olat	Origin Latitude, degrees
olon	Origin Longitude, degrees
tlat	Target Latitude, degrees
tlon	Target Longitude, degrees
a	major axis, meters. If missing uses the
b	minor axis, meters
tol	Tolerance for convergence, default=10^(-12)

## Details

Uses Vincenty's formulation to calculate the distance along a great circle on an ellipsoidal body.

If a and b are not provided, they are set by default to a=6378137.0 , b=6356752.314, the WGS-84 standard.

Only one pair of (olat, olon) and (tlat, tlon) can be given at a time. The program is not vectorized.

Quoting from the wiki page this algorithm was extracted from:

"Vincenty's formulae are two related iterative methods used in geodesy to calculate the distance between two points on the surface of an spheroid, developed by Thaddeus Vincenty in 1975. They are based on the assumption that the figure of the Earth is an oblate spheroid, and hence are more accurate than methods such as great-circle distance which assume a spherical Earth.

The first (direct) method computes the location of a point which is a given distance and azimuth (direction) from another point. The second (inverse) method computes the geographical distance and azimuth between two given points. They have been widely used in geodesy because they are accurate to within 0.5 mm (.020 sec) on the Earth ellipsoid"

## Value

list	
dist	distance, km
az	azimuth, degrees
revaz	reverse azimuth, degrees
err	=0, if convergence failed, else=1

## Note

Latitudes >90 and < -90 are not allowed. NA's are returned.

If points are identical, a distance of zero is returned and NA for the azimuths. If there is some problems with convergence or division by zero, NA's are returned and error message is printed.

A couple of known cases that do not work are, e.g.: (olat=0; olon=0; tlat=0; tlon=-180) and (olat=0; olon=0; tlat=0; tlon=180). They will return NA's to avoid division by zero.

I am not sure how to deal with these cases yet.

The reverse azimuth is the angle from the meridian on the target point to the great circle from the origin to the target (as far as I can tell). If distaz and Ellipsoidal.Distance are compared, they give

the same azimuth, and the absolute angles of baz (from distaz) and revaz (from Ellipsoidal.Distance) will add to 180 degrees.

### **Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

### **References**

[http://en.wikipedia.org/wiki/Vincenty%27s\\_formulae](http://en.wikipedia.org/wiki/Vincenty%27s_formulae)

Vincenty, T. (April 1975). Direct and Inverse Solutions of Geodesics on the Ellipsoid with application of nested equations. Survey Review XXIII (misprinted as XXII) (176): 88.201393. [http://www.ngs.noaa.gov/PUBS\\_LIB/inverse.pdf](http://www.ngs.noaa.gov/PUBS_LIB/inverse.pdf). Retrieved 2009-07-11.

### **See Also**

distaz

### **Examples**

```
#####      compare to spheroidal calculation distaz
#####

R.MAPK = 6378.2064
N =20

OUT = list(dadist=0, ed2dist=0, ed1dist=0, dif2=0, dif1=0, pct1=0)
for( i in 1:N)
{
  olat = runif(1, -90, 90)
  olon = runif(1, 0, 180)

  tlat = runif(1, -90, 90)
  tlon = runif(1, 0, 180)

##### older spherical calculation
  da = distaz(olat, olon, tlat, tlon)
#####
  ed1 = ellipposidal earth
  ed1 = Ellipsoidal.Distance(olat, olon, tlat, tlon)
#####
  ed2 spherical earth using
#####
  ###### ellipsoidal calculations, compare with
  distaz
  ed2 = Ellipsoidal.Distance(olat, olon, tlat, tlon, a=R.MAPK*1000, b=R.MAPK*1000)

  dif1 = da$dist-ed1$dis
  dif2 = da$dist-ed2$dis

  pct1 = 100*dif1/ed1$dist
```

```

##### OUT = format( c(da$dist, ed2$dist, ed1$dist, dif2, dif1, pct1) , digits=10)

OUT$dadist[i] =da$dist
OUT$ed2dist[i] =ed2$dist
OUT$ed1dist[i]=ed1$dist
OUT$dif2[i]= dif2
OUT$dif1[i]=dif1
OUT$pct1[i]=pct1

###cat(paste(collapse=" ", OUT), sep="\n")

}

print( data.frame(OUT) )

#####
##### some extreme cases can cause problems
##### here compare Ellipsoidal.Distance with spherical program distaz

Alat = c(90, 90, 90, 45, 45, 45, 45, 0, 0, 0, 0)
Alon = c(180, 180, -180, 45, 45, 45, 45, 0, 0, 0, 0)
Blat = c(-90, -45, 0, 45, -45, 0, 0, -80, 45, 0, 0, 0)
Blon = c(180,-180, 180, 0, -45, 0, -180, 100, -60, -180, 180, 0)

BOUT = list(olat=0, olon=0, tlat=0, tlon=0, dadist=0, ed2dist=0, daaz=0, ed2az=0, dabaz=0, ed2baz=0)

R.MAPK = 6378.2064
for(i in 1:length(Alat))
{
  olat = Alat[i]
  olon = Alon[i]
  tlat = Blat[i]
  tlon = Blon[i]

  da = distaz(olat, olon, tlat, tlon)
  ed2 = Ellipsoidal.Distance(olat, olon, tlat, tlon, a=R.MAPK*1000, b=R.MAPK*1000)
  cat(paste("i=", i), sep="\n")

  BOUT$olon[i] =olon
  BOUT$olat[i] =olat
  BOUT$tlat[i] =tlat
  BOUT$tlon[i] =tlon

  BOUT$dadist[i] =da$dist
  BOUT$ed2dist[i] =ed2$dist

  BOUT$daaz[i]= da$az
}

```

```
BOUT$dabaz[i]= da$baz
BOUT$ed2az[i]= ed2$az
BOUT$ed2baz[i]= ed2$revaz

}

print(data.frame(BOUT))
```

**eqswath***Extract a set of eathquakes in swath along a cross sectional line***Description**

Extract a set of eathquakes in swath along a cross sectional line

**Usage**

```
eqswath(x, y, z, L, width = 1, PROJ = NULL)
```

**Arguments**

x	x-coordinates of earthquakes
y	y-coordinates of earthquakes
z	z-coordinates of earthquakes
L	list of x-y coordinates of cross section
width	width of swath (km)
PROJ	projection information

**Details**

All units should be the same.

**Value**

r	r-distance along cross section (x-coordinate)
dh	distance from cross seection
depth	depth in cross section (y-coordinate)
flag	index vector of which earthquakes fell in swath and depth range
InvBox	coordinates of swath for plotting on map

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

XSECwin, XSECEQ

**Examples**

```
##### create data
x = runif(100, 1, 100)
y = runif(100, 1, 100)
z = runif(100, 1, 10)
plot(x,y, asp=1)
## L = locator()

L=list()
L$x=c( 5.42328560757,64.62879777806)
L$y=c(89.843266449785,-0.174423911329)

J = eqswath(x, y, z, L, width = 10, PROJ = NULL)

##### show box:
plot(x,y, asp=1)
lines(J$InvBox$x, J$InvBox$y)

##### show cross section with events plotted
plot(J$r, -J$depth)
```

*ExcludeGEOmap*

*Exclude GEOmap Strokes*

**Description**

Select sections of a MAP-list structure based on stroke index

**Usage**

```
ExcludeGEOmap(MAP, SEL, INOUT = "out")
```

**Arguments**

MAP	Map List
SEL	Selection of stroke indeces to include or exclude
INOUT	text, "in" means include, "out" means exclude

**Value**

MAP	list
-----	------

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`getGEOmap`, `plotGEOmap`, `SELGEOmap`, `boundGEOmap`

**Examples**

```
data(coastmap)

### extract (include) the first 6 strokes from world map

A1 = ExcludeGEOmap(coastmap, 1:6, INOUT="in")
print(A1$STROKES$nam)
```

**expandbound**

*Expand Bounds*

**Description**

Calculate an expanded bounding region based on a percent of the existing boundaries

**Usage**

```
expandbound(g, pct = 0.1)
```

**Arguments**

g	vector of values
pct	fractional percent to expand

**Details**

uses the range of the existing vector to estimate the expanded bound

**Value**

vector, new range

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
i = 5:10
exi = expandbound(i, pct = 0.1)
range(i)
range(exi)
```

---

**explode***Explode Points*

---

**Description**

Explode a set of points away from a center point

**Usage**

```
explode(fxy, dixplo=1, mult=1, cenx=0, ceny=0, PLOT=FALSE)
```

**Arguments**

fxy	list of x, y coordinates
dixplo	distance to explode
mult	multiplier for the distance
cenx	x coordinate center of explosion
ceny	y coordinate center of explosion
PLOT	logical, TRUE=make a plot of the resulting explosion

**Details**

If cenx and ceny is missing it is assumed to be the mean of the coordinates. Program calculates the new locations radiating away from the central point. No protection against overlapping symbols is included.

**Value**

list of new x,y values

x	new x coordinates
y	new y coordinates

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

*ExplodeSymbols*, *NoOverlap*

**Examples**

```
#####
# random data
x = rnorm(20)
y = rnorm(20)

NEW = explode(list(x=x,y=y), dixplo =1)

plot(range(c(x,NEW$x)), range(c(y,NEW$y)), asp=1, type='n')
segments(x,y,NEW$x, NEW$y)
points(x,y, pch=3, col='red')
points(NEW$x, NEW$y, pch=6, col='blue', cex=2)

### try a larger radius:
NEW2 = explode(list(x=x,y=y), dixplo =1.3)
points(NEW2$x, NEW2$y, pch=7, col='brown', cex=2, xpd=TRUE)
arrows(NEW$x, NEW$y,NEW2$x, NEW2$y, col='green' )

#####
# try with a different center
cenx=-1; ceny=-1
NEW = explode(list(x=x,y=y), dixplo =1, cenx=cenx, ceny=ceny)
plot(range(c(x,NEW$x)), range(c(y,NEW$y)), asp=1, type='n')
points(x,y, pch=3, col='red')
segments(x,y,NEW$x, NEW$y)
points(NEW$x, NEW$y, pch=6, col='blue', cex=2)
points(cenx, ceny, pch=8, col='purple')
text(cenx, ceny, labels="Center Point", pos=1)
```

**Description**

Interactive program for redistributing symbols for later plotting. Used for Focal Mechanisms.

**Usage**

```
ExplodeSymbols(XY, fsiz = 1, STARTXY = NULL, MAP = NULL)
```

**Arguments**

XY	list of x,y values
fsiz	size of the symbol, as a percentage of the user coordinates
STARTXY	Starting positions. This is used for multiple sessions where we want to pick up the previous locations.
MAP	Map to plot on the screen, in GEOmap format.

**Details**

The program is interactive. It starts by plotting the points as symbols. A number of buttons are provided for exploding the points semi automatically. To move each point click near its current point, then click at the destination followed by a click on the HAND button. several symbols can be moved at the same time.

You must click on the screen and on the buttons to get this code working - the program will not work in batch mode or run as a script You click in the active screen area and then press a button on top (or bottom) - the button takes your clicks and does something Here are some hints:

Buttons:Buttons appear on top and bottom of the plotting region.

HAND: If you want to move only one symbol (focal mech) click near it and then click where you want it to go. Then click the HAND button You may click several at once, but for each click on a symbol there has to be a click somewhere to relocate it. (i.e. there must be an even number of clicks on the screen before hitting the HAND button)

SEL: If you want to explode several symbols at once, first select them: click lower left, then upper right of rectangle enclosing the selection. Once a selection is made it remains active until another selection is made so you can keep changing the radius and center for different explosions Then click CIRC.

RECT Choose a rectangle (lower left and upper right), then click RECT for an explosion

RECT2 After selecting, choose a center and a distance. symbols will be moved to a rectangular perimeter defined by the two points

CIRC After selection, click once for the circle center, and a second time for the radius, then click CIRC

LINE After selection,will explode the events away from a line, a given distance away. The line is given by 2 points and the distance by a third perpendicular distance.

**Value**

list of new x,y values

**Note**

For now the map is given in lat-lon coordinates- the same as the points being moved. There is no map projection used.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`rekt2line`

**Examples**

```
## Not run:
F1 = list(x=rnorm(43), y=rnorm(43))
SMXY = ExplodeSymbols(F1, 0.03)

## End(Not run)
```

**faultdip**

*Show Fault dip*

**Description**

Show Fault dip

**Usage**

```
faultdip(x, y, rot = 0, h = 1, lab = "")
```

**Arguments**

x	x-coordinates
y	y-coordinates
rot	cosine and sine of rotation
h	length of mark
lab	labels

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`perpen`, `PointsAlong`, `getsplineG`

**Examples**

```
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

G =getsplineG(ff$x, ff$y, kdiv=20)
g = PointsAlong(G$x, G$y, N=5)

plot(c(-5,5), c(-5,5), asp=1, type='n' )
lines(G)

angs = 180*atan(g$rot$sn/g$rot$cs)/pi
faultdip(g$x , g$y , rot=angs, h=.5, lab='')
```

**faultperp**

*Fault Perpendiculars*

**Description**

Draw perpendicular marks on fault trace

**Usage**

```
faultperp(x, y, N = 20, endtol = 0.1, h = 1, col = "black")
```

**Arguments**

x	x-coordinates
y	y-coordinates
N	number of points
endtol	indent on either ends
h	length of perpendicular marks
col	color of line

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

OverTurned

**Examples**

```
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

G =getssplineG(ff$x, ff$y, kdiv=20)
g = PointsAlong(G$x, G$y, N=5)

plot(c(-5,5), c(-5,5), asp=1, type='n' )
lines(G)

faultperp(G$x, G$y, N = 10, endtol = 0.1, h = .3, col = "black")
```

**fixCoastwrap**

*Correct the Wrapping problem*

**Description**

Correct wrapping for GEOnaps

**Usage**

```
fixCoastwrap(Z, maxdis = 100)
```

**Arguments**

Z	list of x, y
maxdis	maximum distance for differences

**Details**

Based on mapswrap program

**Value**

List:

x	x-coordinates (longitudes)
y	y-coordinates (latitudes)

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```

data(coastmap)
SEL = which(coastmap$STROKES$nam=="AFROASIA")

A = ExcludeGEOmap(coastmap, SEL, INOUT="in")

plot(A$POINTS$lon, A$POINTS$lat, type='n')

points(A$POINTS$lon, A$POINTS$lat, pch='.')

##### note that the map wraps around.

B = fixCoastwrap(list(x=A$POINTS$lon, y=A$POINTS$lat), 100)
which(is.na(B$x))

lines(B)

polygon(B, col=rgb(.8,1, .8))

```

**Description**

OLD projection sometimes used in Lees' tomography. No need for projection data, it is included in the code.

**Usage**

gclc(phiorg, lamorg, phi, lam)

**Arguments**

phiorg	lat origin
lamorg	lon origin
phi	lat
lam	lon

**Details**

This may be defunct now.

**Value**

x	coordinate, km
y	coordinate, km

**Note**

Originally from R. S. Crosson

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

lcgc

**Examples**

```
gclc(23, 35, 23.5, 35.6)
```

geoarea	<i>Area of Map objects</i>
---------	----------------------------

**Description**

vector of areas of polygons in map

**Usage**

```
geoarea(MAP, proj=NULL, ncut=10)
```

**Arguments**

MAP	Map structure
proj	projection
ncut	minimum number of points in polygon

**Details**

Uses splances function. If proj is NULL then the project is reset to UTM spherical for each element seperately to calculate the area in km. ncut is used to eliminate area calculations with strokes less than the specified number.

**Value**

vector of areas

**Note**

areas smaller than a certain tolerance are NA

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

---

geoLEGEND*Geological legend from GEOMap Structure*

---

**Description**

Create and add Geological legend from GEOMap Structure

**Usage**

```
geoLEGEND(names, shades, zx, zy, nx, ny, side=1, cex=0.5)
```

**Arguments**

names	namesof units
shades	colorsof units
zx	width of box, mm
zy	height of box, mm
nx	number of boxes in x-direction
ny	number of boxes in y-direction
side	Side of the plot for the legend (1,2,3,4)
cex	Character expansion for text in legend

**Details**

Adds geological legend based on information provided. Legend is placed in margin.

**Value**

Graphical Side Effects

**Note**

If plot is resized, should re-run this as the units depend on the screen size information and the transformation of user coordinates.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
## Not run:

library(RPMG)
library(RSEIS)
library(GEOmap)
library(geomapdata)

data(cosogeol)
data(cosomap)
  data(faults)
  data(hiways)
  data(owens)

proj = cosomap$PROJ

XMCOL = setXMCOL()

newcol = XMCOL[cosogeol$STROKES$col+1]
cosocolnum = cosogeol$STROKES$col
cosogeol$STROKES$col = newcol
ss = strsplit(cosogeol$STROKES$nam, split="_")

geo = unlist(sapply(ss , "[[", 1))

UGEO = unique(geo)

mgeo = match( geo, UGEO )

gcol = paste(sep=". ", geo, cosogeol$STROKES$col)

ucol = unique(gcol)

N = length(ucol)

spucl = strsplit(ucol,split="\.")
```

```
names = unlist(sapply(spucol , "[[", 1))

shades = unlist(sapply(spucol , "[[", 2))

ORDN = order(names)
### example:

par(mai=c(0.5, 1.5, 0.5, 0.5) )

plotGEOmapXY(cosomap, PROJ=proj, add=FALSE, ann=FALSE, axes=FALSE)

plotGEOmapXY(cosogeol, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)

geoLEGEND(names[ORDN], shades[ORDN], .28, .14, 4, 16, side=2)

#####

par(mai=c(0.5, 0.5, 1.0, 0.5) )

plotGEOmapXY(cosomap, PROJ=proj, add=FALSE, ann=FALSE, axes=FALSE)

plotGEOmapXY(cosogeol, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)

geoLEGEND(names[ORDN], shades[ORDN], .28, .14, 16, 6, side=3)

#####

par(mai=c(0.5, 0.5, 0.5, 1) )

plotGEOmapXY(cosomap, PROJ=proj, add=FALSE, ann=FALSE, axes=FALSE)

plotGEOmapXY(cosogeol, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)

geoLEGEND(names[ORDN], shades[ORDN], .28, .14, 3, 16, side=4)

#####

par(mai=c(1.5, 0.5, 0.5, 0.5) )

plotGEOmapXY(cosomap, PROJ=proj, add=FALSE, ann=FALSE, axes=FALSE)

plotGEOmapXY(cosogeol, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)

geoLEGEND(names[ORDN], shades[ORDN], .28, .14, 16, 3, side=1)

## End(Not run)
```

`GEOmap.breakline`      *Break a line at specified indeces into a list*

### Description

Break a line at specified indices into a list

### Usage

`GEOmap.breakline(Z, ww)`

### Arguments

<code>Z</code>	list of x,y location values
<code>ww</code>	index vector of break locations

### Value

<code>newx</code>	list x of strokes
<code>newy</code>	list y of strokes

### Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

### Examples

```

Y=list()
Y$x=c(170,175,184,191,194,190,177,166,162,164)
Y$y=c(-54,-60,-60,-50,-26,8,34,37,10,-15)

GEOmap.breakline(Y, 5)

```

`GEOmap.breakpoly`      *Break up a polygon*

### Description

Break up a polygon

### Usage

`GEOmap.breakpoly(Z, ww)`

**Arguments**

Z	list, x,y locations
ww	vector of indecies where NAs occur

**Details**

The NA values in Z represent breaks. GEOmap.breakpoly breaks the polygon up into individual strokes. The beginning and the ending of the stroke are combined.

**Value**

newx	list of x values
newy	list of y values

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

fixCoastwrap, GEOmap.breakline

**Examples**

```
x=1:100  
y = 1:100  
  
ww = c(25, 53, 75)  
  
A = list(x=x, y=y)  
  
W = GEOmap.breakpoly(A , ww)
```

**Description**

Combine Two GEOmaps into one

**Usage**

GEOmap.cat(MAP1, MAP2)

**Arguments**

MAP1	GEOmap list
MAP2	GEOmap list

**Details**

Maps are combine consecutively.

**Value**

GEOmap	list
--------	------

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

*GEOmap.Extract*, *GEOmap.CombineStrokes*, *list.GEOmap*

**Examples**

```
data(coastmap)
CUBA = GEOmap.Extract(coastmap,90, INOUT="in" )

NSAMER = GEOmap.Extract(coastmap,2, INOUT="in" )
AMAP = GEOmap.cat(CUBA, NSAMER)
plotGEOmap(AMAP )
```

*GEOmap.CombineStrokes* *Combine strokes in a GEOmap list*

**Description**

Combine strokes in a GEOmap list

**Usage**

*GEOmap.CombineStrokes(MAP, SEL)*

**Arguments**

MAP	GEOmap list
SEL	index of strokes to be combined

**Details**

Strokes are combined in the order designated by the SEL index vector. The direction of the strokes is not modified - this may have to be fixed so that strokes align properly.

**Value**

GEOmap list

STROKES	Metadata for strokes
POINTS	list, lat=vector, lon=vector

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

GEOmap.cat, GEOmap.Extract, GEOmap.CombineStrokes, list.GEOmap

**Examples**

```
data(coastmap)
SEL = which(coastmap$STROKES$nam=="Caribbean")

CAR = GEOmap.Extract(coastmap, SEL, INOUT="in" )

plotGEOmap(CAR, MAPstyle=3, NUMB=TRUE)

CAR2 = GEOmap.CombineStrokes(CAR, SEL =c(6:15) )

plotGEOmap(CAR2, MAPstyle=3, MAPcol='red' , add=TRUE)
```

---

GEOmap.Extract      *Extract from GEOmap*

---

**Description**

Extract or Exclude parts of a GEOmap list.

**Usage**

```
GEOmap.Extract(MAP, SEL, INOUT = "out")
fastExtract(MAP, SEL, INOUT = "out")
GEOmap.limit(MAP, LLlim )
```

**Arguments**

MAP	GEOmap List
SEL	Selection of stroke indeces to include or exclude
INOUT	text, "in" means include, "out" means exclude
LLlim	vector latlon limits

**Details**

Can either extract from the GEOmap data list with in, or exclude with out. fastExtract is the same but may be faster since it does not process all the strokes in the base GEOmap.

**Value**

GEOmap	list
--------	------

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`GEOmap.cat`, `GEOmap.Extract`, `GEOmap.CombineStrokes`, `list.GEOmap`, `getGEOmap`, `plotGEOmap`, `SELGEOmap`, `boundGEOmap`,

**Examples**

```
data(coastmap)
SEL=which(coastmap$STROKES$nam=="AMERICAS")
NSAMER = GEOmap.Extract(coastmap,SEL, INOUT="in" )
plotGEOmap(NSAMER)
```

**GEOmap.list**

*GEOmap to list*

**Description**

Inverse of `list.GEOmap`.

**Usage**

```
GEOmap.list(MAP, SEL = 1)
```

**Arguments**

MAP	GEOmap list
SEL	index, selection of specific strokes

**Details**

Returns the GEOmap strokes and instead of a long vector for the points they are broken down into a list of strokes.

**Value**

STROKES	Metadata for strokes
POINTS	list, lat=vector, lon=vector
LL	list of lat-lon strokes

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

GEOmap.cat, GEOmap.Extract, GEOmap.CombineStrokes, list.GEOmap

**Examples**

```
data(coastmap)
SEL=which(coastmap$STROKES$name=='CUBA')
G = GEOmap.list(coastmap, SEL=SEL )

### Lat-Lon of Cuba
G$LL
```

---

**Description**

Plot a set of Geological Symbols

**Usage**

`GEOsymbols()`

**Details**

Currently the choices in symbols are:

contact anticline syncline OverTurned-ant OverTurned-syn perp thrust normal dextral sinistral detachment bcars

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

bcars, thrust, teeth, SynAnticline, SSfault, horseshoe, strikeslip, OverTurned, normalfault, PointsA-long

**Examples**

```
GE0symbols()
```

GEOTOPO

*Topographic Plot of geographic region*

**Description**

Extract subset of a topographic database, interpolate and plot using the persp program.

**Usage**

```
GEOTOPO(TOPO, PLOC, PROJ, calcol=NULL, nx=500, ny=500, nb = 4, mb = 4, hb = 8, PLOT=TRUE)
```

**Arguments**

TOPO	list of x,y,z for a DEM
PLOC	Location list, includes vectors LON and Lat
PROJ	projection
calcol	color table for coloring elevations above sea level
nx	number of points in x grid, default=500
ny	number of points in y grid, default=500
nb	see function mba.surf, default = 4
mb	see function mba.surf, default = 4
hb	see function mba.surf , default= 8
PLOT	logical, TRUE=plot a map and return color map

## Details

The return matrix PMAT is a rotation matrix used for adding geographic (projected) data onto the perspective plot.

ETOPO5 or ETOPO2 can be downloaded from and installed using these links: <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO2.RData> and <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO5.RData>

## Value

PMAT	Matrix from persp, used for adding other geographic information
xo	x-coordinates
yo	y-coordinates
IZ	interpolated elevations
Cmat	matrix of RGB Colors
Dcol	dimensions of Cmat

## Note

If PLOT is false the transform matrix PMAT and the color mapping matrix Cmat will be returned as NA. To create these for future plotting, use TOPOCOL or LandSeaCol functions. TOPOCOL simply assigns values above sea level with one color scale and those below with under water colors. LandSeaCol requires a coastal map and fills in land areas with terrain colors and sea areas with blue palette colors.

## Author(s)

Jonathan M. Lees<jonathan.lees.edu>

## See Also

subsetTOPO, TOPOCOL, LandSeaCol, settopocol, subsetTOPO, persp, DOTOPOMAPI

## Examples

```
## Not run:

library(geomapdata)

#### need to download and install ETOPO data
#### data(ETOPO5)
load(ETOPO5)
PLOC=list(LON=c(137.008, 141.000),LAT=c(34.000, 36.992),
          x=c(137.008, 141.000), y=c(34.000, 36.992) )

PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )
COLS = settopocol()
```

```
JMAT = GEOTOP0(ETOPO5, PLOC, PROJ, COLS$calcol, nx=1000, ny=1000, nb=8, mb=8, hb=12, PLOT=TRUE)

##### this plot can be duplicated by using the output or GEOTOP0

PMAT = persp(JMAT$xo, JMAT$yo, JMAT$IZ$z, theta = 0, phi = 90, r=4000,
col=JMAT$Cmat[1:(JMAT$Dcol[1]-1), 1:(JMAT$Dcol[2]-1)], scale = FALSE,
ltheta = 120, lphi=60, shade = 0.75, border = NA, expand=0.001, box = FALSE )

## End(Not run)
```

**getETOPO***Get Subset ETOPO Digital elevation map***Description**

Extract from ETOPO5 or ETOPO2 data a rectangular subset of the full data.

**Usage**

```
getETOPO(topo, glat = c(-90, 90), glon = c(0, 360))
```

**Arguments**

topo	A DEM matrix, ETOPO5 or ETOPO2
glat	2-vector, latitude limits
glon	2-vector, longitude limits (these are converted 0-360)

**Details**

ETOPO2 and ETOPO5 are stored in a strange way: the lons are okay the latitudes are upside down.  
 ETOPO5 or ETOPO2 can be downloaded from and installed using these links: <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO2.RData> and <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO5.RData>

**Value**

Returns a matrix with attributes in lat-lon that are correct for usage in image or other R imaging programs.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

[image](#)

**Examples**

```
## Not run:  
library(geomapdata)  
### Download and install ETOPO Data  
## data(ETOPO5)  
load(ETOPO5)  
glat =c(45.4, 49)  
glon = c(235, 243)  
b5 = getETOPO(ETOPO5, glat, glon)  
image(x=attr(b5, 'lon'), y=attr(b5,'lat'), z=b5, col=terrain.colors(100) )  
contour( x=attr(b5, 'lon'), y=attr(b5,'lat'), z=b5, add=TRUE)  
  
## End(Not run)
```

---

**getGEOmap**

*Get Geomap*

---

**Description**

Get Geomap from ascii files

**Usage**

```
getGEOmap(fn)
```

**Arguments**

fn	root name
----	-----------

**Details**

Files are stored as a pair: rootname.strks and rootname.pnts

**Value**

STROKES	List of stroke information:
nam	name of stroke
num	number of points
index	index where points start
col	color
style	plotting style: 1=point, 2=line,3=polygon
code	character, geological code

LAT1	bounding box lower left Lat
LAT2	bounding box upper right Lat
LON1	bounding box lower left Lon
LON2	bounding box upper right Lon
POINTS	List of point LL coordinates, list(lat, lon)
PROJ	optional projection parameters

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`plotGEOmapXY`, `boundGEOmap`

**Examples**

```
## Not run:
library(geomapdata)

data(cosomap)
data(faults)
data(hiways)
data(owens)

cosogeol = getGEOmap("/home/lees/XMdemo/GEOTERM/cosogeol")

cosogeol = boundGEOmap(cosogeol)

proj = cosomap$PROJ

plotGEOmapXY(cosomap, PROJ=proj, add=FALSE, ann=FALSE, axes=FALSE)

plotGEOmapXY(cosogeol, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)

plotGEOmapXY(cosomap, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)

plotGEOmapXY(faults, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)

## End(Not run)
```

---

**getGEOperim** *Get Lat-Lon Perimeter*

---

**Description**

Get rectangular perimeter of region defined by set of Lat-Lon

**Usage**

```
getGEOperim(lon, lat, PROJ, N)
```

**Arguments**

lon	vector of lons
lat	vector of lats
PROJ	projection structure
N	number of points per side

**Details**

perimeter is used for antipolygon

**Value**

List:

x	x-coordinates projected
y	y-coordinates projected

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**Examples**

```
### target region
PLOC= list(LON=c(138.3152, 139.0214),
LAT=c(35.09047, 35.57324))

PLOC$x =PLOC$Lon
PLOC$y =PLOC$Lat

#### set up projection
PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )
```

```
perim= getGEOperim(PLOC$LON, PLOC$LAT, PROJ, 50)
```

**getgreatarc***Great Circle Arc***Description**

Get points along great circle between two locations

**Usage**

```
getgreatarc(lat1, lon1, lat2, lon2, num)
```

**Arguments**

lat1	Latitude, point 1 (degrees)
lon1	Longitude, point 1 (degrees)
lat2	Latitude, point 2 (degrees)
lon2	Longitude, point 2 (degrees)
num	number of points along arc

**Value**

lat	Latitude
lon	Longitude

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

getgreatarc, distaz

**Examples**

```
PARIS = c(48.8666666666667, 2.3333333333333)
RIODEJANEIRO =c( -22.9, -43.233333333333)

g = getgreatarc(PARIS[1],PARIS[2], RIODEJANEIRO[1], RIODEJANEIRO[2],
100)
library(geomapdata)
data(worldmap)

plotGEOmap(worldmap, add=FALSE, shiftlon=180)

lines(g$lon+180, g$lat)
```

---

**getmagsize***Earthquake Magnitude based on exponential*

---

## Description

Estimate a size for plotting earthquakes recorded on a logarithmic scale

## Usage

```
getmagsize(mag, minsize = 1, slope = 1, minmag = 0, maxmag = 8, style = 1)
```

## Arguments

mag	magnitudes from catalog
minsize	minimum size
slope	slope for linear scale
minmag	min magnitude
maxmag	max magnitude
style	Style of plotting: 0= all the same size; 1(default): exponential scale; 2=linear scale

## Details

The idea is to have a scale reflect the size of the earthquake. The default style (1) has a few parameters left over from old program geotouch.

## Value

vector of sizes for plotting

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## Examples

```
mag = 0:9

x = runif(10, 1, 100)
y = runif(10, 1, 100)

g = getmagsize(mag)

plot(c(0, 100), c(0, 100), asp=1, type='n')

points(x, y, pch=1, cex=g)
```

---

**getnicetix***Nice Looking Lat-Lon pairs for plotting*

---

**Description**

Given a set of lat lon pairs, return a new set of tic marks

**Usage**

```
getnicetix(lats, lons)
```

**Arguments**

lats	latitude range
lons	longitude range

**Value**

LAT	list output of niceLLtix
LON	list output of niceLLtix

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

nicelleltix

**Examples**

```
proj = setPROJ(7, LAT0 = 0 , LON0= -93)
rx = c(652713.4, 656017.4)
ry = c(1629271, 1631755)

gloc = XY.GLOB(rx, ry, proj)

G = getnicetix(gloc$lat, gloc$lon)

print(G)
```

---

getspline	<i>Get a spline curve along a set of points</i>
-----------	---

---

## Description

Get a spline curve along a set of points

## Usage

```
getspline(x, y, kdiv)
```

## Arguments

x	x-coordinates
y	y-coordinates
kdiv	number of divisions in each sections

## Value

LIST:

x	x-coordinates
y	y-coordinates

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## Examples

```
plot(c(-5,5), c(-5,5), asp=1, type='n' )
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

lines(ff, col='red')
G =getspline(ff$x, ff$y, kdiv=20)

lines(G, col='blue')
```

---

**getsplineG***Get a spline curve along a set of points*

---

**Description**

Get a spline curve along a set of points

**Usage**

```
getsplineG(x, y, kdiv)
```

**Arguments**

x	x-coordinates
y	y-coordinates
kdiv	number of divisions in each sections

**Value**

LIST:

x	x-coordinates
y	y-coordinates

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
plot(c(-5,5), c(-5,5), asp=1, type='n' )
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

lines(ff, col='red')
G =getsplineG(ff$x, ff$y, kdiv=20)

lines(G, col='blue')
```

---

**GETXprofile***Cross sectional profile through a digital elevation map*

---

**Description**

Example of how to use RPMG button functions. This example shows how to plot a DEM and interactively change the plot and find projected cross-sections through a surface.

**Usage**

```
GETXprofile(jx, jy, jz, LAB = "A", myloc = NULL, PLOT = FALSE, NEWDEV=TRUE, asp=1)
```

**Arguments**

jx, jy	locations of grid lines at which the values in 'jz' are measured.
jz	a matrix containing the values to be plotted
LAB	Alphanumeric (A-Z) for labeling a cross section
myloc	Out put of Locator function
PLOT	logical. Plot is created if TRUE
NEWDEV	logical. Plot is on a new device if TRUE
asp	aspect ration for plotting, see par

**Details**

The program uses a similar input format as image or contour, with structure from the locator() function of x and y coordinates that determine where the cross section is to be extracted.

**Value**

Returns a list of x,z values representing the projected values along the cross section.

RX	distance along cross section
RZ	values extracted from the elevation map

**Note**

The program is an auxiliary program provided to illustrate the RPMG interactive R analysis.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

locator, image

## Examples

```

## Not run:
##### get data
data(volcano)
#### extract dimensions of image
nx = dim(volcano)[1]
ny = dim(volcano)[2]

#### establish units of image
jx = 10*seq(from=0, to=nx-1)
jy = 10*seq(from=0, to=ny-1)

#### set a letter for the cross section
LAB = LETTERS[1]

#### coordinates of cross section on image
### this is normally set by using the locator() function
x1 = 76.47351
y1 = 231.89055
x2 = 739.99746
y2 = 464.08185

## extract and plot cross section

GETXprofile(jx, jy, volcano, myloc=list(x=c(x1, x2), y=c(y1, y2)), LAB=LAB, PLOT=TRUE)

## End(Not run)

```

GLOB.XY

*Convert from GLOBAL LAT-LON to X-Y*

## Description

Convert from GLOBAL LAT-LON to X-Y

## Usage

```
GLOB.XY(LAT, LON, PROJ.DATA)
```

## Arguments

LAT	Latitude
LON	Longitude
PROJ.DATA	Projection list

## Details

Units should be given according to the projection. This is the inverse of XY.GLOB.

**Value**

x	X in whatever units
y	Y in whatever units

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

**See Also**

XY.GLOB

**Examples**

```
proj = setPROJ(type = 2, LAT0 =23, LON0 = 35)

### get lat-lon
LL = XY.GLOB(200, 300, proj)

## find x-y again, should be the same
XY = GLOB.XY(LL$lat, LL$lon, proj)
XY
```

GLOBE.ORTH

*Plot globe with orthogonal*

**Description**

Plot globe with orthogonal

**Usage**

```
GLOBE.ORTH(lam0, phi1, R = 1, plotmap = TRUE, plotline=TRUE, add=FALSE,
map = coastmap, mapcol = grey(0.2), linecol = grey(0.7), fill=FALSE)
```

**Arguments**

<code>lam0</code>	view origin longitude, degrees
<code>phi1</code>	view origin latitude, degrees
<code>R</code>	Radius of sphere, default=1
<code>plotmap</code>	logical, default=TRUE, add map
<code>plotline</code>	logical, default=TRUE, add grid of lat-lons
<code>add</code>	logical, default=FALSE, Do not start a new plot, rather add to existing plot
<code>map</code>	GEOMap list
<code>mapcol</code>	color for map
<code>linecol</code>	color for meridians and parallels
<code>fill</code>	fill polygons with color, default=FALSE

**Details**

Plots whole globe with grid.

**Value**

Graphical Side effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**References**

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

**See Also**

`setPROJ`, `projtype`, `plotGEOMap`

**Examples**

```
##### simple map of world viewed at 40 degrees latitude
R = 1
R.MAPK = 6378.2064

phi1=40

viewlam = seq(from=0, to=340, by=2)

data(coastmap)

K=1
GLOBE.ORTH(viewlam[K], phi1, R=1, plotmap=TRUE)
#####
```

```

OLIM = c(20, 40, 10, 40)
TLIM = c(-20, -10, -30, -10)

olat = runif(1, OLIM[1], OLIM[2])
olon = runif(1, OLIM[3], OLIM[4] )

tlat = runif(1,TLIM[1], TLIM[2] )
tlon = runif(1, TLIM[3], TLIM[4])

GLOBE.ORTH(olon, olat, 1,plotmap=FALSE )

XYorg = ortho.proj(olat, olon, olon, olat, 1)
XYtarg = ortho.proj(tlat, tlon, olon, olat, 1)

points( XYorg , col='red')
points(XYtarg , col='blue')
da = distaz(olat, olon, tlat, tlon)
ed2 = Ellipsoidal.Distance(olat, olon, tlat, tlon, a=R.MAPK*1000, b=R.MAPK*1000)

A = along.great(olat*pi/180, olon*pi/180,
seq(from=0, to=da$del, by=2)*pi/180, da$az*pi/180)

lat=A$phi*180/pi
lon = A$lam*180/pi

XYalong = ortho.proj(lat, lon, olon, olat, 1)

lines(XYalong , col='purple')

M = merid(tlon, lat1=tlat, phi1=olat, lam0=olon, R=1, by=2)
lines(M$x, M$y, col='blue' )

M2 = merid(olon, lat1=olat, phi1=olat, lam0=olon,R=1, by=2)
lines(M2$x, M2$y, col='red' )

leg = c( paste("del=", round(da$del)), paste("DA=", round(da$az),
round(da$baz) ),
paste("ED=", round(ed2$az) , round(ed2$revaz) ))

legend("topleft", legend=leg)

```

**GlobeView***Global Plot***Description**

Plot global view of the earth

**Usage**

```
GlobeView(phicen, lamcen, worldmap, MAXR, SEL = 1,
  circol = rgb(1, 0.8, 0.8), innercol = "white", linecol = rgb(0, 0, 0),
  mapcol = rgb(0, 0, 0), backcol = "white", add=FALSE, antip=TRUE)
```

**Arguments**

phicen	Latitude
lamcen	Longitude
worldmap	Map List
MAXR	Maximum radius (degrees)
SEL	Selection index from map
circol	color for concentric circles
innercol	inner color
linecol	line color, NA=do not plot
mapcol	map fill color, NA=do not fill polygon
backcol	background color
add	logical, FALSE means start a new plot
antip	logical, default=TRUE means white out area outside of polygon

**Details**

Creates a plot of view of the globe from a point in space using an Equal-Area projection. Uses the lamaz.eqarea routine for projection. (Lambert-Azimuthal Equal Area). Using NA for linecol or mapcol means do not plot lines or fill polygons respectively.

**Value**

Perimeter      x,y points around the perimeter of the plot

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

plotGEOmap, lamaz.eqarea

## Examples

```

data(coastmap)

phicen  =32.20122+5
lamcen  = 335.7092+20
MAXR    = 100

carolinablue = rgb(83/255, 157/255, 194/255)

SEL=which( coastmap$STROKES$code=="C")
SEL = c(SEL, which(coastmap$STROKES$nam=="GreatBritain"),
       which(coastmap$STROKES$nam=="Japan"), which(coastmap$STROKES$nam=="Ireland"))

PER = GlobeView(phicen, lamcen, SEL=SEL, coastmap, MAXR,
                linecol=rgb(.2, .2, .2), mapcol=rgb(.8, .8, .8),
                innercol=carolinablue , circol=carolinablue , backcol="white")

```

gmat

*Globe Rotation Matrix*

## Description

Globe Rotation Matrix

## Usage

```
gmat(vec, p, alpha)
```

## Arguments

vec	vector axis to rotate about
p	translation point (c(0,0,0))
alpha	angle to rotate, degrees

## Details

Given an arbitrary axis, return matrix for rotation about the axis by alpha degrees.

## Value

4 by 4 Matrix for translation and rotation

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**References**

Rogers and Adams

**Examples**

```
#####
      kamchatka

kamlat = c(48.5,  65)
kamlon = c(150, 171)

KAMLAT0=mean(kamlat)
KAMLON0=mean(kamlon)

#####
      korea

KORlon = c(123,133)
KORlat = c(33,44)

KORLON0=mean(KORlon)
KORLAT0=mean(KORlat)

# convert to cartesian
v1 = ll2xyz(KORLAT0, KORLON0 )
v2 = ll2xyz(KAMLAT0, KAMLON0)

###  get cross product
g = X.prod((v1), (v2))

### use dot product to get angle
delta = (180/pi)*acos( sum(v1*v2)/(sqrt(sum(v1^2))*sqrt(sum(v2^2)))) 

###  get rotation matrix
R1 =gmat(g, c(0,0,0) , -delta)
```

**Description**

Determine a reasonable tick division for lat-lon tic marks.

**Usage**

```
goodticdivs(ddeg)
```

**Arguments**

ddeg	degree differnce
------	------------------

**Details**

Designed to give approximately 4-6 divisions for plotting given the range input.

**Value**

K	suggested divisor
---	-------------------

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

nicelltix

**Examples**

```
goodticdivs(20)
goodticdivs(100)
```

**Description**

Draw a Horseshoe Symbol

**Usage**

```
horseshoe(x, y, r1 = 1, r2 = 1.2, h1 = 0.5, h2 = 0.5, rot = list(cs = 1,
sn = 0), col = "black", lwd = lwd, fill=FALSE)
```

**Arguments**

x	x-coordinates
y	y-coordinates
r1	x-radius of curled part
r2	y-radius of curled part
h1	length of first leg
h2	length of 2nd leg
rot	rotation, cos, sine
col	color of teeth and line
lwd	line width
fill	logical, TRUE=fill

**Value**

Grapical Side Effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

PointsAlong

**Examples**

```
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

G =getSplineG(ff$x, ff$y, kdiv=20)
g = PointsAlong(G$x, G$y, N=5)

plot(c(-5,5), c(-5,5), asp=1, type='n' )
lines(G)

horseshoe(g$x , g$y , r1=.5, r2=.8, h2=0, h1=0, rot=g$rot , col='blue')

### to make a "warm front" use something liek this:
### shorten r2 relative to r1, to get a more squat shape for the half-suns

plot(c(-5,5), c(-5,5), asp=1, type='n' )

w1=list()
w1$x=c(-1.208, 0.113, 1.242, 2.200, 2.349)
w1$y=c( 3.206, 2.280, 0.344,-2.560,-3.485)
```

```
G =getssplineG(w1$x, w1$y, kdiv=20)
lines(G)
g = PointsAlong(G$x, G$y, N=5)

horseshoe(g$x , g$y , r1=.5, r2=.4, h2=0, h1=0, rot=g$rot , col='blue')
```

**inpoly***Test set of points for inside/outside polygon***Description**

takes a set of points and tests with function inside()

**Usage**

```
inpoly(x, y, POK)
```

**Arguments**

x	x coordinates
y	y coordinates
POK	polygon structure list x,y

**Value**

Returns vector of 0,1 for points inside polygon

**Author(s)**

Jonathan M. Lees <jonathan.lees@unc.edu>

**See Also**

Intersect, ccw, inside

**Examples**

```
H=list()
H$x=c(-0.554,-0.258,0.062,0.538,0.701,0.332,
0.34,0.26,-0.189,0.081,0.519,0.644,0.264,
-0.086,-0.216,-0.246,-0.356,-1.022,-0.832,
-0.372,-0.463,-0.604)
H$y=c(0.047,-0.4,-0.818,-0.822,-0.314,-0.25,
-0.491,-0.589,-0.396,-0.138,0.082,0.262,0.542,
0.361,0.03,0.555,0.869,0.912,0.641,0.327,0.142,0.129)
```

```

plot(c(-1,1), c(-1,1), type='n')

polygon(H, col=NULL, border=grey(.8))

x = runif(20, -1,1)
y = runif(20, -1,1)
points(list(x=x, y=y) )

inp = inpoly(x, y, H)

text(x[inp==0],y[inp==0], labels="out", pos=1, col='red')
text(x[inp==1],y[inp==1], labels="in", pos=1, col='blue')

```

**insertNA***Insert NA in a vector***Description**

Inserting NA values in a vector at specific index locations

**Usage**

```
insertNA(y, ind)
```

**Arguments**

y	vector
ind	index locations where NA is inserted

**Details**

The vector is parsed out and NA values are inserted where after the index values provided.

**Value**

v	new vector with NA's
---	----------------------

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```

x = 1:10
insertNA(x, 6)

```

---

insertvec	<i>Insert a set of values in a vector</i>
-----------	---

---

## Description

Inserting values in a vector at specific index locations

## Usage

```
insertvec(v, ind, val)
```

## Arguments

v	vector
ind	ndex locations where val is inserted
val	some vector of insertion, maybe NA

## Details

The vector is parsed out and val values are inserted where after the index values provided.

## Value

v	new vector with val inserted after the index
---	--

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## Examples

```
x = 1:20
```

```
insertvec(x, c(4,17) , NA)
```

---

inside	<i>Determine if point is inside polygon</i>
--------	---

---

## Description

Given a polygon and a point, determine if point is internal to polygon. The code counts the number of intersection the point and a dummy point with a very large x-value makes with the polygon.

## Usage

```
inside(A, POK)
```

**Arguments**

A	Point, list with x, y
POK	list of x,y values of polygon

**Value**

Returns integer, 0=no intersection, 1=intersection

**Author(s)**

Jonathan M. Lees <jonathan.lees@unc.edu>

**See Also**

Lintersect, ccw, inpoly

**Examples**

```
#### make a polygon:
H=list()
H$x=c(-0.554,-0.258,0.062,0.538,0.701,0.332,
0.34,0.26,-0.189,0.081,0.519,0.644,0.264,-0.086,
-0.216,-0.246,-0.356,-1.022,-0.832,-0.372,-0.463,-0.604)
H$y=c(0.047,-0.4,-0.818,-0.822,-0.314,-0.25,
-0.491,-0.589,-0.396,-0.138,0.082,0.262,0.542,
0.361,0.03,0.555,0.869,0.912,0.641,0.327,0.142,0.129)

l1 = list(p1=list(x=-0.83587, y=-0.5765),
p2=list(x=0.731603,y=0.69705))
l2 = list(p1=list(x=-0.6114, y=0.7745),
p2=list(x=0.48430,y=-0.63250))

plot(c(-1,1), c(-1,1), type='n')

polygon(H, col=NULL, border='blue')
points(l1$p1)

#### if point is in polygon, return 1, else return 1
inside(l1$p1, H)
text(l1$p1 , labels=inside(l1$p1, H), pos=1)
points(l2$p1)
inside(l2$p1, H)
text(l2$p1 , labels=inside(l2$p1, H), pos=1)
```

---

insideGEOmapXY	<i>Get LAT-LON points that fall inside a map</i>
----------------	--

---

## Description

Get LAT-LON points that fall inside a map

## Usage

```
insideGEOmapXY(lat, lon, PROJ = NULL, R = NULL, PMAT = NULL)
```

## Arguments

lat	vector of latitudes
lon	vector of longitudes
PROJ	projection structure
PMAT	persp matrix for perspective plot
R	List(lat, lon, radius) for selecting instead of using usr coordinates

## Details

The parameters par("usr") is queried and used to select the lat and lons that fall within the mapped region. If the list R=list(lat, lon, radius) is provided, then all indeces of points falling within that radius are returned.

## Value

Vector of index values for points that satisfy geographic criteria

## Author(s)

Jonathan M. Lees<jonathan.lees.edu>

## Examples

```
## Not run:

data('japmap', package='geomapdata' )
isel1 = which( japmap$STROKES$code != "i" & japmap$STROKES$num>120 )

PROJfiji = setPROJ(type = 2, LAT0=35.358,LON0=138.731)
plotGEOmapXY(japmap, PROJ=PROJfiji, SEL=isel1 , add=FALSE)
pointsGEOmapXY(gvol$lat, gvol$lon, PROJ=PROJfiji)
textGEOmapXY(gvol$lat, gvol$lon, gvol$name, PROJ=PROJfiji, pos=4,
cex=.5)
wv =insideGEOmapXY(gvol$lat, gvol$lon, PROJfiji)
cbind(gvol$name[wv], gvol$lat[wv], gvol$lon[wv])
```

---

```
## End(Not run)
```

---

**KINOUT***Map inside-outside***Description**

Determine if strokes are in a target region

**Usage**

```
KINOUT(MAP, LLLim, projtype = 2)
```

**Arguments**

MAP	GEOmap list
LLLIM	list: lat lon limits
projtype	local projection type

**Details**

The limits are used to calculate an origin and each point is projected accordingly. The x-y values are evaluated for being in or out of the target. A local projection is used - UTM (2) is the preferred projection.

**Value**

Vector or indeces of strokes that intersect the target.

**Note**

The mercator projections do not work well with this routine.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

inpoly,

## Examples

```

library(geomapdata)
data(worldmap)
data(coastmap)
L = list(lon=c(163.59, 182.95), lat=c(-48.998, -32.446))

k = KINOUT(worldmap,L, 2)
### which strokes are these?
print( worldmap$STROKES$nam[k] )

k = KINOUT(coastmap,L, 2)
print( coastmap$STROKES$nam[k] )

testmap = GEOmap.Extract(coastmap,k, INOUT="in")
plotGEOmap(testmap)

```

lamaz.eqarea

*Lambert-Azimuthal Equal Area*

## Description

Map Projection (Lambert-Azimuthal Equal Area) for global plots.

## Usage

```

lamaz.eqarea(phi1, lam0, phi, lam, R=6371)
lamaz.inverse(phi1, lam0, x, y, R=6371 )

```

## Arguments

phi1	Central Latitude, radians
lam0	Central Longitude
phi	vector of Latitude, points for plotting, radians
lam	vector of Longitude, points for plotting , radians
R	radius of sphere
x	position on the plot
y	position on the plot

**Value**

- x position on the plot
- y position on the plot

**Note**

This is a projection routine that does not need to be set in advance. *lamaz.inverse* is the inverse of *lamaz.eqarea*.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**References**

Snyder, J. P., 1987; Map Projections - A Working Manual. U.S. Geological Survey Professional Paper 1395, 383 p.

**See Also**

*setPROJ*

**Examples**

```
data(coastmap)
##### coastmap is a GEOmap list
DEGRAD = pi/180

phicen = -90*DEGRAD
lamcen = 0*DEGRAD

i = 7
j1 = coastmap$STROKES$index[i]+1
j2 = j1+ coastmap$STROKES$num[i]-1
lat = coastmap$POINTS$lat[j1:j2]*DEGRAD
lon = coastmap$POINTS$lon[j1:j2]*DEGRAD

xy = lamaz.eqarea(phicen, lamcen, lat, lon)

plot(xy, asp=1, type='n')

polygon(xy, col=grey(.8))

title("Antarctica")
```

---

**LandSeaCol***Land and Sea Colors*

---

**Description**

Color pixels with two palettes, one for land the other for sea.

**Usage**

```
LandSeaCol(IZ, coastmap, PROJ, calcol = NULL)
```

**Arguments**

IZ	list of x, y, z suitable for plotting with image or contour.
coastmap	coastal map from GEOMap
PROJ	projection list
calcol	color map for the land

**Details**

The program uses closed polygons in the map list to separate the pixels into land versus sea. Sea is colored with a palette of blues, land is colored according to topographic color scheme extracted from palettes similar to GMT palettes.

All map and pixel coordinates are projected with the same projection parameters. calculations are done in XY coordinates.

ETOPO5 or ETOPO2 can be downloaded from and installed using these links: <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO2.RData> and <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO5.RData>

**Value**

Cmat	Matrix of colors for each pixel
UZ	Under water
AZ	Above Sea Level

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

settropocol, TOPOCOL

## Examples

```

## Not run:

Lat.range = c(-10, 30)
Lon.range = c(65, 117)
#####

##### load up the important libraries
library(RFOC)

library(geomapdata)

data(coastmap)

### data(ETOPO5)

#### need to download and install ETOPO data
load(ETOPO5)

PLOC=list(LON=Lon.range,LAT=Lat.range,lon=Lon.range,lat=Lat.range,
          x=Lon.range, y=Lat.range )

#### set up topography colors
COLS = settopocol()

#### set the projection ## utm
PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )
NK = 300

#### extract topography from the etopo5 data base in geomapdata
JMAT = GEOTOP0(ETOPO5, PLOC, PROJ, COLS$calcol,nx=NK, ny=NK )
#### select relevant earthquakes

IZ = list(x=JMAT$xo, y=JMAT$yo, z=JMAT$IZ$z)

CMAT = LandSeaCol(IZ, coastmap, PROJ, calcol=NULL)

Mollist =CMAT$Cmat
dMol = attr(Mollist, "Dcol")

#### Under water
UZ = CMAT$UZ
##### above water
AZ = CMAT$AZ
#### blues for underwater:
blues = shade.col(100, acol=as.vector(col2rgb("darkblue")/255),
                  bcol= as.vector(col2rgb("paleturquoise")/255))

plot(x=range(IZ$x), y=range(IZ$y),
      type='n', asp=1, axes=FALSE, ann=FALSE)

```

```
image(x=IZ$x, y=IZ$y, z=(UZ), col=blues, add=TRUE)

image(x=IZ$x, y=IZ$y, z=(AZ), col=terrain.colors(100) , add=TRUE)

plotGEOmapXY(coastmap,
              LIM = c(Lon.range[1],Lat.range[1] ,Lon.range[2] ,Lat.range[2]),
              PROJ =PROJ,MAPstyle =2,MAPcol ="black" ,    add=TRUE  )

## End(Not run)
```

---

lcgc                   *local coordinates to Global*

---

### Description

OLD projection sometimes used in Lees' tomography. No need for projection data, it is included in the code.

### Usage

```
lcgc(phiorg, lamorg, ex, why)
```

### Arguments

phiorg	lat origin
lamorg	lon origin
ex	coordinate, km
why	coordinate, km

### Details

This may be defunct now.

### Value

phi	lat
lam	lon

### Note

Originally from R. S. Crosson

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

`gclc`

`linesGEOmapXY`

*Add lines, points or text to GEOmap projected plot*

**Description**

Add lines, points or text to GEOmap projected plot

**Usage**

```
linesGEOmapXY(lat = 0, lon = 0, PROJ = NULL, PMAT = NULL, ...)
textGEOmapXY(lat = 0, lon = 0, labels = NULL, PROJ = NULL, PMAT = NULL, ...)
pointsGEOmapXY(lat = 0, lon = 0, PROJ = NULL, PMAT = NULL, ...)
rectGEOmapXY(lat=0, lon=0, PROJ=NULL, PMAT=NULL, ...)
polyGEOmapXY(lat = 0, lon = 0, PROJ = NULL, PMAT = NULL, ...)
```

**Arguments**

<code>lat</code>	vector of latitudes
<code>lon</code>	vector of longitudes
<code>labels</code>	text for labels
<code>PROJ</code>	projection structure
<code>PMAT</code>	persp matrix for perspective plot
<code>...</code>	graphical Parameters from par

**Value**

Graphical Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

`plotGEOmapXY`

---

Lintersect	<i>Finder intersection of lines</i>
------------	-------------------------------------

---

**Description**

Determines intersection points of 2D vectors

**Usage**

```
Lintersect(l1, l2)
```

**Arguments**

l1	Line 1
l2	Line 2

**Value**

0=no intersection 1=interesction

**Author(s)**

Jonathan M. Lees <jonathan.lees@unc.edu>

**See Also**

ccw

**Examples**

```
plot(c(-1,1), c(-1,1), type='n')

l1 = list(p1=list(x=-0.938, y=0.0860), p2=list(x=0.4006,y=0.9294))
l2 = list(p1=list(x=-0.375, y=0.0860), p2=list(x=-0.344,y=-0.8089))
points(l1$p1)
points(l1$p2)
points(l2$p1)
points(l2$p2)
segments(c(l1$p1$x, l2$p1$x), c(l1$p1$y, l2$p1$y), c(l1$p2$x, l2$p2$x), c(l1$p2$y, l2$p2$y) )
```

```
Lintersect(l1, l2)
```

```
plot(c(-1,1), c(-1,1), type='n')

l1 = list(p1=list(x=-0.83587, y=-0.5765), p2=list(x=0.731603,y=0.69705))
```

```

l2 = list(p1=list(x=-0.6114, y=0.7745), p2=list(x=0.48430,y=-0.63250))
points(l1$p1)
points(l1$p2)
points(l2$p1)
points(l2$p2)
segments(c(l1$p1$x, l2$p1$x), c(l1$p1$y, l2$p1$y), c(l1$p2$x, l2$p2$x), c(l1$p2$y, l2$p2$y) )

Lintersect(l1, l2)

```

**list.GEOmap***List stroke points in a GEOmap***Description**

List stroke points in a GEOmap

**Usage**

```
list.GEOmap(MAP, SEL = 1)
```

**Arguments**

MAP	GEOmap list, with LL list
SEL	index, selection of specific strokes

**Details**

Returns a GEOmap list from the output of GEOmap.list . This is used to repack a GEOmap list. This function can be used to create a new geomap if you have only strokes. See example. Can be used to convert a gmt map file (in ascii text format) to GEOmap.

**Value**

GEOmap list	
STROKES	Metadata for strokes
POINTS	list, lat=vector, lon=vector

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

GEOmap.cat, GEOmap.Extract, GEOmap.CombineStrokes, GEOmap.list

## Examples

```

data(coastmap)

length(coastmap$STROKES$nam)

G = GE0map.list(coastmap, 1)

length(G$STROKES$nam)

H = list.GE0map(G)

length(H$STROKES$nam)

plotGE0map(H)

##### if you have a set of simple strokes
#### make your own geomap:

latlon=list()
latlon$lat=c(39.8780395624, 39.7488080389, 39.4903449921, 39.2964977069,
39.1995740643, 39.1349583026, 38.9088031365, 38.6180322088, 38.3272612810,
38.0041824724, 37.8749509489, 37.8749509489, 38.3272612810, 38.4888006853,
38.8118794939, 39.0057267791, 39.2318819452, 39.5872686346, 39.9426553241)
latlon$lon=c(136.6629878969, 136.3444990720, 136.0715086507, 136.0715086507,
135.6165246151, 135.0250453689, 134.9795469653, 134.9795469653, 135.0705437724,
135.2525373866, 135.7530198258, 137.0724735289, 137.3454639502, 137.4364607574,
138.0734384071, 138.0734384071, 137.8004479858, 137.7549495822, 137.2544671431)

GLL=list()
GLL$lat=c(38.0552647517, 38.1533772893, 38.2754431875,
38.3672221979, 38.5260793869, 38.6483246519, 38.7701056377,
38.8976069603, 38.9457673342, 38.9998962787, 39.1025327692,
39.1927889270, 39.3801557421, 39.5193850467)
GLL$lon=c(135.7446171004, 135.8598134616, 135.9053532164,
135.9978522791, 136.1369466401, 136.3703056863, 136.6044613488,
136.8081531656, 136.9649782331, 137.1064020435, 137.2564343909,
137.4067379892, 137.5747171917, 137.6637851576)

LL =list()
LL[[1]] = latlon
LL[[2]] = GLL

J = list(LL=LL)

GL = list.GE0map(J)

plotGE0mapXY(GL)

```

---

l12xyz

---

*LAT-LON to xyz*

---

**Description**

LAT-LON to xyz

**Usage**

l12xyz(lat, lon)

**Arguments**

lat	latitude
lon	longitude

**Value**

3-vector

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

Lll2xyz, Lxyz2ll, xyz2ll

**Examples**

l12xyz(12, 289)

---

l112xyz

---

*List Lat-Lon to cartesian XYZ*

---

**Description**

List Lat-Lon to cartesian XYZ

**Usage**

l112xyz(lat, lon)

**Arguments**

lat	latitude
lon	longitude

**Value**`list(x,y,z)`**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**`ll2xyz, Lxyz2ll, xyz2ll`**Examples**`L112xyz(23, 157)`

---

**LLLlabel***Nice Lat-Lon Label*

---

**Description**

Create a text string for Lat-Lons

**Usage**`LLLlabel(DD, dir = 1, ksec = -1)`**Arguments**

DD	Decimal degrees
dir	direction, NS or EW
ksec	number of decimals for seconds

**Details**

creates text labels with minutes and seconds if needed.

**Value**`character string`

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

nicelLltix

**Examples**

```
DD = -13.12345  
k = LLlabel(DD)
```

---

LOCPOLIMAP

*LOCPOLIMAP*

---

**Description**

This program takes a point and return the continent index for database manipulation.

**Usage**

LOCPOLIMAP(P, MAP)

**Arguments**

P	Point selected on screen using locator
MAP	List of maps and coordinates from database

**Details**

Uses the CIA data base definitions.

**Value**

J Index to map data base

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

SETPOLIMAP

## Examples

```
P = list(lat=36.09063, lon=19.44610)

LMAP = SETPOLIMAP()

J = LOCOPOLIMAP(P, LMAP)
J
```

---

locworld	<i>Locate points in worlmap</i>
----------	---------------------------------

---

## Description

Locate points in worlmap

## Usage

```
locworld(shiftlon = 0, col = "brown", n = 2)
```

## Arguments

shiftlon	rotate map by degrees
col	color of points
n	number of points

## Value

lon	longitudes
lat	latitudes
LON	longitudes
LAT	latitudes
utmbox	UTM box list(lat, lon)
x	UTM x-coordinates
y	UTM y-coordinates
UTM0	utm origin for projection list(phi, lam)
shiftlon	rotate map by degrees

## Author(s)

Jonathan M. Lees<jonathan.lees.edu>

## See Also

[plotworldmap](#)

## Examples

```
### this program is interactive....  
## Not run:  
  
library(geomapdata)  
  
data(worldmap)  
plotworldmap(worldmap)  
locworld(shiftlon = 0, col = "brown", n = 2)  
  
## End(Not run)
```

*Lxyz2ll*

*Cartesian to Lat-Lon*

## Description

Cartesian vector to Lat-Lon List

## Usage

*Lxyz2ll(X)*

## Arguments

*X* list, x,y,z

## Value

list of lat and lon

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## See Also

*xyz2ll*

## Examples

*L1l2xyz(23, 157)*

---

**MAPconstants***Set Various Map Constants*

---

**Description**

Used for retrieval when doing projections

**Usage**

```
MAPconstants()
```

**Details**

These include a sime list of: DEG2RAD, RAD2DEG, A.MAPK, E2.MAPK, E2.GRS80, E.MAPK, E1.MAPK, TwoE.MAPK, R.MAPK, FEET2M, M2FEET

**Value**

List of constants for Projections

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

**See Also**

XY.GLOB, projtype, utm.sphr.xy

**Examples**

```
MAPconstants()
```

---

**maplim***Map Limits*

---

**Description**

Set reasonable map limits from a set of Lat-Lon pairs.

**Usage**

```
maplim(lat, lon, pct = 0.1)
```

**Arguments**

lat	vector of latitudes
lon	vector of longitudes
pct	percent fraction to increase (or decrease) limits

**Details**

In some (GEOmap) programs the longitude needs to be modulus 360, so these are provided also.

**Value**

list of range of lats and lons

lat	lat limits
lon	lat limits
LON	lon limits modulus 360
lim	vector: lon1 lat1 lon2 lat2
LIM	vector: lon1 lat1 lon2 lat2, with lon limits modulus 360

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`expandbound`, `plotGEOmapXY`

## Examples

```

lat = rnorm(10, m=46, sd=2)
lon = rnorm(10, m=-121, sd=1)

M = maplim(lat, lon, pct=.2)

plot(M$lon, M$lat, type='n')
points(lon, lat)

##### plotting with a GEOmap
library(geomapdata)
data(worldmap)

PROJ = setPROJ(type=2, LON0=mean(lon), LAT0=mean(lat))

plotGEOmapXY(worldmap, LIM=M$LIM)
pointsGEOmapXY(lat, lon, PROJ =PROJ, pch=6)

```

**maps2GEOmap**

*Convert maps data to GEOmap format*

## Description

Convert maps data to GEOmap format

## Usage

```
maps2GEOmap(zz, wx = 1, mapnam = "temp")
```

## Arguments

<code>zz</code>	Output list from maps package
<code>wx</code>	vector of breaks (in maps these are NA)
<code>mapnam</code>	Name pasted on each stroke

## Details

The program takes the output of maps and converts to a GEOmap structure. This code should work with GMT style map files too.

## Value

GEOmap list.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
library(maps)

zz = map('state', region = c('new york', 'new jersey', 'penn'))

neweng = maps2GEOmap(zz)

plotGEOmap(neweng)
## L1 = locator(1)
L1=list()
L1$x=c(283.671347071854)
L1$y=c(42.008587074537)

LIMS1 = list( lon=range(neweng$POINTS$lon),
              lat=range(neweng$POINTS$lat) )

LIMS = c(LIMS1$lon[1], LIMS1$lat[1], LIMS1$lon[2], LIMS1$lat[2])

#####      prepare maps 2:

z2 = map('world', region = c('iceland'))
ice = maps2GEOmap(z2)
plotGEOmap(ice)

## L2 = locator(1)
L2=list()
L2$x=c(341.146812632372)
L2$y=c(64.9180246121089)

#####      this version here is nicer, but required WORLDMAP2
###kice = grep('ice' , coast2$STROKES$nam, ignore.case =TRUE)

### ice = GEOmap.Extract(coast2, kice , "in")

MAP = rotateGEOmap(ice, L1$y , L1$x , L2$y , L2$x, beta=-90 )

proj = setPROJ( 2, LAT0=L1$y, LON0=L1$x )

plotGEOmapXY(neweng, LIM=LIMS, PROJ =proj, axes=FALSE, xlab="", ylab="" )

plotGEOmapXY(MAP, LIM=LIMS, PROJ =proj, axes=FALSE, xlab="",
              ylab=" ", add = TRUE, MAPcol = grey(.85) , lwd=2, xpd=TRUE)
```

```
plotGEOmapXY(neweng, LIM=LIMS, PROJ =proj, axes=FALSE,
             xlab="", ylab="", add=TRUE )
```

---

**mapTeleSeis***World Map with Teleseismic Ray-paths*

---

**Description**

World Map with Teleseismic Ray-paths

**Usage**

```
mapTeleSeis(sta, mylist, worldmap=NULL)
```

**Arguments**

sta	list of station locations
mylist	list of event locations
worldmap	worldmap data (e.g. from geomapdata)

**Details**

Uses GEOmap. No projection is used.

**Value**

Graphical side effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
## Not run:
library(RSEIS)
library(GEOmap)

#####
##### set up stations
sta=list()
sta$'nam'=c("CAL", "KAM", "DOM", "LAV", "SMI", "CAS")
sta$'lat'=c(14.7421759974747,14.7471948493068,14.7422049415205,
14.7204249827467,14.7543726234568,14.710961318972)
```

```

sta$'lon'=c(-91.5659793619529,-91.5698443123368,-91.5775586192333,
-91.5716896307798,-91.5518522222222,-91.5702146825397)
sta$'el'=c(2.37596727272727,2.29854436407474,2.31819590643275,
1.64286335403727,3.652166666666667,1.44584353741497)
sta$'das'=c("CAL", "KAM", "DOM", "LAV", "SMI", "CAS")
sta$'sensor1'=c("60T", "60T", "60T", "40T", "INF", "3T")
sta$'comp1'=c("VNE", "VNE", "VNE", "VNE", "VNE")
sta$'sensor2'=c("INF", "INF", "INF", "INF", "INF", "INF")
sta$'comp2'=c("IJK", "IJK", "IJK", "IJK", "IJK", "IJK")
sta$'dasSN'=c("9FF2", "9FFE", "9FFB", "9024", "A881", "9026")
sta$'sensorSN'=c("Unknown", "Unknown", "Unknown", "T41034", "Unknown", "T3A28")
sta$'start'=c("2008:366:16:02:59:615", "2008:366:20:50:18:615",
##### "2008:366:00:58:23:849",
"2008:365:23:01:21:315", "2008:366:23:57:10:244", "2008:365:20:47:51:529")
sta$'end'=c("2009:004:18:02:58:615", "2009:004:17:50:17:615",
##### "2009:004:16:58:22:849",
"2009:006:15:01:20:315", "2009:004:16:57:09:244", "2009:005:22:47:50:529")
sta$'name'=c("CAL", "KAM", "DOM", "LAV", "SMI", "CAS")

#####
# get earthquake epicenters
eq1=list()
eq1$'yr'=c(2008,2009,2009,2009,2008,2009,
2009,2009,2009,2009,2009,2009,2009,2009)
eq1$'mo'=c(12,1,1,1,12,1,1,1,1,1,1,1,1,1)
eq1$'dom'=c(30,1,3,4,30,1,2,3,3,3,3,3,4,4,6)
eq1$'lat'=c(14.06,14.73,13.93,15.23,-4.3,-34.84,0.62,-0.41,
-0.59,36.42,-0.32,-0.69,-0.4,36.44,-0.66)
eq1$'lon'=c(-92.21,-91.39,-91.74,-92.06,101.22,-107.65,-26.66,
132.88,133.36,70.74,132.88,133.3,132.76,70.88,133.43)
eq1$'mag'=c(4.3,4.7,4,4.7,5.9,5.8,5.6,7.6,5.6,5.8,5.6,7.4,5.9,5.7,6)
eq1$'depth'=c(9,169,61,177,20,10,10,17,35,204,29,23,35,186,16)
eq1$'hr'=c(23,11,9,19,19,6,19,19,19,20,21,22,7,23,22)
eq1$'mi'=c(12,44,16,2,49,27,42,43,53,23,49,33,14,12,48)
eq1$'sec'=c(57,51.68,0.8,23,52.61,51.22,27.19,50.65,
18.9,20.18,30.88,40.29,0.55,59.29,27.25)
eq1$'z'=c(9,169,61,177,20,10,10,17,35,204,29,23,35,186,16)
eq1$'jd'=c(365,1,3,4,365,1,2,3,3,3,3,3,4,4,6)

#####
# use the projection that is derived from the
# station file - these are based on the median station locations
stinfo = list(mlat=median(sta$lat), mlon=median(sta$lon) )

proj = setPROJ(6, LAT0=stinfo$mlat, LON0=stinfo$mlon )

#####
# get distances - this is so we can separate regional from teleseismic events
eqdists = distaz(stinfo$mlat , stinfo$mlon, eq1$lat, eq1$lon)

mylist = list()
for(j in 1:length(eq1$sec))
{

```

```
mylist[[j]] = list(yr=eq1$yr[j], jd=eq1$jd[j], mo=eq1$mo[j], dom=eq1$dom[j], hr=eq1$hr[j],
mi=eq1$mi[j], sec=eq1$sec[j], lat=eq1$lat[j], lon=eq1$lon[j], z=eq1$z[j], mag=eq1$mag[j])
}

library(geemapdata)
  data(worldmap)
  mapTeleSeis(sta, mylist, worldmap=worldmap)

## End(Not run)
```

---

**Markup**

*Add markup information to an existing plot*

---

**Description**

For use in GEOmap to add labels to a geographic plot

**Usage**

```
Markup(MM = list(), sel = 1, cex = 1, ...)
```

**Arguments**

MM	list of markup information
sel	vector, select which marks to be plotted
cex	character expansion
...	graphical parameters for par

**Details**

Uses the locator function

**Value**

Graphical Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`setMarkup, plotGEOmapXY`

**Examples**

```
## Not run:

plot(c(0, 1), c(0, 1), main = "this is a test", sub = "subtitle",
      xlab = "this is x", ylab = "this is y")

LABS = c("this is", "a", "test")

MUP = setMarkup(LABS)

## End(Not run)
```

**merid**

*Orthogonal Projection of Meridian or Parallel*

**Description**

Orthogonal Projection Meridian or Parallel

**Usage**

```
merid(lon, lat1=-90, lat2=90, lam0=0, phi1=41, R=1, by=1)
paral(lat, lon1=-180, lon2=180, lam0=0, phi1=41, R=1, by=1)
```

**Arguments**

lon	merid starting Longitude, degrees
lat	paral starting Latitude, degrees
lam0	origin Longitude, degrees
phi1	origin Latitude, degrees
R	Radius
by	increment in degrees
lat1	merid starting Latitude, degrees

lat2	merid ending Latitude, degrees
lon1	paral starting Longitude, degrees
lon2	paral ending Longitude, degrees

### Details

Retruns points along a meridian running through lat, lon with a projection based on lam0 phi.

### Value

list of x-y values for plotting

### Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

### References

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

### See Also

ortho.proj

### Examples

```
olat = 0
      olon = 0

      tlat = 23
      tlon = 30

M = merid(tlon, lat1=tlat, olon, olat, 1)

R = 1

phi1=40

GLOBE.ORTH(20, phi1, 1,plotmap=FALSE)

M1 = merid(20, lat1=20, lat2=40, phi1=phi1, lam0=olat, R=1, by=1)
P2 = paral(40, lon1=20 , lon2=40, lam0=olat, phi1=phi1, R=1, by=1)
M2 = merid(40, lat1=40, lat2=20, phi1=phi1, lam0=olat, R=1, by=1)
P1 = paral(20, lon1=40 , lon2=20, lam0=olat, phi1=phi1, R=1, by=1)
```

```
polygon(c(M1$x, P2$x, M2$x, P1$x), c(M1$y, P2$y, M2$y, P1$y),
col=rgb(.8, .8, 1))
```

**niceLLtix**

*Nice DMS coordinates*

## Description

Determine a nice set of coordinates in DMS

## Usage

```
niceLLtix(rcoords)
```

## Arguments

rcoords	vector of decimal degrees, the range will be used
---------	---

## Value

DD	decimal degrees
deg	degrees
min	minutes
sec	seconds
si	sign of degrees

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## See Also

dms

## Examples

```
niceLLtix(c(12.5, 12.58) )
niceLLtix(c(12.57, 12.58) )

niceLLtix(c(91.5, 92.8) )
niceLLtix(c(-91.5, -92.8) )

niceLLtix(c(91.5, 93.8) )
```

```
  niceLLtix(c(91.5, 95.8) )  
  niceLLtix(c(-91.5, -95.8) )
```

---

**NoOverlap***Shift Symbols*

---

**Description**

Shift Symbols such that there is no overlap

**Usage**

```
NoOverlap(x, y, focsiz, SEL = 0, OLDx = 0, OLDy = 0, cenx = 0, ceny = 0)
```

**Arguments**

x	x-location
y	y-location
focsiz	symbol size
SEL	selection of which symbols to shift
OLDx	x-locations of origin
OLDy	y-locations of origin
cenx	center x
ceny	center y

**Details**

Program is used for finding positions for exploding. A vector is calculated from each origin to each point and explosions are projected along these directions until a position is found that does not overlap. The position is nudged by a value of focsiz at each step. If OLDx and OLDy are not provided, cenx and ceny are used as origin points.

**Value**

x,y list of new positions

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

ExplodeSymbols

### Examples

```

draw.circ<-function (x, y, r, ...)
{
  CI = RPMG::circle(1)
  for (i in 1:length(x)) {
    Cx = x[i] + r * CI$x
    Cy = y[i] + r * CI$y
    lines(c(Cx, Cx[1]), c(Cy, Cy[1]), type = "l", ...)
  }
}

x = rnorm(20)
y = rnorm(20)

rx = range(x)
ry = range(y)

drx = diff(rx)
dry = diff(ry)
XPCT=.2
rx = c(rx[1]-XPCT*drx, rx[2]+XPCT*drx)
ry = c(ry[1]-XPCT*dry, ry[2]+XPCT*dry)

plot(rx , ry , type='n', asp=1, xlab="km", ylab="km")

u = par("usr")

focsiz = 0.04* (u[2]-u[1])

draw.circ(x, y, focsiz, col='red')
NXY = NoOverlap(x,y,focsiz)

plot(rx , ry , type='n', asp=1, xlab="km", ylab="km")

u = par("usr")

focsiz = 0.04* (u[2]-u[1])

draw.circ(NXY$x, NXY$y, focsiz, col="blue" )
segments(x,y,NXY$x, NXY$y)

```

## Description

Plot normal fault on map.

## Usage

```
normalfault(x, y, h = 1, hoff = 1, rot = list(cs = 1, sn = 0), col = "black")
```

## Arguments

x	x-coordinates
y	y-coordinates
h	radius of ball
hoff	distance from line
rot	rotation vectors, (cosines and sines)
col	color

## Details

Rotation vector is provided as list(cs=vector(), sn=vector()).

## Value

Graphical Side Effects

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## See Also

GEOsymbols

## Examples

```
G=list()
G$x=c(-1.0960,-0.9942,-0.8909,-0.7846,-0.6738,-0.5570,-0.4657,-0.3709,
-0.2734,-0.1740,-0.0734, 0.0246, 0.1218, 0.2169, 0.3086, 0.3956, 0.4641,
0.5293, 0.5919, 0.6530, 0.7131)
G$y=c(-0.72392,-0.62145,-0.52135,-0.42599,-0.33774,-0.25896,-0.20759,
-0.16160,-0.11981,-0.08105,-0.04414,-0.00885, 0.02774, 0.06759, 0.11262,
0.16480, 0.21487, 0.27001, 0.32895, 0.39044, 0.45319)

plot(G$x, G$y, type='n',asp=1, axes=FALSE, xlab='', ylab='')

g = PointsAlong(G$x, G$y, N=3)
```

```

sk = 2
lines(G$x,G$y,col='blue')

bcars(g$x,g$y, h1=sk, h2=sk*.5, g$rot, col='black', border='black' )

```

**NSarrow***North-South Weather Vane Arrow***Description**

Add north-south weather vane arrow figure

**Usage**

```
NSarrow(x = NULL, y = NULL, R = 1, col.arrow = 1, col.N = 1,
col.circ = 1, rot = 0, PMAT = NULL)
```

**Arguments**

x	X-location vector, if list, include both x and y values
y	Y-location vector, not needed if x is a list
R	radius, in plot coordinates
col.arrow	color for arrow, default="black"
col.N	color for N symbol
col.circ	color for circle
rot	rotation angle, degrees
PMAT	projection matrix, output of persp

**Details**

The location list should have 2 values for x and y each, the second value for y determines the radius R if it is not provided. The first element of y is the center of the weather vane. If no x-list is provided, the interactive locator function is invoked and a list is returned for future work.

**Value**

x	x-location
y	y-location

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

zebra

## Examples

```

plot(c(1:10), c(1:10), type='n')

x=c(2,2)
y = c(8,9)

NSarrow(list(x=x, y=y))

##### move over and repeat, with rotation of 25 degrees west

x=c(5,5)
y = c(8,9)

NSarrow(list(x=x, y=y), rot=25)

```

NSWath

*Cross sectional Swaths of Earthquakes over Japan*

## Description

Set of 4 swaths for cross section across Japan

## Usage

```
data(NSWath)
```

## Format

list of cross sections each consists of a list of form:

- r** r-distance along cross section (x-coordinate)
- dh** distance from cross section
- depth** depth in cross section (y-coordinate)
- flag** index vector of which earthquakes fell in swath and depth range
- InvBox** coordinates of swath for plotting on map

## Source

Data is extracted from an earthquake data base of relocated events provided by Robert Engdahl.

## References

Engdahl, E. R., R. D. van der Hilst, S. H. Kirby, G. Ekstrom, K. M. Shedlock, and A. F. Sheehan (1998), A global survey of slab structures and internal processes using a combined data base of high-resolution earthquake hypocenters, tomographic images and focal mechanism data, *Seismol. Res. Lett.*, 69, 153-154.

## Examples

```
## Not run:
data(NSWath)
for(i in 1:length(NSWath))
{
  dev.new()
  LAB = attr(NSWath[[i]], "LAB")

  XSECwin( NSWath[[i]] , iseclab=i, xLAB=LAB , labs=NULL, demo=TRUE )
}

## End(Not run)
```

**ortho.proj**

*Orthogonal Map Projection*

## Description

Orthogonal Map Projection

## Usage

```
ortho.proj(lat, lon, lon0, lat1, R)
```

## Arguments

lat	latitude, degrees
lon	longitude, degrees
lon0	view origin longitude, degrees
lat1	view origin latitude, degrees
R	Radius of sphere, default=1

## Details

Assumes spherical globe. This function is not part of the normal GEOMap plotting routines.

**Value**

list

x               x, coordinate in units of R  
y               y, coordinate in units of R

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**References**

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

**See Also**

GLOBE.ORTH, setPROJ, projtype

**Examples**

```
olat = 0
olat = 0

tlat = 23
tlat = 30
R = 1
ortho.proj(tlat, tlon, olon, olat, R)
```

---

OverTurned

*Plot Overturned fault*

---

**Description**

Plot Overturned fault

**Usage**

```
OverTurned(x, y, syn = TRUE, spacing = NULL, N = 1, r1 = 1, r2 = 1.2,
h1 = 0.5, h2 = 0.5, endtol = 0.1, REV = FALSE, col = "black", ...)
```

**Arguments**

x	x-coordinates
y	y-coordinates
syn	logical, TRUE=syncline, FALSE=anticline
spacing	spacing of points
N	number of points
r1	x-radius of curled part
r2	y-radius of curled part
h1	length of first leg
h2	length of 2nd leg
endtol	indent on either ends
REV	reverse direction of x-y
col	color of teeth and line
...	graphical parameters

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

PointsAlong

**Examples**

```
plot(c(-5,5), c(-5,5), asp=1, type='n' )
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)
```

```
OverTurned(ff$x,ff$y, r1= .4, r2= .8, h1= .5, h2= .5, N=5, syn=FALSE,
endtol=.2)
```

---

perpen	<i>perpendicular marks along line</i>
--------	---------------------------------------

---

## Description

draw perpendicular marks along line

## Usage

```
perpen(x, y, h, rot, col = "black", lwd = 1)
```

## Arguments

x	x-coordinates
y	y coordinates
h	height of tooth
rot	rotation of teeth
col	color of line
lwd	line width

## Details

Used by faultperp

## Value

graphical side effects

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## See Also

PointsAlong, faultperp

## Examples

```
plot(c(-5,5), c(-5,5), asp=1, type='n' )
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

G =getssplineG(ff$x, ff$y, kdiv=20)
g = PointsAlong(G$x, G$y, N=5)

lines(G)
```

```
perpen(g$x, g$y, 5, g$rot, col = "black", lwd = 1)
```

**pgon**

*Plot regular polygon: pentagon, hexagon, octagon*

## Description

Plot regular polygon: pentagon, hexagon, octagon

## Usage

```
pgon(x, y, siz=siz, col="black", border=NULL, K=5, startalph = -45, ... )
```

## Arguments

x	x-coordinate
y	y-coordinate
siz	radius or size
col	inside color
border	border color
K	number of sides per polygon
startalph	starting angle
...	graphical parameters

## Details

If figure is resized needs to be re-called.

## Value

Graphical Side Effects

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## Examples

```
N = 25
x = rnorm(N)
y = rnorm(N)

z = rnorm(N)

##### draw pentagons
plot(x,y, type='n', axes=FALSE, ann=FALSE)
pgon(x,y, siz=abs(z)/10, col="white", border='black', startalph =60, K=5, lwd=.5, xpd=TRUE)

##### color the points, use 4-sided blocks
rbow=rainbow(100)

ss = sample(1:100, N, replace = TRUE, prob = NULL)
plot(x,y, type='n', axes=FALSE, ann=FALSE)
pgon(x,y, siz=abs(z)/10, col=rbow[ss], border='black', startalph =60, K=4, lwd=.5, xpd=TRUE)
```

---

pline

*Point to line distance*

---

## Description

get sortest distance from arbitrary point to a segment.

## Usage

```
pline(x1, y1, x2, y2, ex, ey)
```

## Arguments

x1	x coordinate segment start
y1	y coordinate segment start
x2	x coordinate segment end
y2	y coordinate segment end
ex	x, point
ey	y point

**Value**

vector of:

dis	distance to segment
dee	distance to line
zee	projection along line
px	x, point of intersection
py	y, point of intersection

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`polyintern`

**Examples**

```
L=list()
L$x=c(-0.161416832868, 0.484046270443,-0.472622257679)
L$y=c(-0.735779816514, 0.306422018349, 0.192660550459)

P = pline(L$x[1], L$y[1], L$x[2], L$y[2], L$x[3], L$y[3])

plot(L$x, L$y, type='n', asp=1)
segments(L$x[1], L$y[1], L$x[2], L$y[2])
points( L$x[3], L$y[3])

segments(L$x[3], L$y[3], P[4], P[5], col='red')
```

`plotGEOmap`

*Plot a GEO map*

**Description**

High Level plot of GEO map

**Usage**

```
plotGEOmap(MAP, LIM = c(-180, -90, 180, 90) ,
shiftlon = 0, add = TRUE ,
NUMB = FALSE , SEL = NULL, MAPcol = NULL,
MAPstyle = NULL, border=NA,
PLOT = TRUE, PRINT=FALSE, BB = FALSE, ...)
```

## Arguments

MAP	Map Structure
LIM	Lat-Lon limits
add	logical, TRUE= add to existing plot
SEL	Index vector of strokes to be used in plotting, default=NULL(use all that pass other tests)
MAPcol	override color for maps
MAPstyle	override plotting style for maps
border	color, add border to polygons, NA=no border
shiftlon	degrees, rotate longitude
NUMB	logical, number the strokes on the map
PLOT	logical, TRUE=plot map, else just set up plotting area
PRINT	logical, TRUE=show selected stroke indeces on the screen(default=FALSE)
BB	logical, TRUE=add bounding box to each stroke (default=FALSE)
...	graphical parameters

## Details

plotGEOmap does not plot a projected map. MAPcol and MAPstyle can be used to override the colors and style in the map-list. These are applied to all the strokes.

## Value

Graphical Side Effects

## Author(s)

Jonathan M. Lees<jonathan.lees.edu>

## See Also

plotGEOmapXY, DOTOPOMAPI, addLLXY

## Examples

```
library(geomapdata)

data(coastmap)

plotGEOmap(coastmap , xaxs='i', yaxs='i')

#####
example:
coastmap$STROKES$col[coastmap$STROKES$code=="C" ] = rgb(1, .6, .6)
coastmap$STROKES$col[coastmap$STROKES$code=="c" ] = rgb(1, .9, .9)
coastmap$STROKES$col[coastmap$STROKES$code=="L" ] = rgb(.6, .6, 1)
```

```

plot(c(-30, 370), c(-85, 85), type='n', ann=FALSE,  xaxs='i', yaxs='i')

plotGEOmap(coastmap , border='black' , add=TRUE)
title(xlab="Longitude", ylab="Latitude" )
grid()

box()

## Not run:

### political map of the world
library(geomapdata)
plotGEOmap(coastmap , border='black' , add=FALSE, xaxs='i')

data(europe.bdy)
data(asia.bdy)

data(africa.bdy)
data(namer.bdy)

data(samer.bdy)
data(USAmmap)

plotGEOmap(europe.bdy , add=TRUE)
plotGEOmap(asia.bdy , add=TRUE)
plotGEOmap(africa.bdy , add=TRUE)
plotGEOmap(namer.bdy , add=TRUE)

plotGEOmap(samer.bdy , add=TRUE)

plotGEOmap(USAmmap , add=TRUE)

## End(Not run)

```

plotGEOmapXY

*Plot a projected GEO map***Description**

High Level plot of GEO map

**Usage**

```
plotGEOmapXY(MAP, LIM = c(-180, -90, 180, 90),
PROJ = list(), PMAT=NULL,
add = TRUE, SEL=NULL , GRID = NULL, GRIDcol = 1,
MAPcol = NULL, MAPstyle = NULL, border = NA,
cenlon = 0, shiftlon = 0, linelty = 1,
linelwd = 1, ptch=".," , ptcex=1, NUMB = FALSE, ...)
```

**Arguments**

MAP	Map Structure
LIM	Lat-Lon limits
PROJ	Projection list
PMAT	Perspective matrix conversion
add	logical, TRUE= add to existing plot
SEL	Index vector of strokes to be used in plotting, default=NULL(use all that pass other tests)
GRID	logical, TRUE=add grid lines
GRIDcol	color for grid lines
MAPcol	override color for maps
MAPstyle	override plotting style for maps
border	color, add border to polygons, NA=no border
cenlon	center longitude of plot
shiftlon	degrees, rotate longitude
linelty	Line type
linelwd	line width
ptch	plotting character for strokes (style=1) that are plotted as points
ptcex	character expansion factor for style=1 strokes
NUMB	logical, number the strokes on the map
...	graphical parameters

**Details**

plotGEOmapXY includes projection of the data, plotGEOmap does not. MAPcol and MAPstyle can be used to override the colors and style in the map-list. These are applied to all the strokes.

For strokes that are of style=1 points are plotted with graphical parameters ptch="." and ptcex=1 unless otherwise indicated.

**Value**

Graphical Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

`DOTOPOMAPI`, `addLLXY`, `plotGEOmap`

**Examples**

```
data('japmap', package='geomapdata' )
isel1 = which( japmap$STROKES$code != "i" & japmap$STROKES$num>120 )

PLOC=list(LON=c(137.008, 141.000), LAT=c(34.000, 36.992),
x=c(137.008, 141.000), y=c(34.000, 36.992) )
PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )

gxy = GLOB.XY(PLOC$LAT, PLOC$LON, PROJ)
PLAT = pretty(PLOC$LAT)
PLAT = c(min(PLOC$LAT),
PLAT[PLAT>min(PLOC$LAT) & PLAT<max(PLOC$LAT)],max(PLOC$LAT))
PLON = pretty(PLOC$LON)
PLON = c(min(PLOC$LON),
PLON[PLON>min(PLOC$LON) & PLON<max(PLOC$LON)], max(PLOC$LON))

plot(gxy$x, gxy$y, asp=TRUE, ann=FALSE , axes=FALSE)

plotGEOmapXY(japmap, SEL=isel1, LIM=c(PLOC$LON[1], PLOC$LAT[1],PLOC$LON[2],
PLOC$LAT[2]) , PROJ=PROJ, add=TRUE )

addLLXY(PLAT, PLON, PROJ=PROJ, LABS=TRUE, PMAT=NULL, TICS=c(.1,.1) )

#####
#### rotated map
PMAT = rotdelta4(-34)

plotGEOmapXY(japmap, PMAT=PMAT,SEL=isel1, xpd=TRUE)
```

**Description**

Plot hypocenter color coded to depth and size scaled by magnitude.

**Usage**

```
plothypos(lat, lon, z, proj, mag = NULL, cex = 0.4, pch = 21, PMAT = NULL, alpha = NULL)
```

**Arguments**

lat	Latitude
lon	Longitude
z	km Depth, (positive down)
proj	Projection structure
mag	Magnitude
cex	character expansion
pch	plotting character, default=21
PMAT	transformation matrix
alpha	transparency factor

**Details**

Adds hypocenters to an existing plot.

**Value**

Graphical Side effects.

**Note**

The events are color coded according to depth.

Only a few devices can handle transparency effects.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

plotGEOmapXY, XSECEQ, eqswath, getmagsize

**Examples**

```
library(geomapdata)

data('EHB.LLZ')
data('japmap', package='geomapdata')

RLAT = range(japmap$POINTS$lat)
RLON = range(japmap$POINTS$lon)

JLAT = expandbound(RLAT, .1)
```

```

JLON = expandbound(RLON, .1)

PROJ = japmap$PROJ
##### select the events in the region
isel1 = which( japmap$STROKES$code != "i" & japmap$STROKES$num>120 )

sel = which(
EHB.LLZ$lat > JLAT[1] &
EHB.LLZ$lat < JLAT[2] &
EHB.LLZ$lon > JLON[1] &
EHB.LLZ$lon < JLON[2])

sel = sel[1:200]

plotGEOmapXY(japmap , PROJ=PROJ, SEL=isel1, add=FALSE, MAPcol="black")

plotlypos(EHB.LLZ$lat[sel], EHB.LLZ$lon[sel], EHB.LLZ$z[sel], PROJ,
mag=NULL, cex=.8)

## Not run:

fn = "/home/lees/WORK/SENDAI.EVENT/catsearch.8757"

g = getANSS(fn, skip=2)
g$jd = getjul(g$yr, g$mo, g$dom)

sel = which(
g$lat > JLAT[1] &
g$lat < JLAT[2] &
g$lon > JLON[1] &
g$lon < JLON[2])

olat = g$lat[sel]
olon = g$lon[sel]
ordz = g$z[sel]

mag = g$mag[sel]

gm = getmagsize(mag)

plotGEOmapXY(japmap , PROJ=PROJ, add=FALSE, MAPcol="black")
plotlypos(g$lat[sel], g$lon[sel], g$z[sel], PROJ,
mag=NULL, cex=gm)

plotGEOmapXY(japmap , PROJ=PROJ, add=FALSE, MAPcol="black")
plotlypos(olat, olon, ordz, PROJ,
mag=NULL, cex=gm)

plotGEOmapXY(japmap , PROJ=PROJ, add=FALSE, MAPcol="black")

```

```

plotlypos(olat, olon, ordz, PROJ,
mag=mag, cex=1 )

#####
transparent plot
pdfname = local.file('TOHOKU', "pdf")

cairo_pdf(file = pdfname , width = 8, height = 10)
plotGEOmapXY(japmap , PROJ=PROJ, add=FALSE, MAPcol="black")
plotlypos(olat, olon, ordz, PROJ,
mag=mag, cex=1, alpha=.3 )
dev.off()
#####

## End(Not run)

```

**plotnicetix***Plot Lat-Lon tick marks***Description**

Find and plot nice tick marks on projected plot

**Usage**

```
plotnicetix(nex, nwhy, proj, tlen = 0.1,
fonts = c("serif", "plain"), PMAT = NULL, PLOT = TRUE)
```

**Arguments**

nex	X coordinates
nwhy	Y coordinates
proj	projection list
tlen	length for tic marks (inches)
fonts	Hershy font vector
PMAT	projection matrix from persp
PLOT	logical, TRUE = add to plot

**Value**

Graphical Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

niceLLtix, goodticdivs, getnicetix, dms

**Examples**

```
proj = setPROJ(7, LAT0 = 0 , LON0= -93)

rx = c(652713.4, 656017.4)
ry = c(1629271, 1631755)

plot(rx, ry, type='n', asp=1, axes=FALSE , ann=FALSE)
plotnicetix(rx, ry, proj, PMAT=NULL)
```

*plotusa*

*Map of USA*

**Description**

Quick plot of USA project with UTM.

**Usage**

```
plotusa(USAmapping, LATS=c(22,49.62741), LONS=c(229.29389,296.41803), add=FALSE)
```

**Arguments**

USAmapping	Map for the U.S. (from geomapdata)
LATS	vector of latitude bounds
LONS	vector of longitude bounds
add	add to existing plot

**Value**

Graphical Side Effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

zebra

**Examples**

```
## Not run:  
library(geomapdata)  
data(package='geomapdata', "USAmap")  
plotusa(USAmap)  
  
## End(Not run)
```

---

*plotUTM*

---

*Plot UTM*

---

**Description**

Plot UTM

**Usage**

```
plotUTM(proj, LIM, shiftlon = 0)
```

**Arguments**

proj	projection
LIM	Limit vector
shiftlon	rotation around z axiz, default=0

**Value**

Graphical Side Effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

GLOB.XY

### Examples

```

library(geomapdata)

data(USAmapping)

proj = setPROJ(type=3, LAT0=33.75, LON0= RPMG::fmod(-79., 360) ,
  LAT1=34.333333, LAT2=36.166667, LATS=NULL, LONS=NULL,
  DLAT=NULL, DLON=NULL, FE=0, FN=0)

ALOC=list(lon=c(274.5,288), lat=c(31, 38),
          LON=c(274.5, 288), LAT=c(31, 38), shiftlon=0)

plotGEOmapXY(USAmapping, LIM=c(ALOC$LON[1], ALOC$lat[1],
  ALOC$LON[2], ALOC$lat[2]), PROJ=proj, add=FALSE, shiftlon=0)

plotUTM(proj, c(ALOC$LON[1], ALOC$lat[1], ALOC$LON[2], ALOC$lat[2]))

##### larger scale

## Not run:
library(geomapdata)

data(USAmapping)

p = plotusa(USAmapping)

plotUTM(p$PROJ, LIM=p$LIM)

## End(Not run)

```

**plotworldmap**

*Plot World Map with UTM sections*

### Description

Plot World Map with UTM sections

### Usage

```
plotworldmap(MAP, LIM = c(-180, -90, 180, 90), shiftlon = 0,
  add = TRUE, NUMB = FALSE, PLOTALL=TRUE, Decorate=FALSE , ...)
```

**Arguments**

MAP	GEOMap structure
LIM	Vector of limits c(lon1, lat1, lon2, lat2)
shiftlon	Rotate map by degrees longitude (must adjust the LIM vector accordingly, see example below)
add	logical, TRUE=add to current plot
NUMB	logical, add numbers to plot
PLOTALL	logical, plot all strokes, do not select
Decorate	logical, add UTM regional designations
...	graphical parameters from par

**Value**

Graphical Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

plotGEOMap, plotGEOMapXY

**Examples**

```
library(geomapdata)
data(worldmap)
plotworldmap(worldmap)
## restrict to North Atlantic:
plotworldmap(worldmap, LIM = c(0, 0, 120, 90), shiftlon=250, PLOTALL=TRUE, Decorate=FALSE )
```

PointsAlong

*Find spaced Points along a line*

**Description**

find evenly spaced points along a line

**Usage**

```
PointsAlong(x, y, spacing = NULL, N = 1, endtol = 0.1)
```

### Arguments

x	x-coordinates
y	y-coordinates
spacing	spacing of points
N	number of points
endtol	indent on either ends

### Details

The total length is returned: this is the line integral along the trace.

### Value

List:

x	x-coordinates
y	y-coordinates
rot	angle at the points
TOT	total length along the trace

### Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

### Examples

```
plot(c(-5,5), c(-5,5), asp=1, type='n' )
ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

g = PointsAlong(ff$x, ff$y, N=20)

lines(ff$x, ff$y)
points(g$x, g$y)
```

---

**polyintern***Internal point of polygon*

---

## Description

Find a central internal point of a polygon

## Usage

```
polyintern(P, n = 10, PLOT=FALSE)
```

## Arguments

P	Polygon,xy
n	grid dimension over polygon, n by n
PLOT	logical, TRUE=plot

## Details

A grid is laid over the polygon, the internal points are extracted and for each one the shortest distance to the perimeter is determined. Then the point with the largest distance is returned.

## Value

x	x coordinate of point
y	y coordinate of point
zi	index of point
nx	internal grid points x
ny	internal grid points y
ef	internal grid points distances to perimeter

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## See Also

pline

### Examples

```
X=list()
X$x=c(11.991,11.942,11.891,11.834,11.775,11.725,11.691,
     11.712,11.746,11.804,11.865,11.957,11.991)
X$y=c(-2.0091,-2.0699,-2.0823,-2.1091,-2.1419,
     -2.1394,-2.1165,-2.0604,-2.0196,-1.9847,-1.9668,-1.9777,-2.0091)

polyintern(X, n = 10, PLOT=TRUE)
```

**printGEOinfo**

*printGEOinfo*

### Description

Print information on GEOmap strokes

### Usage

```
printGEOinfo(MAP, kstroke)
```

### Arguments

MAP	GEOmap
kstroke	index to strokes

### Details

Prints some of the meta data stored in the GEOmap header list, strokes.

### Value

Side Effects

### Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

### See Also

`printGEOmap`

**Examples**

```
data(coastmap)
printGEOinfo(coastmap, 1:10)
```

---

*printGEOmap*

*printGEOmap*

---

**Description**

Print information on GEOmap strokes

**Usage**

```
printGEOmap(G)
```

**Arguments**

G                   GEOmap

**Details**

Prints the full STROES list as a dataframe.

**Value**

Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`printGEOinfo`

**Examples**

```
data(coastmap)
printGEOmap(coastmap)
```

---

projtype	<i>List of Projection types</i>
----------	---------------------------------

---

**Description**

List of Projection types in GEOMAP

**Usage**

```
projtype(proj=list())
```

**Arguments**

proj	Projection list
------	-----------------

**Details**

Just returns possible choices.

**Value**

Side Effects

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

**See Also**

`setPROJ`

**Examples**

```
projtype()
```

```
proj = setPROJ(type = 1, LAT0 =23, LON0 = 35)
```

```
projtype(proj)
```

```
## or, for Kamchatka-Aleutians
LL=c(54.3861210149126,171.626386683545)
```

```
PROJ = setPROJ(type=2, LAT0=LL[1], LON0=LL[2], LATS=NULL, LONS=NULL, DLAT=NULL, DLON=NULL, FN =0)
projtype(PROJ)
```

---

**rectPERIM***Extract a rectangular perimeter*

---

**Description**

Extract a rectangular perimeter

**Usage**

```
rectPERIM(x, y = 1, pct = 0)
```

**Arguments**

x	x values or a list include x, y members
y	y values, if missing, x must be a list
pct	Percent expansion, based on range of x and y values. If pct>1 it is divided by 100 to get a fractional percent expansion.

**Details**

The rectangular box will be expanded based on the percent pct.

**Value**

list of x, y values from lower left corner counter clockwise around perimeter

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

getGEOperim

**Examples**

```
fx = rnorm(20)
fy = rnorm(20)

plot(fx, fy, xlim=c(-4, 4), ylim=c(-4,4))
rp = rectPERIM(fx, fy)

polygon(rp)
text(rp, labels=1:4, pos=c(1,1,3,3), font=2, cex=2)

fx2 = rnorm(20, m=-1)
```

```

fy2 = rnorm(20, m=-1)

Fx = list(x=fx2, y=fy2)

points(Fx$x, Fx$y, col='red')

rp = rectPERIM(Fx)

polygon(rp, border='red')

##### try expanding the perim:

plot(fx, fy, xlim=c(-4, 4), ylim=c(-4,4), asp=1)
rp = rectPERIM(fx, fy, pct=0.1)

polygon(rp)

rp = rectPERIM(fx, fy, pct=0.2)

polygon(rp)

```

**rekt2line***Rectangle Line Overlap***Description**

Find points on a rectangle closest to a set of points.

**Usage**

```
rekt2line(rekt, pnts)
```

**Arguments**

rekt	rectangle comprised of 4 points in counter clockwise direction.
pnts	set of points inside the rectangle

**Details**

Program is used for exploding symbols to the edge of the rectangle input

**Value**

list of new position x,y values

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

ExplodeSymbols

**Examples**

```
F1 = list(x=rnorm(20), y=rnorm(20))
r1 = range(F1$x)
r2 = range(F1$y)

r1 = c(r1[1]-0.1*diff(r1), r1[2]+0.1*diff(r1))
r2 = c(r2[1]-0.1*diff(r2), r2[2]+0.1*diff(r2))

rekt = list(x=c(r1[1], r1[2], r1[2], r1[1]), y=c(r2[1], r2[1], r2[2], r2[2]))
pnts = list(x1=rep(mean(r1), length(F1$x)), y1=rep(mean(r2), length(F1$y)), x2= F1$x, y2=F1$y)
NEW = rekt2line(rekt, pnts)

plot(range(c(F1$x, NEW$x)) , range(c(F1$y, NEW$y)), type='n')
rect(r1[1], r2[1], r1[2], r2[2], border=grey(.75), lty=2)

points(F1, pch=2, col='blue')
segments(F1$x, F1$y, NEW$x, NEW$y)
points(NEW, pch=3, col='red')
```

rose

*Rose Diagram*

**Description**

Rose diagram of angle orientations or directions

**Usage**

```
rose(angles, bins, x = 0, y = 0, col = "black", border = "black",
    annot = FALSE, main = "", prop = 1, pts = FALSE, cex = 1, pch = 16,
    dotsep = 40, siz = 1, LABS = LABS, LABangle = 180, add = FALSE, SYM = FALSE)
```

### Arguments

angles	numeric, vector of angles in radians
bins	integer, number of bins
x	numeric, x location on page
y	numeric, y location on page
col	color for pie slices
border	color for pie borders
annot	logical, annotation
main	character, main title
prop	proportional plotting, default = 1
pts	logical, add points (default=FALSE)
cex	character expansion
pch	plotting character
dotsep	separation of dots
siz	size of plot
LABS	Labels
LABangle	angle for plotting Label angles
add	logical, add to plot (default=FALSE)
SYM	logical, symmetric rose diagram (FALSE)

### Details

Create a rose diagram or add rose diagram to an existing plot. Used for plotting geographic orientations or directions.

### Value

list:	
usector	sector angles
uradius	sector radii
usizx	x size scale
usizy	y size scale
x	x center on page
y	y center on page

### Note

For symmetric plots, bins are rotated and added together, then the reflection is made.

### Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

package RFOC for distributions on a sphere

**Examples**

```
ff=c(23,27,53,58,64,83,85,88,93,99,100,  
105,113,113,114,117,121,123,125,126,  
126,126,127,127,128,128,129,132,132,  
132,134,135,137,144,145,145,146,153,  
155,155,155,157,163,165,171,172,179,181,186,190,212)
```

```
rose((ff-90)*pi/180, 50, x=0, y=0, LABS = c("N", "S", "W", "E"),  
annot=TRUE, border='white', LABangle=135, siz =sqrt(2), SYM=FALSE)
```

```
rose((ff-90)*pi/180, 50, x=0, y=0, LABS = c("N", "S", "W", "E"),  
annot=TRUE, border='white', LABangle=135, siz =sqrt(2), SYM=TRUE)
```

---

rotateGEOmap

*Rotate a GEOmap*

---

**Description**

Rotate a GEOmap to a new location on the globe

**Usage**

```
rotateGEOmap(INmap, TARGlat, TARGlon, LAT0, LON0, beta = 0)
```

**Arguments**

INmap	Input GEOmap
TARGlat	Target center latitude
TARGlon	Target center longitude
LAT0	Source center latitude
LON0	Source center longitude
beta	rotation through axis coming out of screen

## Details

This function is used to translate a given map region to another for over plotting. You can compare the areas of two region using the same projection.

## Value

GEOmap list.

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## See Also

`plotGEOmapXY`

## Examples

```
library(maps)

zz = map('state', region = c('new york', 'new jersey', 'penn'))
neweng = maps2GEOmap(zz)

plotGEOmap(neweng)
## L1 = locator(1)
L1=list()
L1$x=c(283.671347071854)
L1$y=c(42.008587074537)

LIMS1 = list( lon=range(neweng$POINTS$lon), lat=range(neweng$POINTS$lat) )
LIMS = c(LIMS1$lon[1], LIMS1$lat[1], LIMS1$lon[2], LIMS1$lat[2])

##### prepare maps 2:

z2 = map('world', region = c('iceland'))
ice = maps2GEOmap(z2)
plotGEOmap(ice)

## L2 = locator(1)
L2=list()
L2$x=c(341.146812632372)
L2$y=c(64.9180246121089)

##### this version here is nicer, but required WORLDMAP2
###kice = grep('ice', coast2$STROKES$nam, ignore.case =TRUE)

### ice = GEOmap.Extract(coast2, kice , "in")

MAP = rotateGEOmap(ice, L1$y , L1$x , L2$y , L2$x, beta=-90 )
```

```
proj = setPROJ( 2, LAT0=L1$y, LON0=L1$x )  
  
plotGEOmapXY(neweng, LIM=LIMS, PROJ =proj, axes=FALSE, xlab="", ylab="" )  
  
plotGEOmapXY(MAP, LIM=LIMS, PROJ =proj, axes=FALSE, xlab="",  
ylab="", add = TRUE, MAPcol = grey(.85) , lwd=2, xpd=TRUE)  
  
plotGEOmapXY(neweng, LIM=LIMS, PROJ =proj,  
axes=FALSE, xlab="", ylab="", add=TRUE )
```

---

**rotdelta4***rotation about Z-axis*

---

**Description**

rotation about Z-axis

**Usage**

```
rotdelta4(delta)
```

**Arguments**

delta            angle in degrees

**Value**

Matrix for rotation

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

roty4, rotx4, trans4

**Examples**

```
rotdelta4(23)
```

**rotmat2D***set a rotation matrix***Description**

set a rotation matrix

**Usage**`rotmat2D(alph)`**Arguments**

<code>alph</code>	angle in radians
-------------------	------------------

**Value**

matrix for rotation in 2 dimensions

**Author(s)**

Jonathan M. Lees&lt;jonathan.lees@unc.edu&gt;

**Examples**

```
##### make an ellipse
theta=seq(0,360,by=5)*pi/180

r1 = 0.4
r2 = 0.2

m=matrix(rep(0,2*length(theta)),ncol=2)

m[,1]=r1*cos(theta)
m[,2]=r2*sin(theta)

## make a dummy plot and draw ellipse

plot(c(0, 1), c(0, 1), main = "this is a test", sub = "subtitle",
      xlab = "this is x", ylab = "this is y")

lines(m[,1]+.5, m[,2]+.5)

## get rotation matrix
R = rotmat2D(32)

##### apply rotation
```

```
nm=m %*% R  
  
### plot  
lines(nm[,1]+.5, nm[,2]+.5, col='red')
```

---

**rotx4***x-axis rotation matrix*

---

**Description**

x-axis rotation matrix

**Usage**

```
rotx4(vec)
```

**Arguments**

vec               vector of direction cosines

**Details**

Length of vector cannot be zero.

**Value**

Matrix for rotation

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

roty4, rotdelta4

**Examples**

```
v = c(12,13,-4)  
rotx4(v)
```

---

**roty4***y-axis rotation matrix*

---

**Description**

y-axis rotation matrix

**Usage**

```
roty4(vec)
```

**Arguments**

vec	vector of direction cosines
-----	-----------------------------

**Details**

Length of vector cannot be zero.

**Value**

Matrix for rotation

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**References**

Rogers and Adams

**See Also**

rotx4, rotdelta4

**Examples**

```
v = c(12,13,-4)
```

```
roty4(v)
```

---

**SELGEOmap***Select parts of a GEOmap*

---

### Description

Using area, number of points and Lat-Lon Limits, extracts map strokes and creates a new GEOmap

### Usage

```
SELGEOmap(MAP, ncut = 3, acut = c(0, 1e+05), proj = NULL, LIM = NULL)
```

### Arguments

MAP	Map structure
ncut	minimum number of points in polygon
acut	vector, min and max of areas to include
proj	map projection
LIM	vector, c(lon1, lat1, lon2, lat2)

### Details

Uses splances function. If proj and LIM are NULL then no selection on limits are used ncut is used to eliminate area calculations with strokes less than the specified number.

### Value

GEOmap LIST

STROKES	list
nam	name of stroke
num	number of points in stroke
index	index of stroke
col	color of stroke
style	style of stroke
code	code of stroke
LAT1	lower left Lat of stroke
LAT2	upper right Lat of stroke
LON1	lower left Lon of stroke
LON2	upper right Lon of stroke
POINTS	list
lat	vector of lats
lon	vector of lons

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

`geoarea`

**Examples**

```
library(geodata)
data(worldmap)
skam = SELGE0map(worldmap, ncut=3, acut=c(10000, Inf), proj=NULL, LIM=NULL)

par(mfrow=c(2,1))

##### plot world map, with all lines:
plotGEOmap(worldmap)
length(worldmap$STROKES$num)
##### same plot with some lines removed:
plotGEOmap(skam)
length(skam$STROKES$num)

#####
#####
```

`setMarkup`

*Set up mark up for maps*

**Description**

Interactive set up of mark of labels for a map

**Usage**

```
setMarkup(LABS = NULL, PROJ = NULL)
```

**Arguments**

LABS	vector of labels
PROJ	projection structure

**Details**

labels are set one-by-one and the user inout relevant information like locator() and other features

**Value**

List of Markup information

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

Markup

**Examples**

```
## Not run:  
  
plot(c(0, 1), c(0, 1), main = "this is a test", sub = "sutitle",  
      xlab = "this is x", ylab = "this is y")  
  
LABS = c("this is", "a", "test")  
  
MUP = setMarkup(LABS)  
  
## End(Not run)
```

---

setplotmat

*set up matrices for selecting from eTOPO5*

---

**Description**

set up matrices for selecting from eTOPO5

**Usage**

```
setplotmat(x, y)
```

**Arguments**

x	vector of lons
y	vector of lats

**Details**

For extracting from ETOPO5 and ETOPO2, used internally in DOTOPOMAPI

**Value**

```
list(x=EX, y=WHY)
```

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

[DOTOPOMAPI](#)

**Examples**

```
PLOC= list(LON=c(138.3152, 139.0214),
LAT=c(35.09047, 35.57324))

ax = seq(from=PLOC$LON[1], to=PLOC$LON[2], length=10)
ay = seq(from=PLOC$LAT[1], to=PLOC$LAT[2], length=10)

G = setplotmat(ax,ay)
```

**SETPOLIMAP**

*Set up polygons for World map Database*

**Description**

Divides world into continents.

**Usage**

`SETPOLIMAP()`

**Details**

Used for CIA data base

**Value**

Returns GEOMap list of continents

STROKES	list(nam, num, index, col, style, code, LAT1, LAT2, LON1, LON2)
POINTS	list(lat, lon)
PROJ	list(type, LAT0, LON0, LAT1, LAT2, LATS, LONS, DLAT, DLON, FE, FN, name)

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

[selectPOLImap](#)

**Examples**

```
LMAP = SETPOLIMAP()
```

---

**setPROJ***Set Projection*

---

**Description**

Setup parameters for Map Projection

**Usage**

```
setPROJ(type = 1, LAT0 = 0, LON0 = 0, LAT1 = 0, LAT2 = 0, LATS = NULL,  
LONS = NULL, DLAT = NULL, DLON = NULL, FE = 0, FN = 0, IDATUM=1)
```

**Arguments**

type	Type of projection
LAT0	Central Latitude
LON0	Central Longitude
LAT1	Latitude parameter for special projection, where needed
LAT2	Latitude parameter for special projection, where needed
LATS	vector of range of Latitudes
LONS	vector of range of Longitudes
DLAT	difference of Lats
DLON	difference of Lons
FE	False Easting
FN	False Northing
IDATUM	integer, index to the datum database

**Details**

Set up for the various projections used by GEOmap

**Value**

List of values described above

**Note**

Some of the parameters are not critical to all the choices or Map Projection. In that case they are set to defaults and ignored by that projection.

LONs are modified and rectified by fmod function.

The datum data base is accessed via the function DATUMinfo. There are 11 different projection datums. These are NAD83/WGS84, GRS 80, WGS72, Australian 1965, Krasovsky 1940, International (1924) -Hayford (1909), Clarke 1880, Clarke 1866, Airy 1830, Bessel 1841, Everest 1830.

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

**See Also**

`projtype`, `XY.GLOB`, `GLOB.XY`, `DATUMinfo`

**Examples**

```
##### type
projtype()
##### type = mercator spherical
setPROJ(type = 1, LAT0 = 23, LON0 = 35)

### Hengill Map: lambert.cc
setPROJ(type=3, LAT0=65, LON0=360-19 ,LAT1=64+15/60,
LAT2=65+45/60,LATS=NULL,
LONS=NULL, DLAT=NULL, DLON=NULL,FE=500000,FN=500000)

### old lees/crosson projection
setPROJ(type=99, LAT0=23, LON0=35, LATS=NULL, LONS=NULL, DLAT=NULL,
DLON=NULL, FN =0)

### world map equid.cyl
setPROJ(6, LAT0=0, LON0=0)

## North Carolina Map lambert.cc
setPROJ(type=3, LAT0=36+20/60, LON0=78+30/60,LAT1=36+46/60,
LAT2=37+58/60, LATS=NULL, LONS=NULL, DLAT=NULL, DLON=NULL,FE=0, FN=0)

### No Projection
setPROJ(type = 0, LAT0 = 23, LON0 = 35)
```

**Description**

Set up vectors and structures for creating a color map for topographic plots

**Usage**

`settopocol()`

**Details**

RGB Colors are defined for topographic elevations and/or depths. The basic data is stored as z1 red1 green1 blue1 z2 red2 green2 blue2 and linear interpolation is used between elevations. The color set here extends from green in lowlands around sealevel through browns and light-browns through to whites at snow covered peaks.

**Value**

```
LIST:calcol=calcol , coltab=coltab  
calcol      list(z1, r1,g1,b1, z2, r2,g2,b2, note)  
coltab      color table, matrix
```

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**Examples**

```
settopocol()
```

---

sizelegend	<i>Magnitude size legend</i>
------------	------------------------------

---

**Description**

Plot a simple legend of magnitude sizes at the top of a plot.

**Usage**

```
sizelegend(se, am, pch = pch)
```

**Arguments**

se	vector, sizes
am	vector, labels
pch	plotting character

**Details**

A box around the legend is currently introduced.

**Value**

Graphical Side Effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
x = rnorm(30)
y = rnorm(30)

mags = runif(30, 1,8)

plot(x, y, type="n")

esiz = exp(mags)
rsiz = RPMG::RESCALE(esiz, .4, 10, min(esiz), max(esiz))
points(x, y, pch=1, cex=rsiz)

am = pretty(mags)
am = am[am>min(mags) & am<max(mags) ]

em = exp(am)
se = RPMG::RESCALE(em, .4, 10, min(esiz), max(esiz))

sizelegend(se, am, pch=1)
```

sqrTICXY

*Tick marks for Square plot***Description**

Lat-Lon Tick marks and grid for Square plot

**Usage**

```
sqrTICXY(prsurf, proj, side = c(1, 2, 3, 4), PMAT=NULL, LLgrid = TRUE,
          col = "black", colt = "black", font=5, cex=1, lty=2, lwd=1,
          pcex=1, TICS=NULL)
```

**Arguments**

prsurf	list with x, y
proj	projection
side	vector, which sides to plot, 1=bottom, 2=left, 3=top, 4=right

PMAT	projection matrix from persp
LLgrid	logical, whether to add grid
col	color for grid
colt	color for text
font	default=2, font for labels
cex	character expansion for tic labels
lty	Line type for lines, default=2
lw	Line width for lines, default=1
pctex	character expansion for tics, pch=2
TICS	list(lat, lon) this will replace the default

**Value**

Graphical side effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

addLLXY, plotGEOmapXY

**Examples**

```
KAMlat = c(48.5, 65)
KAMlon = c(150, 171)
proj = setPROJ( 2, LAT0=mean(KAMlat) , LON0=mean(KAMlon) )
PLOC=list(LON=KAMlon,LAT=KAMlat)

PLON = seq(from=KAMlon[1], to=KAMlon[2], by=2)
PLAT = seq(from=KAMlat[1], to=KAMlat[2], by=2)

proj = setPROJ(2, LON0=mean(KAMlon), LAT0=mean(KAMlat))
library(geomapdata)
data(worldmap)

plotGEOmapXY(worldmap, LIM=c(KAMlon[1], KAMlat[1], KAMlon[2], KAMlat[2]),
PROJ =proj, axes=FALSE, xlab="", ylab="" )

kbox = GLOB.XY( KAMlat,KAMlon, proj)
sqrtTICXY(kbox , proj, side=c(1,2,3,4), LLgrid=TRUE, col=grey(.7) )

##### more detailed map:
data(kammap)

plotGEOmapXY(kammap, LIM=c(KAMlon[1], KAMlat[1], KAMlon[2], KAMlat[2]),
```

```

PROJ =proj, axes=FALSE, xlab="", ylab="" )

kbox = GLOB.XY( KAMlat,KAMlon, proj)
sqrTICXY(kbox , proj, side=c(1,2,3,4), LLgrid=TRUE, col=grey(.7) )

```

**SSfault***Strike Slip Fault***Description**

Plot a strike slip fault

**Usage**

```
SSfault(x, y, h = 1, hoff = 0.15, rot = list(cs = 1, sn = 0),
col = "black", dextral = TRUE, lwd = 1)
```

**Arguments**

x	x-coordinates
y	y-coordinates
h	length of symbol
hoff	distance from line
rot	rotation list
col	color
dextral	logical, TRUE=dextral polarity
lwd	line width

**Details**

Rotation vector is provided as list(cs=vector(), sn=vector()).

**Value**

Graphical Side effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

GEOsymbols

## Examples

```
G=list()
G$x=c(-1.0960,-0.9942,-0.8909,-0.7846,-0.6738,-0.5570,-0.4657,-0.3709,
-0.2734,-0.1740,-0.0734, 0.0246, 0.1218, 0.2169, 0.3086, 0.3956, 0.4641,
0.5293, 0.5919, 0.6530, 0.7131)
G$y=c(-0.72392,-0.62145,-0.52135,-0.42599,-0.33774,-0.25896,-0.20759,
-0.16160,-0.11981,-0.08105,-0.04414,-0.00885, 0.02774, 0.06759, 0.11262,
0.16480, 0.21487, 0.27001, 0.32895, 0.39044, 0.45319)

plot(G$x, G$y, type='n',asp=1, axes=FALSE, xlab='', ylab='')

g = PointsAlong(G$x, G$y, N=3)

lines(G$x,G$y,col='blue')

### left lateral strike slip: sinestral
sk = 2
SSfault(g$x,g$y,h=sk,hoff=sk, rot=g$rot , col='blue', dextral=FALSE)

### right lateral strike slip: dextral

plot(G$x, G$y, type='n',asp=1, axes=FALSE, xlab='', ylab='')
lines(G$x,G$y,col='blue')

SSfault(g$x,g$y,h=sk,hoff=sk, rot=g$rot , col='blue', dextral=TRUE)
```

## Description

print stroke information from a GEOmap data base

## Usage

```
STROKEinfo(map, w = 1, h = NULL)
```

## Arguments

map	GEOmap data list
w	which strokes to extract, vector of number indices or single string to match names in data base list
h	numeric vector of columns of data base, or vector of characters to match names.

**Details**

Uses grep to match names so can have short names

**Value**

data.frame of extracted strokes

**Note**

Use gsub to change the names of strokes.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

gsub

**Examples**

```
data(coastmap)
STROKEinfo(coastmap, h="nam", w="Indo")

STROKEinfo(coastmap, w="Indo", h=c("nam", "col" ) )
```

subsetTOPO

*Subset a Topo map*

**Description**

Extract a subset of a topo DEM

**Usage**

```
subsetTOPO(TOPO, ALOC, PROJ, nx=500, ny=500, nb = 4, mb = 4, hb = 8)
```

**Arguments**

TOPO	DEM list including x,y,z
ALOC	list including LAT LON vectors for extracting an array from the DEM
PROJ	projection
nx	number of points in x grid, default=500
ny	number of points in y grid, default=500

nb	see function mba.surf, default = 4
mb	see function mba.surf, default = 4
hb	see function mba.surf , default= 8

## Details

Used for extracting a subset of ETOPO5 or ETOPO2.

ETOPO5 or ETOPO2 can be downloaded from and installed using these links: <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO2.RData> and <http://leesj.sites.oasis.unc.edu/FETCH/GRAB/RPACKAGES/ETOPO5.RData>

## Value

x	vector x-coordinates
y	vector y-coordinates
z	2D matrix of elevations

## Author(s)

Jonathan M. Lees<jonathan.lees.edu>

## See Also

GEOTOPO

## Examples

```
## Not run:  
#### first install the ETOP05 data package  
library(geomapdata)  
load(ETOP05)  
##  data(ETOP05)  
PLOC=list(LON=c(137.008, 141.000),LAT=c(34.000, 36.992),  
         x=c(137.008, 141.000), y=c(34.000, 36.992) )  
  
PROJ = setPROJ(type=2, LAT0=mean(PLOC$y) , LON0=mean(PLOC$x) )  
JAPANtopo = subsetTOPO(ETOP05, PLOC, PROJ)  
  
## End(Not run)
```

**SynAnticline***Syncline and Anticline traces***Description**

Syncline and Anticline traces

**Usage**

```
SynAnticline(x, y, syn = TRUE, spacing = NULL, N = 1, r1 = 1, r2 = 1.2,
h1 = 0, h2 = 0, endtol = 0.1, REV = FALSE, col = "black", ...)
```

**Arguments**

x	x-coordinates
y	y-coordinates
syn	logical, TRUE=syncline, FALSE=anticline
spacing	spacing of points
N	number of points
r1	x-radius of curled part
r2	y-radius of curled part
h1	length of first leg
h2	length of 2nd leg
endtol	indent on either ends
REV	reverse direction of x-y
col	color of teeth and line
...	graphical parameters

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees&lt;jonathan.lees@unc.edu&gt;

**See Also**[PointsAlong](#)

**Examples**

```

ff=list()
ff$x=c(-4.850, -4.700, -3.934, -2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045, -2.087, -0.710, 0.172, 1.291, 2.087, -0.753, -4.131)

G =getssplineG(ff$x, ff$y, kdiv=20)

##### anticline
plot(c(-5,5), c(-5,5), asp=1, type='n' )

SynAnticline(G$x,G$y, N=5, syn=FALSE, endtol=.2)

##### syncline
plot(c(-5,5), c(-5,5), asp=1, type='n' )
SynAnticline(G$x,G$y, N=5, syn=FALSE, endtol=.2)

```

targetLL

*Target Lat-Lon***Description**

Get a target Lat-Lon from a set of Lat-Lon pairs

**Usage**

```
targetLL(sta, rdist = 100)
```

**Arguments**

sta	station list (with slots lat lon)
rdist	radius in km

**Details**

Uses the Median station as the center and returns the lat-lon extents of the target region.

**Value**

list(	
A	matrix with lat-lon pairs (lons=(0,360)

B	matrix with lat-lon pairs (lons=(-180, 180))
mlat	median latitude
mlon	median longitude
Jlat	range of lats
Jlon	range of lons
proj	projection list

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
sta=list( lat=rnorm(10, mean=60, sd=0.5),
          lon = rnorm(10, mean=60, sd=0.5))

A = targetLL(sta, rdist = 100)
print(A)

sta=list( lat=rnorm(10, mean=-30, sd=0.5),
          lon = rnorm(10, mean=-40, sd=0.5))

A = targetLL(sta, rdist = 100)
print(A)
```

**Description**

Add teeth marks to a line.

**Usage**

```
teeth(x, y, h, rot, col = "black", border = "black")
```

**Arguments**

x	x-coordinates
y	y coordinates
h	height of tooth
rot	rotation of teeth
col	color of line
border	color of border, default= col

**Details**

The rotation is usually determined by consecutive x-y points

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

thrust

**Examples**

```
plot(c(-5,5), c(-5,5), asp=1, type='n' )

ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

lines(ff)
points(ff)

### thrust uses teeth
thrust(ff$x, ff$y, h=2, N=12, REV=FALSE)
```

**thrust***Thrust Fault***Description**

Add Thrust fault with teeth on overlying block

**Usage**

```
thrust(x, y, h = 1, N=1, REV = FALSE, endtol=0.1, col = "black", ...)
```

**Arguments**

x	x-coordinates
y	y-coordinates
h	height of teeth
N	NUmber of points along line
endtol	percent tolerance on ends of line
REV	reverse direction of x-y (teeth on other side)
col	color of teeth and line
...	graphical parameters

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

teeth

**Examples**

```
plot(c(-5,5), c(-5,5), asp=1, type='n' )

ff=list()
ff$x=c(-4.850,-4.700,-3.934,-2.528, 0.603, 2.647, 3.861, 2.626)
ff$y=c(-4.045,-2.087,-0.710, 0.172, 1.291, 2.087,-0.753,-4.131)

###

plot(c(-5,5), c(-5,5), asp=1, type='n' )
```

```
thrust(ff$x, ff$y, h=2, N=14, REV=FALSE)

##### reverse side:
plot(c(-5,5), c(-5,5), asp=1, type='n' )

thrust(ff$x, ff$y, h=2, N=14, REV=TRUE)
```

---

**TOPOCOL***Create Topography ColorMAP*

---

**Description**

Given an x-y-Z create a matrix of colors for plotting in persp

**Usage**

```
TOPOCOL(IZ, calcol)
```

**Arguments**

IZ	Matrix of values
calcol	Color mapping of elevations to rgb colors

**Details**

colors are interpolated between boundaries in the color map

**Value**

Matrix of colors suitable for insertion to persp

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**See Also**

persp

## Examples

```

colk1 = 50
colk2 = 210
colk3 = 220
colk4 = 250
BWpal2 = list(z1=c(-3000, 0, 2000, 3500),
r1=c(0,colk1, colk3, colk4),
g1=c(0,colk1, colk3, colk4),
b1=c(0,colk1, colk3, colk4),
z2=c(0, 2000, 3500, 5000),
r2=c(0,colk2,colk4,255),
g2=c(0,colk2,colk4,255),
b2=c(0,colk2,colk4,255),
note=c("black, black", "grey, grey", "white, white", "white, white")
)

data(volcano)

MYCOLL = TOPOCOL(volcano, BWpal2)

z <- 2 * volcano      # Exaggerate the relief
x <- 10 * (1:nrow(z))  # 10 meter spacing (S to N)
y <- 10 * (1:ncol(z))  # 10 meter spacing (E to W)
## Don't draw the grid lines : border = NA
par(bg = "slategray")
Dcol = attr( MYCOLL , "Dcol")

persp(x, y, z, theta = 135, phi = 30,
col = MYCOLL[1:(Dcol[1]-1), 1:(Dcol[2]-1)], scale = FALSE,
ltheta = -120, shade = 0.75, border = NA, box = FALSE)

calcol=settopocol()
MYCOLL = TOPOCOL(volcano, calcol$calcol)

Dcol = attr( MYCOLL , "Dcol")

K <- 8 *volcano

MYCOLL = TOPOCOL(K, calcol$calcol)

persp(x, y, z, theta = 135, phi = 30,
col = MYCOLL[1:(Dcol[1]-1), 1:(Dcol[2]-1)], scale = FALSE,
ltheta = -120, shade = 0.75, border = NA, box = FALSE)

```

---

trans4

---

*Translation matrix*

---

## Description

Translation matrix for rotations

## Usage

```
trans4(vec)
```

## Arguments

vec	3 vector
-----	----------

## Value

4 by 4 matrix

## Author(s)

Jonathan M. Lees<jonathan.lees@unc.edu>

## References

Rogers and Adams

## See Also

rotx4, roty4, rotdelta4

## Examples

```
trans4(c(0,0,0))
```

---

**UTM.ll***Map projection*

---

**Description**

UTM Map projection parameters supplied and X-Y, return the LAT-LON values, WGS-84

**Usage**

```
UTM.ll(x , y , PROJ.DATA)
utm.wgs84.ll(x , y , PROJ.DATA)
```

**Arguments**

x	x
y	y
PROJ.DATA	list of projection parameters

**Value**

List	
phi	Latitude-coordinate
lam	Longitude-coordinate

**Note**

When calling the conversion from LL to XY or vice versa, convert the lon to 0 to 360. Use RPMG::fmod for this conversion. This may be rectified in future revisions.

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder

**See Also**

setPROJ, GLOB.XY, projtype, utm.sphr.ll, UTMzone, plotUTM, utmbox, DATUMinfo

**Examples**

```
lat = 40.5
lon = -73.50
LON = RPMG::fmod(lon, 360)

uzone = UTMzone(lat, lon)
lon0 = uzone$CEN[2]
#### clark1866
wproj8 = setPROJ(type = 8, LAT0 = 0 , LON0 = lon0, IDATUM=8)
uu = UTM.xy(lat, LON , wproj8)
UTM.ll(uu$x, uu$y ,wproj8)

#### wgs84
wproj1 = setPROJ(type = 8, LAT0 = 0 , LON0 = lon0 , IDATUM=1)
uu = UTM.xy(lat,LON , wproj1)

UTM.ll(uu$x, uu$y ,wproj1)
```

---

**utm.sphr.ll***Map projection*

---

**Description**

Using Map projection parameters supplied and X-Y, return the LAT-LON values

**Usage**

```
utm.sphr.ll(x , y , PROJ.DATA)
```

**Arguments**

x	x
y	y
PROJ.DATA	list of projection parameters

**Value**

List	
phi	Latitude-coordinate
lam	Longitude-coordinate

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder

**See Also**

GLOB.XY, setPROJ

---

utm.sphr.xy

*Map projection*

---

**Description**

Using Map projection parameters supplied and LAT-LON, return the x-y values

**Usage**

utm.sphr.xy(phi, lam, PROJ.DATA)

**Arguments**

phi	Latitude
lam	Longitude
PROJ.DATA	list of projection parameters

**Value**

List

x	x-coordinate
y	y-coordinate

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder

**See Also**

GLOB.XY, setPROJ

---

UTM.xy	<i>Map projection</i>
--------	-----------------------

---

## Description

UTM Map projection parameters supplied and LAT-LON, return the x-y values, WGS-84 datum

## Usage

```
UTM.xy(phideg, lamdeg, PROJ.DATA)
utm.wgs84.xy(phideg, lamdeg, PROJ.DATA)
```

## Arguments

phideg	Latitude
lamdeg	Longitude
PROJ.DATA	list of projection parameters

## Value

List	
x	x-coordinate
y	y-coordinate

## Note

When calling the conversion from LL to XY or vice versa, convert the lon to 0 to 360. Use RPMG::fmod for this conversion. This may be rectified in future revisions.

## Author(s)

Jonathan M. Lees<jonathan.lees.edu>

## References

Snyder, J. P., 1987; Map Projections - A Working Manual. U.S. Geological Survey Professional Paper 1395, 383 p.

## See Also

setPROJ, GLOB.XY, projtype, utm.sphr.xy, UTMzone, plotUTM, utmbox, DATUMinfo

## Examples

```

lat = 40.5
lon = -73.50
lon0 = -75
LON = RPMG::fmod(lon, 360)

wproj = setPROJ(type = 5, LAT0 = 0 , LON0 = lon0 , FE = 0 )

u1 = utm.elps.xy(lat, LON ,wproj )
utm.wgs84.xy(lat, LON ,wproj)

##### also for more general UTM:
### this is the wgs84 projection
wproj1 = setPROJ(type = 8, LAT0 = 0 , LON0 = lon0 , FE = 0 , IDATUM=1 )
UTM.xy(lat, LON,wproj1)

### this is the Clark-1866 (see page 270 in Snyder)
wproj8 = setPROJ(type = 8, LAT0 = 0 , LON0 = lon0 , FE = 0 , IDATUM=8)
UTM.xy(lat, LON,wproj8)

## which is the same as:

uzone = UTMzone(lat, lon)

lon0 = uzone$CEN[2]
wproj = setPROJ(type = 5, LAT0 = 0 , LON0 = lon0 , FE = 500000 )
utm.elps.xy(lat, LON,wproj )

## to see all the Datums, use: DATUMinfo()

```

**utmbox**

*Get UTM Box info*

## Description

Get UTM Box info

## Usage

```
utmbox(lat, lon)
```

## Arguments

lat	latitude
lon	longitude

**Value**

List:

lon	input point longitude
lat	input point latitude
LON	LL corner longitude
LAT	LL corner latitude
utmbox	List: x=utm number, y=utm letter
UTM0	List: center of box: lam=long, phi=lat

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

plotUTM

**Examples**

```
lat = 35.76658
lon = 279.4335
utmbox(lat, lon)
```

---

UTMzone

*UTM zone information*

---

**Description**

Return the UTM zone information

**Usage**

```
UTMzone(lat, lon = NA)
```

**Arguments**

lat	latitude
lon	longitude

**Details**

The function works two ways: If the lat-lon are numeric and lon is not NA then the UTM zone information is returned. If lon is NA and lat is one of the UTM zones, then the lat-lon information for that zone is returned.

**Value**

list:

zone	Character, zone designation
LON	longitude range of the zone
LAT	latitude range of the zone
CEN	center of the zone, used for projections

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

setPROJ, UTM.xy, UTM.ll, DATUMinfo

**Examples**

```
lat = 40.5
lon = -73.50
UTMzone(lat, lon)
## or
UTMzone("18T")
```

*X.prod*

*Cross Product*

**Description**

Vector Cross Product for spatial cartesian vectors

**Usage**

*X.prod(a, b)*

**Arguments**

a	3-vector
b	3-vector

**Value**

3-vector

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

## Examples

```
v1 = c(1,1,1)
v2= c(-1, -1, 1)
X.prod(v1, v2)
```

XSECDEMg

*Cross Sections Using RPMG*

## Description

This function Takes a Digital Elevation Map (or any surface) and illustrates how to take interactive cross sections with RPMG through the surface.

## Usage

```
XSECDEMg(Data, labs=NULL, pts=NULL, nlevels=10, demo=FALSE)
```

## Arguments

Data	Structure with x, y, z components, typical of contoured surfaces or digital images
labs	Vector of labels for Buttons used in the RPMG
pts	Points to plot on map view
nlevels	Number of levels for contours
demo	Argument used to turn off interactive part. Default is FALSE, but for package construction is set to TRUE so no interaction is required.

## Details

XSECDEMg is an example stub illustrating the use of RPMG. The idea is to set up a while() loop that uses input from the locator() function to execute or analyze data depending on user defined buttons. Actions are executed when the button clicked matches the list of names provided by the user.

## Value

No return values

## Note

This code is designed as an example of how to set up a Really Poor Man's GUI. The demo argument is supplied so that this code will run without user input, as when creating a checks for package construction.

**Author(s)**

Jonathan M. Lees <jonathan.lees@unc.edu>

**See Also**

whichbutt, rowBUTTONS

**Examples**

```
data(volcano)
attr(volcano, 'dx') =10
attr(volcano, 'dy') =10
mybutts = c("DONE", "REFRESH", "rainbow", "topo", "terrain", "CONT",
"XSEC","PS" )
### in the following change demo=FALSE to get interactive behavior
XSECDEMg(volcano, mybutts, demo=TRUE)
```

XSECEQ

*Interactive earthquake cross section*

**Description**

Interactive earthquake cross section

**Usage**

```
XSECEQ(MAP, EQ, XSECS = NULL, labs = c("DONE", "REFRESH", "XSEC",
"MSEC"),
width = 10, kmaxes = TRUE, pch = ".", demo = FALSE, png=FALSE )
```

**Arguments**

MAP	Geologic Map Structure
EQ	list of earthquakes
XSECS	list of cross sections
labs	labels for cross sections
width	width of swaths
kmaxes	logical, TRUE=keep all cross sections same depth
pch	plotting character
demo	Logical, TRUE=not-interactive
png	Logical, TRUE=create png files of the cross sections

**Value**

Graphical side effects and creates cross-sectional swaths returned as a list, see eqswath for list structure.

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

XSECDEM, eqswath, XSECwin

**Examples**

```
## Not run:

##### get map of Japan
data('japmap', package='geomapdata' )
proj = setPROJ(type = 2, LAT0=35.358,LON0=138.731)

NIHON = list(lat=range(c(japmap$STROKE$LAT1, japmap$STROKE$LAT2)) ,
             lon = range(c(japmap$STROKE$LON1, japmap$STROKE$LON2)))

xyjap = GLOB.XY(NIHON$lat, NIHON$lon, proj)

NIHON = c(NIHON, xyjap)
MAP = list()
MAP[[1]] = NIHON
attr(MAP, "XYLIM") <- NIHON
attr(MAP, "PROJ") <- proj

MAP[[2]] = japmap

##### load Engdahl earthquake Data base
#####
data(EHB.LLZ)

flagEHB = EHB.LLZ$lat>=NIHON$lat[1] & EHB.LLZ$lat<=NIHON$lat[2] &
RPMG::fmod(EHB.LLZ$lon, 360)>+NIHON$lon[1] & RPMG::fmod(EHB.LLZ$lon,
360)<=NIHON$lon[2]

eqJ = GLOB.XY(EHB.LLZ$lat[flagEHB], EHB.LLZ$lon[flagEHB], proj)

EQ =list()
EQ[[1]]=list(lat=EHB.LLZ$lat[flagEHB], lon=EHB.LLZ$lon[flagEHB] ,
x=eqJ$x, y=eqJ$y, z=EHB.LLZ$z[flagEHB], col="brown", pch=". ", cex=1.5)

rz = NULL
for(i in 1:length(EQ))
{
```

```

rz = range(c(rz, EQ[[1]]$z), na.rm=TRUE )

}

for(i in 1:length(EQ))
{
iz = RPMG::RESCALE(EQ[[i]]$z, 1, 100, rz[1], rz[2])
EQ[[i]]$COL = rainbow(100)[iz]
}

labs=c("DONE", "REFRESH", "XSEC", "MSEC", "KMAXES", "CONT", "width", "PS" )

NSWath = XSECEQ( MAP, EQ , labs=labs, width=30, demo=FALSE )

data(NSWath)
NSWath2 = XSECEQ( MAP, EQ , XSECS=NSWath, labs, width=30, demo=TRUE )

## End(Not run)

```

**XSECwin***Cross sectional plot with earthquakes projected***Description**

Cross section of earthquakes.

**Usage**

```
XSECwin(SW, iseclab = 1, xLAB = "A",
       labs = c("DONE", "REFRESH", "PS"), width = 10, demo = FALSE)
```

**Arguments**

SW	list of swath data
iseclab	section number
xLAB	Label
labs	labels
width	width of swath
demo	logical, TRUE=not interactive

**Details**

Called by XSECEQ; but this can be run independantly if plots are needed after interactive processing.

**Value**

Graphical Side effects

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

eqswath, XSECEQ

**Examples**

```
## Not run:
library(geomapdata)

data('japmap', package='geomapdata' )
proj = setPROJ(type = 2, LAT0=35.358,LON0=138.731)

NIHON = list(lat=range(c(japmap$STROKE$LAT1, japmap$STROKE$LAT2)) ,
             lon = range(c(japmap$STROKE$LON1, japmap$STROKE$LON2)))

xyjap = GLOB.XY(NIHON$lat, NIHON$lon, proj)

NIHON = c(NIHON, xyjap)
MAP = list()
MAP[[1]] = NIHON
attr(MAP, "XYLIM") <- NIHON
attr(MAP, "PROJ") <- proj

MAP[[2]] = japmap

##### load Engdahl earthquake Data base
#####
data('EHB.LLZ' )

flagEHB = EHB.LLZ$lat>=NIHON$lat[1] & EHB.LLZ$lat<=NIHON$lat[2] &
RPMG::fmod(EHB.LLZ$lon, 360)>+NIHON$lon[1] & RPMG::fmod(EHB.LLZ$lon,
360)<=NIHON$lon[2]

eqJ = GLOB.XY(EHB.LLZ$lat[flagEHB], EHB.LLZ$lon[flagEHB], proj)

EQ =list()
EQ[[1]]=list(lat=EHB.LLZ$lat[flagEHB], lon=EHB.LLZ$lon[flagEHB] ,
x=eqJ$x, y=eqJ$y, z=EHB.LLZ$z[flagEHB], col="brown", pch=". ", cex=1.5)

rz = NULL
for(i in 1:length(EQ))
{
rz = range(c(rz, EQ[[1]]$z), na.rm=TRUE )
```

```

}

for(i in 1:length(EQ))
{
  iz = RPMG::RESCALE(EQ[[i]]$z, 1, 100, rz[1], rz[2])
  EQ[[i]]$COL = rainbow(100)[iz]
}

labs=c("DONE", "REFRESH", "XSEC", "MSEC", "KMAXES", "CONT", "width",
"PS")
## load example cross sections:
data(NSWath)
NSWath2 = XSECEQ( MAP, EQ ,XSECS=NSWath, labs, width=30, demo=TRUE )

##### show cross sections:
for(i in 1:length(NSWath))
{

## dev.new()
LAB = attr(NSWath[[i]], "LAB")

XSECwin( NSWath[[i]] , iseclab=i, xLAB=LAB , labs=NULL, demo=TRUE )
}

## End(Not run)

```

**XY.GLOB***Convert from XY to GLOBAL LAT-LON***Description**

Convert from XY to GLOBAL LAT-LON

**Usage**

```
XY.GLOB(x, y, PROJ.DATA)
```

**Arguments**

x	X in whatever units
y	Y in whatever units
PROJ.DATA	Projection list

**Details**

Units are whatever is returned from the projection definition. This is the inverse of GLOB.XY.

**Value**

If it is a LIST, use

lat	Latitude
lon	Longitude
...	

**Author(s)**

Jonathan M. Lees<jonathan.lees.edu>

**References**

Snyder, John P., Map Projections- a working manual, USGS, Professional Paper, 1987.

**See Also**

setPROJ

**Examples**

```
proj = setPROJ(type = 2, LAT0 =23, LON0 = 35)  
XY.GLOB(200, 300, proj)
```

---

xyz2ll

*Cartesian to Lat-Lon*

---

**Description**

Cartesian to Lat-Lon

**Usage**

xyz2ll(x)

**Arguments**

x	3-vector
---	----------

**Details**

Returns Latitude not Co-latitude

**Value**

2-vector of lat-lon

**Note**

Does only one point at a time

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**See Also**

Lxyz2ll

**Examples**

```
xyz2ll(c(1,1,1) )
```

zebra

*Horizontal Zebra Scale*

**Description**

Plot a zebra style horizontal scale on a projected map.

**Usage**

```
zebra(x, y, Dx, dx, dy, lab = "", pos=1, col = c("black", "white"),
cex = 1, textcol="black", xpd=TRUE, PMAT = NULL)
```

**Arguments**

x	x-coordinate of left corner
y	y-coordinate of left corner
Dx	distance in x, km
dx	distance for zebra stripes in x
dy	thickness in km
lab	labels
pos	position of text, 1=below, 3=above, as in par
col	2-vector of colors, for the alternating bars
cex	character expansion
textcol	color for the text
xpd	logical, graphic parameter for clipping (see par)
PMAT	3D projection matrix from persp

**Details**

Plots a zebra style kilometer scale on the current plot

**Value**

Graphical Side effect

**Author(s)**

Jonathan M. Lees<jonathan.lees@unc.edu>

**Examples**

```
library(geomapdata)

data(USAmap)
USALL=list()
USALL$lat=c(24.72853,49.62741)
USALL$lon=c(229.29389,296.41803)
## set UTM projection
PROJ = setPROJ(type = 2, LAT0 =mean(USALL$lat), LON0 = mean(USALL$lon) )

##### plot with UTM projection:
plotGEOmapXY(USAmap, LIM= c(USALL$lon[1], USALL$lat[1],
    USALL$lon[2], USALL$lat[2] ), PROJ=PROJ, add=FALSE, shiftlon=0)

zeb=list()
zeb$x=c(197.727896066)
zeb$y=c(-1155.81158234)

zebra(zeb$x[1],zeb$y[1], 1000, 100, 60, lab="Km", cex=.6)
```

# Index

- \* **aplot**
  - addLLXY, 6
  - addTIX, 8
  - antipolygon, 10
  - bcars, 14
  - ColorScale, 20
  - faultdip, 42
  - faultperp, 43
  - GEOsymbols, 55
  - horseshoe, 75
  - linesGEOmapXY, 88
  - normalfault, 108
  - OverTurned, 113
  - perpen, 115
  - pgon, 116
  - SynAnticline, 158
  - teeth, 160
  - thrust, 162
  - zebra, 180
- \* **datasets**
  - coastmap, 19
  - EHB.LLZ, 32
  - NSWath, 111
- \* **hplot**
  - GEOTopo, 56
  - plotGEOmap, 118
  - plotGEOmapXY, 120
  - plotusa, 126
  - plotworldmap, 128
  - XSECSEQ, 174
  - XSECwin, 176
- \* **iplot**
  - GETXprofile, 67
  - locworld, 95
  - XSECDEMg, 173
  - XSECSEQ, 174
  - XSECwin, 176
- \* **misc**
  - along.great, 9
- BASICTOPOMAP, 12
- boundGEOmap, 16
- CCcheck, 17
- ccw, 18
- darc, 25
- DATUMinfo, 26
- demcmap, 27
- difflon, 27
- distaz, 28
- dms, 30
- DUMPLOC, 31
- Ellipsoidal.Distance, 32
- eqswath, 36
- ExcludeGEOmap, 37
- expandbound, 38
- explode, 39
- ExplodeSymbols, 40
- fixCoastwrap, 44
- gclc, 45
- geoarea, 46
- geoLEGEND, 47
- GEOmap.breakline, 50
- GEOmap.breakpoly, 50
- GEOmap.cat, 51
- GEOmap.CombineStrokes, 52
- GEOmap.Extract, 53
- GEOmap.list, 54
- GEOTopo, 56
- getETOPO, 58
- getGEOmap, 59
- getGEOperim, 61
- getgreatarc, 62
- getmagsize, 63
- getnicetix, 64
- getspline, 65
- getsplineG, 66
- GLOB.XY, 68
- GLOBE.ORTH, 69
- GlobeView, 72

gmat, 73  
goodticdivs, 74  
inpoly, 77  
insertNA, 78  
insertvec, 79  
inside, 79  
insideGEOmapXY, 81  
KINOUT, 82  
lamaz.eqarea, 83  
LandSeaCol, 85  
lcgc, 87  
Lintersect, 89  
list.GEOmap, 90  
ll2xyz, 92  
lll2xyz, 92  
LLlabel, 93  
LOCPOLIMAP, 94  
Lxyz2ll, 96  
MAPconstants, 97  
maplim, 98  
maps2GEOmap, 99  
mapTeleSeis, 101  
Markup, 103  
merid, 104  
niceLLtix, 106  
NoOverlap, 107  
NSarrow, 110  
ortho.proj, 112  
pline, 117  
plotlypos, 122  
plotnicetix, 125  
plotUTM, 127  
PointsAlong, 129  
polyintern, 131  
printGEOinfo, 132  
printGEOmap, 133  
projtype, 134  
rectPERIM, 135  
rekt2line, 136  
rose, 137  
rotateGEOmap, 139  
rotdelta4, 141  
rotmat2D, 142  
rotx4, 143  
roty4, 144  
SELGEOmap, 145  
setMarkup, 146  
setplotmat, 147  
SETPOLIMAP, 148  
setPROJ, 149  
settopocol, 150  
sizelegend, 151  
sqrtICXY, 152  
SSfault, 154  
STROKEinfo, 155  
subsetTOPO, 156  
targetLL, 159  
TOPOCOL, 163  
trans4, 165  
UTM.ll, 166  
utm.sphr.ll, 167  
utm.sphr.xy, 168  
UTM.xy, 169  
utmbox, 170  
UTMzone, 171  
X.prod, 172  
XY.GLOB, 178  
xyz2ll, 179  
**\* package**  
  GEOmap-package, 4  
addLLXY, 6  
addTIX, 8  
along.great, 9  
antipolygon, 10  
BASICTOPOMAP, 12  
bcars, 14  
boundGEOmap, 16  
CCcheck, 17  
ccw, 18  
coastmap, 19  
ColorScale, 20  
darc, 24  
DATUMinfo, 26  
demcmap, 27  
difflon, 27  
distaz, 28  
dms, 30  
DUMPLOC, 31  
EHB.LLZ, 32  
Ellipsoidal.Distance, 32  
eqswath, 36  
equid.cyl.ll (utm.sphr.ll), 167

equid.cyl.xy (utm.sphr.xy), 168  
 ExcludeGE0map, 37  
 expandbound, 38  
 explode, 39  
 ExplodeSymbols, 40  
 fastExtract (GE0map.Extract), 53  
 faultdip, 42  
 faultperp, 43  
 fixCoastwrap, 44  
 gclc, 45  
 GCLCFR(gclc), 45  
 geoarea, 46  
 geoLEGEND, 47  
 GE0map (GE0map-package), 4  
 GE0map-package, 4  
 GE0map.breakline, 50  
 GE0map.breakpoly, 50  
 GE0map.cat, 51  
 GE0map.CombineStrokes, 52  
 GE0map.Extract, 53  
 GE0map.limit (GE0map.Extract), 53  
 GE0map.list, 54  
 GE0symbols, 55  
 GEOTOP0, 56  
 getETOPO, 58  
 getGE0map, 59  
 getGEOperim, 61  
 getgreatarc, 62  
 getmagsize, 63  
 getnicetix, 64  
 getspline, 65  
 getsplineG, 66  
 GETXprofile, 67  
 GLOB.XY, 68  
 GLOBE.ORTH, 69  
 GlobeView, 72  
 gmat, 73  
 goodticdivs, 74  
 horseshoe, 75  
 inpoly, 77  
 insertNA, 78  
 insertvec, 79  
 inside, 79  
 insideGE0mapXY, 81  
 KINOUT, 82  
 lamaz.eqarea, 83  
 lamaz.inverse (lamaz.eqarea), 83  
 lambert.cc.ll (utm.sphr.ll), 167  
 lambert.cc.xy (utm.sphr.xy), 168  
 lambert.ea.ll (utm.sphr.ll), 167  
 lambert.ea.xy (utm.sphr.xy), 168  
 LandSeaCol, 85  
 lcg, 87  
 linesGE0mapXY, 88  
 Lintersect, 89  
 list.GE0map, 90  
 ll2xyz, 92  
 Lll2xyz, 92  
 Lllabel, 93  
 LOCPOLIMAP, 94  
 locworld, 95  
 Lxyz2ll, 96  
 MAPconstants, 97  
 maplim, 98  
 maps2GE0map, 99  
 mapTeleSeis, 101  
 Markup, 103  
 merc.sphr.ll (utm.sphr.ll), 167  
 merc.sphr.xy (utm.sphr.xy), 168  
 merid, 104  
 niceLLtix, 106  
 NoOverlap, 107  
 normalfault, 108  
 NSarrow, 110  
 NSWath, 111  
 ortho.proj, 112  
 OverTurned, 113  
 paral (merid), 104  
 perpen, 115  
 pgon, 116  
 pline, 117  
 plotGE0map, 118  
 plotGE0mapXY, 120  
 plothypot, 122  
 plotnicetix, 125  
 plotusa, 126  
 plotUTM, 127  
 plotworldmap, 128  
 PointsAlong, 129  
 pointsGE0mapXY (linesGE0mapXY), 88

polyGE0mapXY (linesGE0mapXY), 88  
polyintern, 131  
printGE0info, 132  
printGE0map, 133  
projtype, 134  
  
rectGE0mapXY (linesGE0mapXY), 88  
rectPERIM, 135  
rekt2line, 136  
rose, 137  
rotateGE0map, 139  
rotdelta4, 141  
rotmat2D, 142  
rotx4, 143  
roty4, 144  
  
SELGE0map, 145  
setMarkup, 146  
setplotmat, 147  
SETPOLIMAP, 148  
setPROJ, 149  
settopocol, 150  
sizelegend, 151  
sqrTICXY, 152  
SSfault, 154  
stereo.sphr.ll (utm.sphr.ll), 167  
stereo.sphr.xy (utm.sphr.xy), 168  
STROKEinfo, 155  
subsetTOPO, 156  
SynAnticline, 158  
  
targetLL, 159  
teeth, 160  
textGE0mapXY (linesGE0mapXY), 88  
thrust, 162  
TOPOCOL, 163  
trans4, 165  
  
utm.elps.ll (utm.sphr.ll), 167  
utm.elps.xy (utm.sphr.xy), 168  
UTM.ll, 166  
utm.sphr.ll, 167  
utm.sphr.xy, 168  
utm.wgs84.ll (UTM.ll), 166  
utm.wgs84.xy (UTM.xy), 169  
UTM.xy, 169  
utmbox, 170  
UTMzone, 171  
  
vane (NSarrow), 110