

Package ‘OGI’

December 20, 2017

Type Package

Title Objective General Index

Version 1.0.0

Description Consider a data matrix of n individuals with p variates. The objective general index (OGI) is a general index that combines the p variates into a univariate index in order to rank the n individuals. The OGI is always positively correlated with each of the variates. More details can be found in Sei (2016) <doi:10.1016/j.jmva.2016.02.005>.

License GPL-3

Encoding UTF-8

LazyData true

Imports lpSolve (>= 5.6.13), stats (>= 3.3.3), graphics (>= 3.3.3),
methods (>= 3.3.3)

Suggests ade4 (>= 1.7.8), bnlearn (>= 4.2), testthat(>= 1.0.2)

RoxygenNote 6.0.1

NeedsCompilation no

Author Tomonari Sei [aut],
Masaki Hamada [cre]

Maintainer Masaki Hamada <masaki_hamada@mist.i.u-tokyo.ac.jp>

Repository CRAN

Date/Publication 2017-12-20 12:38:57 UTC

R topics documented:

| | |
|----------------------|----------|
| cov2biu | 2 |
| cov2weight | 3 |
| ogi | 4 |
| Index | 7 |

`cov2biu`*Bi-unit Canonical Form*

Description

`cov2biu(S)` returns the bi-unit canonical form of S .

Usage

```
cov2biu(S, nu = rep(1, nrow(S)), force = FALSE, detail = FALSE)
```

Arguments

| | |
|---------------------|--|
| <code>S</code> | Covariance matrix, especially it is positive semi-definite. |
| <code>nu</code> | Numeric vector of subjective importance. It determines the importance of each of the variates. |
| <code>force</code> | Logical: if <code>force=FALSE</code> , S should be strictly positive definite. Default: <code>FALSE</code> . |
| <code>detail</code> | Logical: if <code>detail=TRUE</code> , it returns the list of the bi-unit form and the weight vectors. Default: <code>FALSE</code> . |

Value

Numeric matrix of the bi-unit canonical form DSD of S .

Examples

```
S = matrix(0, 5, 5)
S[1,1] = 1
for(j in 2:5) S[1,j] = S[j,1] = -0.5
for(i in 2:5){
  for(j in 2:5){
    if(i == j) S[i,j] = 1
    else S[i,j] = 0.5
  }
}
B=cov2biu(S)
B
```

Description

cov2weight(S) returns the numeric vector in which the diagonal elements of the matrix D are arranged, where DSD is the bi-unit canonical form of S .

Usage

```
cov2weight(S, Dvec = rep(1, nrow(S)), nu = rep(1, nrow(S)), tol = 1e-06,  
force = FALSE)
```

Arguments

| | |
|-------|---|
| S | Covariance matrix, especially it is positive semi-definite. |
| Dvec | Numeric vector of initial values of iteration. |
| nu | Numeric vector of subjective importance. It determines the importance of each of the variates. |
| tol | Numeric number of tolerance. If the minimum eigenvalue of S is less than tol , S is considered not to be positive definite. |
| force | Logical: if force=FALSE, S should be strictly positive definite. Default: FALSE. |

Value

Numeric vector of diagonal elements of D , which appears in the bi-unit canonical form DSD of S .

Examples

```
S = matrix(0, 5, 5)  
S[1,1] = 1  
for(j in 2:5) S[1,j] = S[j,1] = -0.5  
for(i in 2:5){  
  for(j in 2:5){  
    if(i == j) S[i,j] = 1  
    else S[i,j] = 0.5  
  }  
}  
weight=cov2weight(S)  
weight
```

 ogi *Objective General Index*

Description

ogi(X) returns the objective general index (OGI) of the covariance matrix S of X.

Usage

```
ogi(X, se = FALSE, force = FALSE, se.loop = 1000, nu = rep(1, ncol(X)),
    center = TRUE, mar = FALSE)
```

Arguments

| | |
|---------|---|
| X | Numeric or ordered matrix. |
| se | Logical: if se=TRUE, it additionally computes w.se and v.se by bootstrap. Default: FALSE. |
| force | Logical: if force=FALSE, S should be strictly positive definite. Default: FALSE. |
| se.loop | Iteration number in bootstrap for computation of standard error. |
| nu | Numeric vector of subjective importance. It determines the importance of each column of X. |
| center | Logical: if center=TRUE, ogi(X)\$Z is centered. Default:TRUE. |
| mar | Logical: if mar=TRUE, each of ordered categorical variates of X (if exists) is marginally converted into a numeric vector in advance by the univariate OGI quantification. If mar=FALSE, the simultaneous OGI quantification is applied. Default:FALSE. |

Details

Consider a data matrix of n individuals with p variates. The objective general index (OGI) is a general index that combines the p variates into a univariate index in order to rank the n individuals. The OGI is always positively correlated with each of the variates. For more details, see the references.

Value

| | |
|------------|---|
| value | The objective general index (OGI). |
| X | The input matrix X. |
| scaled | The product of $Z \%*\% \text{diag}(\text{weight})$, where Z and weight are as follows. |
| Z | Numerical matrix converted from X. If center = TRUE, it is centered. |
| weight | The output of <code>cov2weight(S, nu=nu, force=force)</code> , where S is the covariance matrix of X. |
| rel.weight | The product of $\text{weight} * \sqrt{\text{diag}(S)}$, where S is the covariance matrix of X. |
| biu | The bi-unit canonical form of the covariance matrix of X. |

| | |
|------|---|
| idx | Numeric vector. If X has ordered categorical variates, idx has (number of levels) -1 number of indexes. |
| w.se | If requested, w.se is numeric vector of the standard error of weight. It is calculated by bootstrap. |
| v.se | If requested, v.se is numeric vector of the standard error of value. It is calculated by bootstrap. |

References

Sei, T. (2016). An objective general index for multivariate ordered data, *Journal of Multivariate Analysis*, 147, 247-264. <http://www.sciencedirect.com/science/article/pii/S0047259X16000269>

Examples

```

CT = matrix(c(
  2,1,1,0,0,
  8,3,3,0,0,
  0,2,1,1,1,
  0,0,0,1,1,
  0,0,0,0,1), 5, 5, byrow=TRUE)
X = matrix(0, 0, 2)
for(i in 1:5){
  for(j in 1:5){
    if(CT[i,j]>0){
      X = rbind(X, matrix(c(6-i,6-j), CT[i,j], 2, byrow=TRUE))
    }
  }
}
X0 = X
X = as.data.frame(X0)
X[,1] = factor(X0[,1], ordered=TRUE)
X[,2] = factor(X0[,2], ordered=TRUE)
ogiX = ogi(X)
par(pty="s", cex=1.7, mar=c(4.5,3,1,1))
plot(ogiX$scaled, xlim=c(-3,3), ylim=c(-3,3), xlab="Geometry", ylab="Probability")
for(t in 1:nrow(ogiX$scaled)){
  xy = ogiX$scaled[t,]
  g = rep(sum(xy)/2, 2)
  segments(xy[1], xy[2], g[1], g[2], lty=2)
}
arrows(-3, -3, 3, 3)
text(2.5, 2, "OGI/2")
ogiX

f = ordered(1:10)
f[sample(1:10, 20, replace=TRUE)]
Y = ogi(f)$value
plot((1:10)/(10+1), Y, type="b")
xs = (1:1000)/1001
points(xs, qnorm(xs), type="l", col="red")

```

```
X = USJudgeRatings
ogiX = ogi(X)
nameX = ordered(names(X), names(X))
plot(nameX, ogiX$weight, las=3, cex.axis=0.8, ylim=c(0,1.2), ylab="weight")
```

Index

cov2biu, 2
cov2weight, 3, 4
ogi, 4