

Package ‘actxps’

August 31, 2022

Title Create Actuarial Experience Studies: Prepare Data, Summarize Results, and Create Reports

Version 0.2.0

Maintainer Matt Heaphy <mattrmattr@gmail.com>

Description Experience studies are used by actuaries to explore historical experience across blocks of business and to inform assumption setting activities. This package provides functions for preparing data, creating studies, and beginning assumption development. Experience study methods, including exposure calculations, are described in: Atkinson & McGarry (2016) “Experience Study Calculations” <<https://www.soa.org/49378a/globalassets/assets/files/research/experience-study-calculations.pdf>>. The limited fluctuation credibility method used by the ‘exp_stats()’ function is described in: Herzog (1999, ISBN:1-56698-374-6) “Introduction to Credibility Theory”.

License MIT + file LICENSE

URL <https://github.com/mattheaphy/actxps/>

BugReports <https://github.com/mattheaphy/actxps/issues>

Encoding UTF-8

RoxygenNote 7.2.0

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

Depends R (>= 4.1)

Imports lubridate, dplyr, ggplot2, tibble, rlang, glue, purrr, scales, gt, paletteer, RColorBrewer, recipes, generics, shiny (>= 1.6), bslib, thematic, readr

LazyData true

NeedsCompilation no

Author Matt Heaphy [aut, cre]

Repository CRAN

Date/Publication 2022-08-31 07:40:02 UTC

R topics documented:

autoplot.exp_df	2
autotable	3
census_dat	4
expose	5
exp_shiny	7
exp_stats	9
is_exposed_df	11
qx_iamb	12
step_expose	12
toy_census	14

Index	15
--------------	-----------

autoplot.exp_df	<i>Plot experience study results</i>
-----------------	--------------------------------------

Description

Plot experience study results

Usage

```
## S3 method for class 'exp_df'
autoplot(
  object,
  ...,
  mapping,
  scales = "fixed",
  geoms = c("lines", "bars"),
  y_labels = scales::label_percent(accuracy = 0.1)
)
```

Arguments

object	An object of class exp_df usually created by the function exp_stats().
...	Faceting variables passed to facet_wrap().
mapping	Aesthetic mapping passed to ggplot().
scales	The scales argument passed to facet_wrap().
geoms	Type of geometry. If "points" is passed, the plot will display lines and points. If "bars", the plot will display bars.
y_labels	Label function passed to scale_y_continuous().

Details

If no aesthetic map is supplied, the plot will use the first grouping variable in `object` on the x axis and `q_obs` on the y axis. In addition, the second grouping variable in `object` will be used for color and fill.

If no faceting variables are supplied, the plot will use all grouping variables 3+ as facets passed into `facet_wrap()`.

Value

a ggplot object

autotable	<i>Tabular experience study summary</i>
-----------	---

Description

`autotable` is a generic function used to create a table from an object of a particular class. Tables are constructed using the `gt` package.

`autotable.exp_df` is used to convert experience study results to a presentation-friendly format.

Usage

```
autotable(object, ...)

## S3 method for class 'exp_df'
autotable(
  object,
  fontsize = 100,
  decimals = 1,
  colorful = TRUE,
  color_q_obs = "RColorBrewer::GnBu",
  color_ae_ = "RColorBrewer::RdBu",
  rename_cols = rlang::list2(...),
  ...
)
```

Arguments

<code>object</code>	An object of class <code>exp_df</code> usually created by the function <code>exp_stats()</code> .
<code>...</code>	Additional arguments passed to <code>gt::gt()</code> .
<code>fontsize</code>	Font size percentage multiplier.
<code>decimals</code>	Number of decimals to display for percentages
<code>colorful</code>	If TRUE, color will be added to the the observed decrement rate and actual-to-expected columns.
<code>color_q_obs</code>	Color palette used for the observed decrement rate.

<code>color_ae_</code>	Color palette used for actual-to-expected rates.
<code>rename_cols</code>	An optional list consisting of key-value pairs. This can be used to relabel columns on the output table. Names are column names in object and values are new labels. See <code>gt::cols_label()</code> for more information.

Details

See `paletter::paletter_d()`'s `palette` argument for usage of the `color_q_obs` and `color_ae_` arguments.

Value

a `gt` object

<code>census_dat</code>	<i>Simulated census data</i>
-------------------------	------------------------------

Description

Simulated census data for a theoretical deferred annuity product with an optional guaranteed income rider. This data is theoretical only and does not represent the experience on any specific product.

Usage

```
census_dat
```

Format

A data frame with 20,000 rows and 11 columns:

pol_num policy number

status policy status: Active, Surrender, or Death

issue_date issue date

inc_guar indicates whether the policy was issued with an income guarantee

qual indicates whether the policy was purchased with tax-qualified funds

age issue age

product product: a, b, or c

gender M (Male) or F (Female)

wd_age Age that withdrawals commence

term_date termination date upon death or surrender

`expose`*Create exposure records from census records*

Description

Convert a data frame of census-level records to exposure-level records.

Usage

```
expose(  
  .data,  
  end_date,  
  start_date = as.Date("1900-01-01"),  
  target_status = NULL,  
  cal_expo = FALSE,  
  expo_length = c("year", "quarter", "month", "week"),  
  col_pol_num = "pol_num",  
  col_status = "status",  
  col_issue_date = "issue_date",  
  col_term_date = "term_date",  
  default_status  
)  
  
expose_py(...)  
  
expose_pq(...)  
  
expose_pm(...)  
  
expose_pw(...)  
  
expose_cy(...)  
  
expose_cq(...)  
  
expose_cm(...)  
  
expose_cw(...)
```

Arguments

<code>.data</code>	a data frame with census-level records
<code>end_date</code>	experience study end date
<code>start_date</code>	experience study start date. Default value = 1900-01-01.
<code>target_status</code>	character vector of target status values. Default value = NULL.

`cal_expo` set to TRUE for calendar year exposures. Otherwise policy year exposures are used.
`expo_length` exposure period length
`col_pol_num` name of the column in `.data` containing the policy number
`col_status` name of the column in `.data` containing the policy status
`col_issue_date` name of the column in `.data` containing the issue date
`col_term_date` name of the column in `.data` containing the termination date
`default_status` optional scalar character representing the default active status code
`...` arguments passed to `expose()`

Details

Census-level data refers to a data set wherein there is one row per unique policy. Exposure-level data expands census-level data such that there is one record per policy per observation period. Observation periods could be any meaningful period of time such as a policy year, policy month, calendar year, calendar quarter, calendar month, etc.

`target_status` is used in the calculation of exposures. The annual exposure method is applied, which allocates a full period of exposure for any statuses in `target_status`. For all other statuses, new entrants and exits are partially exposed based on the time elapsed in the observation period. This method is consistent with the Balducci Hypothesis, which assumes that the probability of termination is proportionate to the time elapsed in the observation period. If the annual exposure method isn't desired, `target_status` can be ignored. In this case, partial exposures are always applied regardless of status.

`default_status` is used to indicate the default active status that should be used when exposure records are created. If left blank, then the first status level will be assumed to be the default active status.

Value

A tibble with class `exposed_df`, `tbl_df`, `tbl`, and `data.frame`. The results include all existing columns in `.data` plus new columns for exposures and observation periods.

For policy year exposures, two observation period columns are returned. Columns beginning with (`pol_`) are integer policy periods. Columns beginning with (`pol_date_`) are calendar dates representing anniversary dates, monthiversary dates, etc.

Policy period and calendar period variations

The functions `expose_py()`, `expose_pq()`, `expose_pm()`, `expose_pw()`, `expose_cy()`, `expose_cq()`, `expose_cm()`, `expose_cw()` are convenience functions for specific implementations of `expose()`. The two characters after the underscore describe the exposure type and exposure period, respectively.

For exposures types:

- `p` refers to policy years
- `c` refers to calendar years.

For exposure periods:

- y = years
- q = quarters
- m = months
- w = weeks.

References

Atkinson and McGarry (2016). Experience Study Calculations. <https://www.soa.org/49378a/globalassets/assets/files/research/experience-study-calculations.pdf>

Examples

```
toy_census |> expose("2020-12-31")

census_dat |> expose_py("2019-12-31", target_status = "Surrender")
```

exp_shiny	<i>Interactively explore experience data</i>
-----------	--

Description

Launch a shiny application to interactively explore drivers of experience.

dat must be an exposed_df object. An error will be thrown if any other object type is passed.

If nothing is passed to predictors, all column names in dat will be used (excluding the policy number, status, termination date, and exposure columns).

The expected argument is optional. As a default, any column names containing the word "expected" are used.

Usage

```
exp_shiny(
  dat,
  predictors = names(dat),
  expected = stringr::str_subset(names(dat), "expected"),
  distinct_max = 25L
)
```

Arguments

dat	An exposed_df object.
predictors	A character vector of independent variables in dat to include in the shiny app.
expected	A character vector of expected values in dat to include in the shiny app.
distinct_max	Maximum number of distinct values allowed for predictors to be included as "Color" and "Facets" grouping variables. This input prevents the drawing of overly complex plots. Default value = 25.

Value

No return value. This function is called for the side effect of launching a shiny application.

Layout**Filters:**

The sidebar contains filtering widgets for all variables passed to the `predictors` argument.

Variable Selection:

This box includes widgets to select grouping variables for summarizing experience. The "x" widget is also used as the x variable in the plot output. Similarly, the "Color" and "Facets" widgets are used for color and facets in the plot. Multiple faceting variables are allowed. For the table output, "x", "Color", and "Facets" have no particular meaning beyond the order in which of grouping variables are displayed.

The expected values checkboxes are used to activate and deactivate expected values passed to the `expected` argument. This impacts the table output directly and the available "y" variables in the plot. If there are no expected values available, this widget will not appear. The "Weight by" widget is used to specify which column, if any, contains weights for summarizing experience.

Output:*Plot Tab:*

This tab includes a plot and various options for customization:

- y: y variable
- Geometry: plotting geometry
- Add Smoothing?: activate to plot loess curves
- Free y Scales: activate to enable separate y scales in each plot.

Table:

This tab includes a data table.

Export Data:

This tab includes a download button that will save a copy of the summarized experience data.

Filter Information:

This box contains information on the original number of exposure records, the number of records after filters are applied, and the percentage of records retained.

Examples

```
if (interactive()) {
  study_py <- expose_py(census_dat, "2019-12-31", target_status = "Surrender")
  expected_table <- c(seq(0.005, 0.03, length.out = 10), 0.2, 0.15, rep(0.05, 3))

  set.seed(123)
  study_py <- study_py |>
  dplyr::mutate(expected_1 = expected_table[pol_yr],
                expected_2 = ifelse(inc_guar, 0.015, 0.03),
                weights = rnorm(nrow(study_py), 100, 50) |> abs())
}
```



```

    exp_shiny(study_py)
  }

```

 exp_stats

Summarize experience study records

Description

Create a summary data frame of experience for a given target status.

Usage

```

exp_stats(
  .data,
  target_status = attr(.data, "target_status"),
  expected,
  col_exposure = "exposure",
  col_status = "status",
  wt = NULL,
  credibility = FALSE,
  cred_p = 0.95,
  cred_r = 0.05
)

## S3 method for class 'exp_df'
summary(object, ...)

```

Arguments

.data	a data frame with exposure-level records, ideally of type exposed_df
target_status	a character vector of target status values
expected	a character vector containing column names in .data with expected values
col_exposure	name of the column in .data containing exposures
col_status	name of the column in .data containing the policy status
wt	Optional. Length 1 character vector. Name of the column in .data containing weights to use in the calculation of claims, exposures, and partial credibility.
credibility	whether the output should include partial credibility weights and credibility-weighted decrement rates.
cred_p	confidence level under the Limited Fluctuation credibility method
cred_r	error tolerance under the Limited Fluctuation credibility method
object	an exp_df object
...	groups to retain after summary() is called

Details

If `.data` is grouped, the resulting data frame will contain one row per group.

If `target_status` isn't provided, `exp_stats()` will use the same target status from `.data` if it has the class `exposed_df`. Otherwise, `.data` is not an `exposed_df` object, all status values except the first level will be assumed. This will produce a warning message.

Value

A tibble with class `exp_df`, `tbl_df`, `tbl`, and `data.frame`. The results include columns for any grouping variables, claims, exposures, and observed decrement rates (`q_obs`). If any values are passed to `expected`, additional columns will be added for expected decrements and actual-to-expected ratios. If `credibility` is set to `TRUE`, additional columns are added for partial credibility and credibility-weighted decrement rates (assuming values are passed to `expected`).

Expected values

The `expected` argument is optional. If provided, this argument must be a character vector with values corresponding to columns in `.data` containing expected experience. More than one expected basis can be provided.

Credibility

If `credibility` is set to `TRUE`, the output will contain a `credibility` column equal to the partial credibility estimate under the Limited Fluctuation credibility method (also known as Classical Credibility) assuming a binomial distribution of claims.

summary() Method

Applying `summary()` to a `exp_df` object will re-summarize the data while retaining any grouping variables passed to the "dots" (`...`).

References

Herzog, Thomas (1999). Introduction to Credibility Theory

Examples

```
toy_census |> expose("2020-12-31", target_status = "Surrender") |>
  exp_stats()

exp_res <- census_dat |>
  expose("2019-12-31", target_status = "Surrender") |>
  dplyr::group_by(pol_yr, inc_guar) |>
  exp_stats()

exp_res
summary(exp_res)
summary(exp_res, inc_guar)
```

is_exposed_df *Exposed data frame helper functions*

Description

Test for and coerce to the exposed_df class.

Usage

```
is_exposed_df(x)

as_exposed_df(
  x,
  end_date,
  start_date = as.Date("1900-01-01"),
  target_status = NULL,
  cal_expo = FALSE,
  expo_length = "year"
)
```

Arguments

x	an object. x must be a data frame when calling as_exposed_df()
end_date	experience study end date
start_date	experience study start date. Default value = 1900-01-01.
target_status	character vector of target status values. Default value = NULL.
cal_expo	set to TRUE for calendar year exposures. Otherwise policy year exposures are used.
expo_length	exposure period length

Details

These are behind-the-scenes functions that will generally not be called by users.

is_exposed_df() will return TRUE if x is an exposed_df object.

as_exposed_df() will coerce a data frame to an exposed_df object.

Value

For is_exposed_df(), a length-1 logical vector. For as_exposed_df(), an exposed_df object.

 qx_iamb

 2012 Individual Annuity Mortality Table and Projection Scale G2

Description

Mortality rates and mortality improvement rates from the 2012 Individual Annuity Mortality Basic (IAMB) Table and Project Scale G2.

Usage

qx_iamb

scale_g2

Format

For the 2012 IAMB table, a data frame with 242 rows and 3 columns:

age attained age

qx mortality rate

gender Female or Male

For the Project Scale G2 table, a data frame with 242 rows and 3 columns:

age attained age

mi mortality improvement rate

gender Female or Male

Source

- <https://mort.soa.org/>
- https://www.actuary.org/sites/default/files/files/publications/Payout_Annuity_Report_09-28-11.pdf

 step_expose

 Create exposure records in a recipes step

Description

step_expose creates a *specification* of a recipe step that will convert a data frame of census-level records to exposure-level records.

Usage

```
step_expose(
  recipe,
  ...,
  role = NA,
  trained = FALSE,
  end_date,
  start_date = as.Date("1900-01-01"),
  target_status = NULL,
  options = list(cal_expo = FALSE, expo_length = "year"),
  drop_pol_num = TRUE,
  skip = TRUE,
  id = recipes::rand_id("expose")
)
```

Arguments

recipe	A recipe object. The step will be added to the sequence of operations for this recipe.
...	One or more selector functions to choose variables for this step. See selections() for more details.
role	Not used by this step since no new variables are created.
trained	A logical to indicate if the quantities for preprocessing have been estimated.
end_date	experience study end date
start_date	experience study start date. Default value = 1900-01-01.
target_status	character vector of target status values. Default value = NULL.
options	A named list of additional arguments passed to <code>expose()</code> .
drop_pol_num	Whether the <code>pol_num</code> column produced by <code>expose()</code> should be dropped. Defaults to TRUE.
skip	A logical. Should the step be skipped when the recipe is baked by <code>bake()</code> ? While all operations are baked when <code>prep()</code> is run, some operations may not be able to be conducted on new data (e.g. processing the outcome variable(s)). Care should be taken when using <code>skip = TRUE</code> as it may affect the computations for subsequent operations.
id	A character string that is unique to this step to identify it.

Details

Policy year exposures are calculated as a default. To switch to calendar exposures or another exposure length, use pass the appropriate arguments to the `options` parameter.

Policy numbers are dropped as a default whenever the recipe is baked. This is done to prevent unintentional errors when the model formula includes all variables (`y ~ .`). If policy numbers are required for any reason (mixed effect models, identification, etc.), set `drop_pol_num` to FALSE.

Value

An updated version of recipe with the new expose step added to the sequence of any existing operations. For the tidy method, a tibble with the columns exposure_type, target_status, start_date, and end_date.

See Also

[expose\(\)](#)

Examples

```
expo_rec <- recipes::recipe(status ~ ., toy_census) |>
  step_expose(end_date = "2022-12-31", target_status = "Surrender",
             options = list(expo_length = "month")) |>
  prep()

recipes::juice(expo_rec)
```

toy_census

Toy policy census data

Description

A tiny dataset containing 3 policies: one active, one terminated due to death, and one terminated due to surrender.

Usage

toy_census

Format

A data frame with 3 rows and 4 columns:

pol_num policy number

status policy status

issue_date issue date

term_date termination date

Index

* datasets

- census_dat, 4
- qx_iamb, 12
- toy_census, 14

as_exposed_df (is_exposed_df), 11
autoplot.exp_df, 2
autotable, 3

bake(), 13

census_dat, 4

exp_shiny, 7
exp_stats, 9
expose, 5
expose(), 14
expose_cm (expose), 5
expose_cq (expose), 5
expose_cw (expose), 5
expose_cy (expose), 5
expose_pm (expose), 5
expose_pq (expose), 5
expose_pw (expose), 5
expose_py (expose), 5

is_exposed_df, 11

prep(), 13

qx_iamb, 12

scale_g2 (qx_iamb), 12
selections(), 13
step_expose, 12
summary.exp_df (exp_stats), 9

toy_census, 14