

# Package ‘imdbapi’

April 24, 2018

**Title** Get Movie, Television Data from the 'imdb' Database

**Version** 0.1.0

**Author** Daxuan Deng Yuan Li

**Maintainer** Yuan Li <851277048@qq.com>

**Description** Provides API access to the <http://imdbapi.net> which maintains metadata about movies, games and television shows through a public API.

**Depends** R (>= 3.1.1)

**License** GPL-3

**Imports** htr, dplyr, stringr

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2018-04-24 08:11:08 UTC

## R topics documented:

find_by_id . . . . .	2
find_by_title . . . . .	2
get_actors . . . . .	3
get_countries . . . . .	4
get_directors . . . . .	4
get_genres . . . . .	5
get_writers . . . . .	5
omdb_api_key . . . . .	6
search_by_title . . . . .	6
<b>Index</b>	<b>8</b>

---

find_by_id	<i>Retrieve OMDb info by IMDB ID search</i>
------------	---

---

**Description**

Retrieve OMDb info by IMDB ID search

**Usage**

```
find_by_id(id, type = NULL, year_of_release = NULL, plot = "short",
  include_tomatoes = FALSE, api_key = omdb_api_key())
```

**Arguments**

id	A valid IMDb ID (e.g. tt1285016)
type	Type of result to return. One of [movie series episode game].
year_of_release	Year of release.
plot	Return short or full plot.
include_tomatoes	Include Rotten Tomatoes ratings.
api_key	OMDb API key. See <a href="#">omdb_api_key()</a> & <a href="https://www.patreon.com/bePatron?u=5038490">https://www.patreon.com/bePatron?u=5038490</a> for more information.

**Value**

tbl\_df/data.frame of search results (an empty one if none found). Also classes as an omdb object for prettier printing

**Note**

The API's search results limit to 10.

---

find_by_title	<i>Retrieve OMDb info by title search</i>
---------------	---

---

**Description**

Retrieve OMDb info by title search

**Usage**

```
find_by_title(title, type = NULL, season = NULL, episode = NULL,
  year_of_release = NULL, plot = "short", include_tomatoes = FALSE,
  api_key = omdb_api_key())
```

**Arguments**

title	Movie title to search for.
type	Type of result to return. One of [movie series episode game].
season	if type is series or episode then it possible to search within a season AND episode (both required)
episode	if type is series or episode then it possible to search within a season AND episode (both required)
year_of_release	Year of release.
plot	Return short or full plot.
include_tomatoes	Include Rotten Tomatoes ratings.
api_key	OMDB API key. See <code>omdb_api_key()</code> & <a href="https://www.patreon.com/bePatron?u=5038490">https://www.patreon.com/bePatron?u=5038490</a> for more information.

**Value**

tbl\_df/data.frame of search results (an empty one if none found). Also classes as an omdb object for prettier printing

**Note**

The API's search results limit to 10.

**See Also**

<http://www.omdbapi.com/>

---

get_actors	<i>Get actors from an omdb object as a vector</i>
------------	---

---

**Description**

Splits the field at commas and returns a vector of individual entries

**Usage**

```
get_actors(omdb)
```

**Arguments**

omdb                    an object returned by `find_by_title` or `find_by_id`

**Value**

A character vector of actors

**Examples**

```
get_actors(find_by_id("tt0031381"))
```

---

get_countries	<i>Get countries from an omdb object as a vector</i>
---------------	--

---

**Description**

Splits the field at commas and returns a vector of individual entries

**Usage**

```
get_countries(omdb)
```

**Arguments**

omdb                    an object returned by find\_by\_title or find\_by\_id

**Value**

A character vector of countries

**Examples**

```
get_countries(find_by_id("tt0031381"))
```

---

get_directors	<i>Get directors from an omdb object as a vector</i>
---------------	--

---

**Description**

Splits the field at commas and returns a vector of individual entries

**Usage**

```
get_directors(omdb)
```

**Arguments**

omdb                    an object returned by find\_by\_title or find\_by\_id

**Value**

A character vector of directors

**Examples**

```
get_directors(find_by_id("tt0031381"))
```

---

get\_genres                      *Get genres from an omdb object as a vector*

---

**Description**

Splits the field at commas and returns a vector of individual entries

**Usage**

```
get_genres(omdb)
```

**Arguments**

omdb                      an object returned by find\_by\_title or find\_by\_id

**Value**

A character vector of genres

**Examples**

```
get_genres(find_by_id("tt0031381"))
```

---

get\_writers                      *Get writers from an omdb object as a vector*

---

**Description**

Splits the field at commas and returns a vector of individual entries

**Usage**

```
get_writers(omdb)
```

**Arguments**

omdb                      an object returned by find\_by\_title or find\_by\_id

**Value**

A character vector of writers

**Examples**

```
get_writers(find_by_id("tt0031381"))
```

---

omdb_api_key	<i>Get or set OMDB_API_KEY value</i>
--------------	--------------------------------------

---

**Description**

The API wrapper functions in this package all rely on a OMDB API key residing in the environment variable OMDB\_API\_KEY. The easiest way to accomplish this is to set it in the `.Renviron` file in your home directory.

**Usage**

```
omdb_api_key(force = FALSE)
```

**Arguments**

force                    force setting a new OMDB API key for the current environment?

**Value**

atomic character vector containing the OMDB API key

**Note**

The "poster" API requires a separate key

---

search_by_title	<i>Lightweight omdb title search</i>
-----------------	--------------------------------------

---

**Description**

Lightweight omdb title search

**Usage**

```
search_by_title(term, type = NULL, year_of_release = NULL, page = 1,
  api_key = omdb_api_key())
```

### Arguments

term	Movie title to search for.
type	Type of result to return. One of [movie series episode game].
year_of_release	Year of release.
page	1 for first 10 results, 2 for next ten, etc...
api_key	OMDB API key. See <a href="#">omdb_api_key()</a> & <a href="https://www.patreon.com/bePatron?u=5038490">https://www.patreon.com/bePatron?u=5038490</a> for more information.

### Value

tbl\_df/data.frame of search results (an empty one if none found)

### Note

The API's search results limit to 10 at a time (see argument page).

### See Also

<http://www.omdbapi.com/>

# Index

`find_by_id`, 2

`find_by_title`, 2

`get_actors`, 3

`get_countries`, 4

`get_directors`, 4

`get_genres`, 5

`get_writers`, 5

`omdb_api_key`, 6

`omdb_api_key()`, 2, 3, 7

`search_by_title`, 6