

Package ‘latrend’

August 15, 2022

Type Package

Version 1.4.2

Date 2022-08-11

Title A Framework for Clustering Longitudinal Data

Description A framework for clustering longitudinal datasets in a standardized way.

The package provides an interface to existing R packages for clustering longitudinal univariate trajectories, facilitating reproducible and transparent analyses.

Additionally, standard tools are provided to support cluster analyses, including repeated estimation, model validation, and model assessment.

The interface enables users to compare results between methods, and to implement and evaluate new methods with ease.

Maintainer Niek Den Teuling <niek.den.teuling@philips.com>

URL <https://github.com/philips-software/latrend>

BugReports <https://github.com/philips-software/latrend/issues>

License GPL (>= 2)

Encoding UTF-8

LazyData true

Language en-US

Depends R (>= 3.6.0)

Imports stats, methods, Rdpack, R.utils, assertthat (>= 0.2.1),
foreach, data.table (>= 1.12.0), magrittr, matrixStats,
rmarkdown (>= 1.18), rlang

Suggests testthat (>= 3.0.0), roxygen2 (>= 7.1.0), knitr (>= 1.24),
rcmdcheck, pkgdown, devtools, evaluate, lme4, covr, lintr,
tinytex, longitudinalData (>= 2.4.1), kml (>= 2.4.1), lcmm (>= 1.9.3),
mixtools, flexmix, fda, funFEM, gridExtra, igraph,
crimCV, akmedoids (>= 1.3.0), dtwclust, mixAK, clusterCrit,
mclust, mclustcomp, psych, qqplotr, doParallel, simTool, dplyr,
ggplot2, caret, tibble

RoxygenNote 7.2.1

RdMacros Rdpack

VignetteBuilder knitr

Collate 'assert.R' 'compute.R' 'data.R' 'formula.R' 'generics.R'
 'latrend.R' 'make.R' 'matrix.R' 'method.R' 'methodMatrix.R'
 'methodAKMedoids.R' 'methodCrimCV.R' 'methodDtwclust.R'
 'trajectories.R' 'model.R' 'modelApprox.R' 'modelPartition.R'
 'methodFeature.R' 'methodFlexmix.R' 'methodFlexmixGBTM.R'
 'methodFunFEM.R' 'methodFunction.R' 'methodLMKM.R'
 'methodGCKM.R' 'methodKML.R' 'methodLcmmGMM.R'
 'methodLcmmGBTM.R' 'methodMclustLLPA.R' 'methodMixAK_GLMM.R'
 'methodMixTVEM.R' 'methodMixtoolsGMM.R' 'methodMixtoolsNPRM.R'
 'methodRandom.R' 'methodStratify.R' 'methods.R'
 'metricsInternal.R' 'metricsExternal.R' 'model-evaluation.R'
 'model-summary.R' 'model-transform.R' 'modelCrimCV.R'
 'modelDtwclust.R' 'modelFlexmix.R' 'modelFunFEM.R' 'modelKML.R'
 'modelLMKM.R' 'modelLcmmGMM.R' 'modelLcmmGBTM.R'
 'modelMclustLLPA.R' 'modelMixAK_GLMM.R' 'modelMixAK_GLMMlist.R'
 'modelMixTVEM.R' 'modelMixtoolsGMM.R' 'modelMixtoolsRM.R'
 'modelStratify.R' 'modelWeightedPartition.R' 'models.R'
 'random.R' 'test.R' 'timing.R' 'verbose.R' 'zzz.R'

NeedsCompilation no

Author Niek Den Teuling [aut, cre] (<<https://orcid.org/0000-0003-1026-5080>>),
 Steffen Pauws [ctb],
 Edwin van den Heuvel [ctb],
 Copyright © 2022 Koninklijke Philips N.V. [cph]

Repository CRAN

Date/Publication 2022-08-15 11:40:05 UTC

R topics documented:

latrend-package	5
APPA	7
as.data.frame.lcMethod	8
as.data.frame.lcMethods	9
as.data.frame.lcModels	9
as.lcMethods	10
as.lcModels	11
as.list.lcMethod	11
clusterNames	12
clusterNames<-	13
clusterProportions	14
clusterSizes	15
clusterTrajectories	16
coef.lcModel	17
compose	18
confusionMatrix	19

converged	20
createTestDataFold	21
createTestDataFolds	22
createTrainDataFolds	22
defineExternalMetric	23
defineInternalMetric	24
deviance.lcModel	25
df.residual.lcModel	25
estimationTime	26
evaluate.lcMethod	27
externalMetric,lcModel,lcModel-method	28
fit	31
fitted.lcModel	32
fittedTrajectories	34
formula.lcMethod	35
formula.lcModel	36
generateLongData	36
getArgumentDefaults	38
getArgumentExclusions	39
getExternalMetricDefinition	40
getExternalMetricNames	40
getInternalMetricDefinition	41
getInternalMetricNames	41
getLabel	42
getLcMethod	42
getName	43
ids	44
idVariable	45
initialize,lcMethod-method	46
latrend	46
latrend-parallel	47
latrendBatch	49
latrendBoot	50
latrendCV	51
latrendData	53
latrendRep	54
lcApproxModel-class	55
lcMethod-class	56
lcMethodAkmedoids	58
lcMethodCrimCV	59
lcMethodDtwclust	60
lcMethodFeature	61
lcMethodFlexmix	63
lcMethodFlexmixGBTM	64
lcMethodFunction	65
lcMethodFunFEM	66
lcMethodGCKM	67
lcMethodKML	69

lcMethodLcmmGBTM	70
lcMethodLcmmGMM	71
lcMethodLMKM	73
lcMethodMclustLLPA	74
lcMethodMixAK_GLMM	75
lcMethodMixtoolsGMM	76
lcMethodMixtoolsNPRM	77
lcMethodMixTVEM	79
lcMethodRandom	80
lcMethods	81
lcMethodStratify	82
lcModel-class	84
lcModelPartition	85
lcModels	87
lcModelWeightedPartition	88
logLik.lcModel	88
max.lcModels	89
metric	90
min.lcModels	93
model.data.lcModel	94
model.frame.lcModel	95
names,lcMethod-method	96
nClusters	96
nIds	97
nobs.lcModel	98
OCC	98
OSA.adherence	99
PAP.adh	100
plot-lcModel-method	101
plot-lcModels-method	102
plotClusterTrajectories	102
plotFittedTrajectories	105
plotMetric	105
plotTrajectories	106
postFit	108
postprob	110
postprobFromAssignments	111
predict.lcModel	111
predictAssignments	113
predictForCluster	114
predictPostprob	116
preFit	117
prepareData	118
print.lcMethod	119
print.lcModels	120
qqPlot	120
residuals.lcModel	121
responseVariable	122

sigma.lcModel	123
strip	123
subset.lcModels	124
summary.lcModel	125
test.latrend	126
time.lcModel	127
timeVariable	128
trajectories	128
trajectoryAssignments	130
transformFitted	131
transformPredict	133
tsframe	134
tsmatrix	136
update.lcMethod	137
update.lcModel	138
validate	139
which.weight	140
[[,lcMethod-method	141

Index**143**

latrend-package

*latrend: A Framework for Clustering Longitudinal Data***Description**

A framework for clustering longitudinal datasets in a standardized way. The package provides an interface to existing R packages for clustering longitudinal univariate trajectories, facilitating reproducible and transparent analyses. Additionally, standard tools are provided to support cluster analyses, including repeated estimation, model validation, and model assessment. The interface enables users to compare results between methods, and to implement and evaluate new methods with ease.

Features

- Unified cluster analysis, independent of the underlying algorithms used. Enabling users to compare the performance of various longitudinal cluster methods on the case study at hand.
- Supports many different methods for longitudinal clustering out of the box (see the list of supported packages below).
- The framework consists of extensible S4 methods based on an abstract model class, enabling rapid prototyping of new cluster methods or model specifications.
- Standard plotting tools for model evaluation across methods (e.g., trajectories, cluster trajectories, model fit, metrics)
- Support for many cluster metrics through the packages clusterCrit, mclustcomp, and igraph.
- The structured and unified analysis approach enables simulation studies for comparing methods.
- Standardized model validation for all methods through bootstrapping or k-fold cross-validation.

Getting started

The `latrendData` dataset is included with the package and is used in all examples. The `plotTrajectories()` function can be used to visualize any longitudinal dataset, given the `id` and `time` are specified.

```
data(latrendData)
head(latrendData)
options(latrend.id = "Id", latrend.time = "Time")
plotTrajectories(latrendData, response = "Y")
```

Discovering longitudinal clusters using the package involves the specification of the longitudinal cluster method that should be used.

```
km1Method <- lcMethodKML("Y", nClusters = 3)
km1Method
```

The specified method is then estimated on the data using the generic estimation procedure function `latrend()`:

```
model <- latrend(km1Method, data = latrendData)
```

Analyze the fitted model

```
summary(model)
plot(model)
metric(model, c("WMAE", "BIC"))
qqPlot(model)
```

Create derivative method specifications for 1 to 5 clusters using the `lcMethods()` function. A series of methods can be estimated using `latrendBatch()`.

```
km1Methods <- lcMethods(km1Method, nClusters = 1:5)
models <- latrendBatch(km1Methods, data = latrendData)
```

Determine the number of clusters through one or more internal cluster metrics. This can be done visually using the `plotMetric()` function.

```
plotMetric(models, c("WMAE", "BIC"))
```

Vignettes

Further step-by-step instructions on how to use the package are described in the vignettes.

- See `vignette("demo", package = "latrend")` for an introduction to conducting a longitudinal cluster analysis on a example case study.
- See `vignette("simulation", package = "latrend")` for an example on conducting a simulation study.
- See `vignette("validation", package = "latrend")` for examples on applying internal cluster validation.
- See `vignette("implement", package = "latrend")` for examples on constructing your own cluster models.

Useful pages

Method specification: [lcMethod](#) [lcMethods](#)

Method estimation: [latrend](#) [latrendRep](#) [latrendBatch](#) [latrendBoot](#) [latrendCV](#) [latrend-parallel](#)

Model functions: [lcModel](#) [clusterTrajectories](#) [plotClusterTrajectories](#) [postprob](#) [trajectoryAssignments](#) [predictPostprob](#) [predictAssignments](#) [predict.lcModel](#) [predictForCluster](#) [fitted.lcModel](#) [fitted-Trajectories](#)

Author(s)

Maintainer: Niek Den Teuling <niek.den.teuling@philips.com> ([ORCID](#))

Other contributors:

- Steffen Pauws <s.c.pauws@tilburguniversity.edu> [contributor]
- Edwin van den Heuvel <e.r.v.d.heuvel@tue.nl> [contributor]
- Copyright © 2022 Koninklijke Philips N.V. [copyright holder]

See Also

Useful links:

- <https://github.com/philips-software/latrend>
- Report bugs at <https://github.com/philips-software/latrend/issues>

APPA

Average posterior probability of assignment (APPA)

Description

Computes the average posterior probability of assignment (APPA) for each cluster.

Usage

```
APPA(object)
```

Arguments

object The model, of type `lcModel`.

Value

The APPA per cluster, as a numeric vector of length `nClusters(object)`. Empty clusters will output NA.

References

Nagin DS (2005). *Group-based modeling of development*. Harvard University Press. ISBN 9780674041318, doi: [10.4159/9780674041318](https://doi.org/10.4159/9780674041318).

Klijn SL, Weijnenberg MP, Lemmens P, van den Brandt PA, Passos VL (2017). “Introducing the fit-criteria assessment plot - A visualisation tool to assist class enumeration in group-based trajectory modelling.” *Statistical Methods in Medical Research*, **26**(5), 2424-2436.

van der Nest G, Lima Passos V, Candel MJ, van Breukelen GJ (2020). “An overview of mixture modelling for latent evolutions in longitudinal data: Modelling approaches, fit statistics and software.” *Advances in Life Course Research*, **43**, 100323. ISSN 1040-2608, doi: [10.1016/j.alcr.2019.100323](https://doi.org/10.1016/j.alcr.2019.100323).

See Also

[confusionMatrix](#) [OCC](#)

as.data.frame.lcMethod

Convert lcMethod arguments to a list of atomic types

Description

Converts the arguments of a `lcMethod` to a named list of [atomic](#) types.

Usage

```
## S3 method for class 'lcMethod'
as.data.frame(x, ..., eval = TRUE, nullValue = NA, envir = NULL)
```

Arguments

<code>x</code>	<code>lcMethod</code> to be coerced to a character vector.
<code>...</code>	Additional arguments.
<code>eval</code>	Whether to evaluate the arguments in order to replace expression if the resulting value is of a class specified in <code>evalClasses</code> .
<code>nullValue</code>	Value to use to represent the NULL type. Must be of length 1.
<code>envir</code>	The environment in which to evaluate the arguments. If NULL, the environment associated with the object is used. If not available, the parent <code>.frame()</code> is used.

Value

A single-row `data.frame` where each columns represents an argument call or evaluation.

See Also

Other `lcMethod` functions: [\[\]](#), [lcMethod-method](#), [as.data.frame.lcMethods\(\)](#), [as.lcMethods\(\)](#), [as.list.lcMethod\(\)](#), [evaluate.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [names.lcMethod-method](#), [update.lcMethod\(\)](#)

 as.data.frame.lcMethods

Convert a list of lcMethod objects to a data.frame

Description

Converts a list of lcMethod objects to a data.frame.

Usage

```
## S3 method for class 'lcMethods'
as.data.frame(x, ..., eval = TRUE, nullValue = NA, envir = parent.frame())
```

Arguments

x	the lcMethods or list to be coerced to a data.frame.
...	Additional arguments.
eval	Whether to evaluate the arguments in order to replace expression if the resulting value is of a class specified in evalClasses.
nullValue	Value to use to represent the NULL type. Must be of length 1.
envir	The environment in which to evaluate the arguments. If NULL, the environment associated with the object is used. If not available, the parent.frame() is used.

Value

A data.frame with each row containing the argument values of a method object.

See Also

Other lcMethod functions: [\[\[,lcMethod-method](#), [as.data.frame.lcMethod\(\)](#), [as.lcMethods\(\)](#), [as.list.lcMethod\(\)](#), [evaluate.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [names.lcMethod-method](#), [update.lcMethod\(\)](#)

 as.data.frame.lcModels

Generate a data.frame containing the argument values per method per row

Description

Generate a data.frame containing the argument values per method per row

Usage

```
## S3 method for class 'lcModels'
as.data.frame(x, ..., excludeShared = FALSE, eval = TRUE)
```

Arguments

x	lcModels or a list of lcModel
...	Arguments passed to as.data.frame.lcMethod .
excludeShared	Whether to exclude columns which have the same value across all methods.
eval	Whether to evaluate the arguments in order to replace expression if the resulting value is of a class specified in evalClasses.

Value

A data.frame.

as.lcMethods	<i>Convert a list of lcMethod objects to a lcMethods list</i>
--------------	---

Description

Convert a list of lcMethod objects to a lcMethods list

Usage

```
as.lcMethods(x)
```

Arguments

x	A list of lcMethod objects.
---	-----------------------------

Value

A lcMethods object.

See Also

Other lcMethod functions: [\[\[,lcMethod-method](#), [as.data.frame.lcMethods\(\)](#), [as.data.frame.lcMethod\(\)](#), [as.list.lcMethod\(\)](#), [evaluate.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [names.lcMethod-method](#), [update.lcMethod\(\)](#)

as.lcModels	<i>Convert a list of lcModels to a lcModels list</i>
-------------	--

Description

Convert a list of lcModels to a lcModels list

Usage

```
as.lcModels(x)
```

Arguments

x A list of lcModel objects, an lcModels object, or NULL.

Value

A lcModels object.

See Also

lcModels

Other lcModel list functions: [lcModels](#), [print.lcModels\(\)](#), [subset.lcModels\(\)](#)

as.list.lcMethod	<i>Extract the method arguments as a list</i>
------------------	---

Description

Extract the method arguments as a list

Usage

```
## S3 method for class 'lcMethod'
as.list(x, ..., args = names(x), eval = TRUE, expand = FALSE, envir = NULL)
```

Arguments

x The lcMethod object.

... Additional arguments.

args A character vector of argument names to select. Only available arguments are returned. Alternatively, a function or list of functions, whose formal arguments will be selected from the method.

eval Whether to evaluate the arguments.

expand	Whether to return all method arguments when "... " is present among the requested argument names.
envir	The environment in which to evaluate the arguments. If NULL, the environment associated with the object is used. If not available, the parent.frame() is used.

Value

A list with the argument calls or evaluated results depending on the value for eval.

See Also

Other lcMethod functions: [\[\[,lcMethod-method](#), [as.data.frame.lcMethods\(\)](#), [as.data.frame.lcMethod\(\)](#), [as.lcMethods\(\)](#), [evaluate.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [names,lcMethod-method](#), [update.lcMethod\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
as.list(method)

as.list(method, args = c("id", "time"))

if (require("kml")) {
  method <- lcMethodKML("Y", id = "Id", time = "Time")
  as.list(method)

  # select arguments used by kml()
  as.list(method, args = kml::kml)

  # select arguments used by either kml() or parALGO()
  as.list(method, args = c(kml::kml, kml::parALGO))
}
```

clusterNames

Get the cluster names

Description

Get the cluster names

Usage

```
clusterNames(object, factor = FALSE)
```

Arguments

object	The lcModel object.
factor	Whether to return the cluster names as a factor.

Value

A character of the cluster names.

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
clusterNames(model) # A, B
```

```
clusterNames<-          Update the cluster names
```

Description

Update the cluster names

Usage

```
clusterNames(object) <- value
```

Arguments

<code>object</code>	The <code>lcModel</code> object to update.
<code>value</code>	The character with the new names.

Value

The updated `lcModel` object.

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 2)
clusterNames(model) <- c("Group 1", "Group 2")
```

clusterProportions *Proportional size of each cluster*

Description

Obtain the proportional size per cluster, with sizes between 0 and 1. By default, the cluster proportions are determined from the cluster-averaged posterior probabilities of the fitted data (as computed by the `postprob()` function).

Usage

```
## S4 method for signature 'lcModel'
clusterProportions(object, ...)
```

Arguments

`object` The `lcModel` to obtain the proportions from.
`...` Additional arguments passed to `postprob()`.

Value

A named numeric vector of length `nClusters(object)` with the proportional size of each cluster.

Implementation

Classes extending `lcModel` can override this method to return, for example, the exact estimated mixture proportions based on the model coefficients.

```
setMethod("clusterProportions", "lcModelExt", function(object, ...) {
  # return cluster proportion vector
})
```

See Also

[clusterSizes](#) [postprob](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 2)
clusterProportions(model)
```

clusterSizes	<i>Number of trajectories per cluster</i>
--------------	---

Description

Obtain the size of each cluster, where the size is determined by the number of assigned trajectories to each cluster.

Usage

```
clusterSizes(object, ...)
```

Arguments

object	The lcModel object.
...	Additional arguments passed to trajectoryAssignments() .

Details

The cluster sizes are computed from the trajectory cluster membership as decided by the [trajectoryAssignments\(\)](#) function.

Value

A named integer vector of length `nClusters(object)` with the number of assigned trajectories per cluster.

See Also

[clusterProportions](#) [trajectoryAssignments](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 2)
clusterSizes(model)
```

clusterTrajectories *Extract the cluster trajectories*

Description

Extracts a data frame of all cluster trajectories.

Usage

```
## S4 method for signature 'lcModel'
clusterTrajectories(object, at = time(object), what = "mu", ...)
```

Arguments

object	The lcModel object.
at	An optional vector of the times at which to compute the cluster trajectory predictions.
what	The distributional parameter to predict. By default, the mean response 'mu' is predicted. The cluster membership predictions can be obtained by specifying what = 'mb'.
...	Additional arguments.

Value

A data.frame of the estimated values at the given times. The first column should be named "Cluster". The second column should be time, with the name matching the `timeVariable(object)`. The third column should be the expected value of the observations, named after the `responseVariable(object)`.

See Also

Other model-specific methods: `coef.lcModel()`, `converged()`, `deviance.lcModel()`, `df.residual.lcModel()`, `fitted.lcModel()`, `fittedTrajectories()`, `lcModel-class`, `logLik.lcModel()`, `model.frame.lcModel()`, `nobs.lcModel()`, `postprob()`, `predict.lcModel()`, `predictAssignments()`, `predictForCluster()`, `predictPostprob()`, `residuals.lcModel()`, `sigma.lcModel()`, `time.lcModel()`

Examples

```
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)

clusterTrajectories(model)

clusterTrajectories(model, at = c(0, .5, 1))
```

coef.lcModel	<i>Extract lcModel coefficients</i>
--------------	-------------------------------------

Description

Extract the coefficients of the `lcModel` object, if defined. The returned set of coefficients depends on the underlying type of `lcModel`. The default implementation checks for the existence of a `coef()` function for the internal model as defined in the `@model` slot, returning the output if available.

Usage

```
## S3 method for class 'lcModel'
coef(object, ...)
```

Arguments

<code>object</code>	The <code>lcModel</code> object.
<code>...</code>	Additional arguments.

Value

A named numeric vector with all coefficients, or a matrix with each column containing the cluster-specific coefficients. If `coef()` is not defined for the given model, an empty numeric vector is returned.

Implementation

Classes extending `lcModel` can override this method to return model-specific coefficients.

```
coef.lcModelExt <- function(object, ...) {
  # return model coefficients
}
```

See Also

Other model-specific methods: [clusterTrajectories\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 2)
coef(model)
```

 compose

lcMethod fit process: compose an lcMethod object

Description

Note: this function should not be called directly, as it is part of the `lcMethod` fitting process. For fitting an `lcMethod` object to a dataset, see [latrend\(\)](#).

The `compose()` function of the `lcMethod` object evaluates and finalizes the `lcMethod` arguments.

The default implementation returns an updated object with all arguments having been evaluated.

Usage

```
## S4 method for signature 'lcMethod'
compose(method, envir = NULL)
```

Arguments

<code>method</code>	The <code>lcMethod</code> object.
<code>envir</code>	The environment in which the <code>lcMethod</code> should be evaluated

Value

The evaluated and finalized `lcMethod` object.

Implementation

In general, there is no need to extend this method for a specific method, as all arguments are automatically evaluated by the `compose, lcMethod` method.

However, in case there is a need to extend processing or to prevent evaluation of specific arguments (e.g., for handling errors), the method can be overridden for the specific `lcMethod` subclass.

```
setMethod("compose", "lcMethodExample", function(method, envir = NULL) {
  newMethod <- callNextMethod()
  # further processing
  return(newMethod)
})
```

Fitting procedure

Each `lcMethod` subclass defines a type of methods in terms of a series of steps for estimating the method. These steps, as part of the fitting procedure, are executed by [latrend\(\)](#) in the following order:

1. [compose\(\)](#): Evaluate and finalize the method argument values.
2. [validate\(\)](#): Check the validity of the method argument values in relation to the dataset.
3. [prepareData\(\)](#): Process the training data for fitting.

4. `preFit()`: Prepare environment for estimation, independent of training data.
5. `fit()`: Estimate the specified method on the training data, outputting an object inheriting from `lcModel`.
6. `postFit()`: Post-process the outputted `lcModel` object.

The result of the fitting procedure is an `lcModel` object that inherits from the `lcModel` class.

See Also

[evaluate.lcMethod](#)

<code>confusionMatrix</code>	<i>Compute the posterior confusion matrix</i>
------------------------------	---

Description

Compute the posterior confusion matrix (PCM). The entry (i, j) represents the probability (or number, in case of `scale = TRUE`) of a trajectory belonging to cluster i is assigned to cluster j under the specified trajectory cluster assignment strategy.

Usage

```
confusionMatrix(object, strategy = which.max, scale = TRUE, ...)
```

Arguments

<code>object</code>	The model, of type <code>lcModel</code> .
<code>strategy</code>	The strategy for assigning trajectories to a specific cluster, see trajectoryAssignments() . If <code>strategy = NULL</code> , the posterior probabilities are used as weights (analogous to a repeated evaluation of <code>strategy = which.weight</code>).
<code>scale</code>	Whether to express the confusion in probabilities (<code>scale = TRUE</code>), or in terms of the number of trajectories.
<code>...</code>	Additional arguments passed to trajectoryAssignments() .

Value

A K-by-K confusion matrix with $K = nClusters(object)$.

See Also

[postprob](#) [clusterProportions](#) [trajectoryAssignments](#) [APPA](#) [OCC](#)

Examples

```

data(latrendData)

if (rlang::is_installed("lcmm")) {
  method <- lcMethodLcmmGMM(
    fixed = Y ~ Time,
    mixture = ~ Time,
    random = ~ 1,
    id = "Id",
    time = "Time"
  )
  model <- latrend(method, latrendData)
  confusionMatrix(model)
}

```

converged

Check model convergence

Description

Check convergence of the fitted `lcModel` object. The default implementation returns NA.

Usage

```

## S4 method for signature 'lcModel'
converged(object, ...)

```

Arguments

<code>object</code>	The <code>lcModel</code> to check for convergence.
<code>...</code>	Additional arguments.

Value

Either logical indicating convergence, or a numeric status code.

Implementation

Classes extending `lcModel` can override this method to return a convergence status or code.

```

setMethod("converged", "lcModelExt", function(object, ...) {
  # return convergence code
})

```

See Also

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 2)
converged(model)
```

createTestDataFold *Create the test fold data for validation*

Description

Create the test fold data for validation

Usage

```
createTestDataFold(data, trainData, id = getOption("latrend.id"))
```

Arguments

data	A data.frame representing the complete dataset.
trainData	A data.frame representing the training data, which should be a subset of data.
id	The trajectory identifier variable.

See Also

createTrainDataFolds

Other validation methods: [createTestDataFolds\(\)](#), [createTrainDataFolds\(\)](#), [latrendBoot\(\)](#), [latrendCV\(\)](#), [lcModel-data-filters](#)

Examples

```
data(latrendData)

if (require("caret")) {
  trainDataList <- createTrainDataFolds(latrendData, id = "Id", folds = 10)
  testData1 <- createTestDataFold(latrendData, trainDataList[[1]], id = "Id")
}
```

createTestDataFolds *Create all k test folds from the training data*

Description

Create all k test folds from the training data

Usage

```
createTestDataFolds(data, trainDataList, ...)
```

Arguments

data	A data.frame representing the complete dataset.
trainDataList	A list of data.frame representing each of the data training folds. These should be derived from data.
...	Arguments passed to createTestDataFold .

See Also

Other validation methods: [createTestDataFold\(\)](#), [createTrainDataFolds\(\)](#), [latrendBoot\(\)](#), [latrendCV\(\)](#), [lcModel-data-filters](#)

Examples

```
data(latrendData)

if (require("caret")) {
  trainDataList <- createTrainDataFolds(latrendData, folds = 10, id = "Id")
  testDataList <- createTestDataFolds(latrendData, trainDataList)
}
```

createTrainDataFolds *Create the training data for each of the k models in k-fold cross validation evaluation*

Description

Create the training data for each of the k models in k-fold cross validation evaluation

Usage

```
createTrainDataFolds(
  data,
  folds = 10L,
  id = getOption("latrend.id"),
  seed = NULL
)
```

Arguments

data	A data.frame representing the complete dataset.
folds	The number of folds. By default, a 10-fold scheme is used.
id	The trajectory identifier variable.
seed	The seed to use, in order to ensure reproducible fold generation at a later moment.

Value

A list of data.frame of the folds training datasets.

See Also

Other validation methods: [createTestDataFolds\(\)](#), [createTestDataFold\(\)](#), [latrendBoot\(\)](#), [latrendCV\(\)](#), [lcModel-data-filters](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")

if (require("caret")) {
  trainFolds <- createTrainDataFolds(latrendData, folds = 5, id = "Id", seed = 1)

  foldModels <- latrendBatch(method, data = trainFolds)
  testDataFolds <- createTestDataFolds(latrendData, trainFolds)
}
```

defineExternalMetric *Define an external metric for lcModels*

Description

Define an external metric for lcModels

Usage

```
defineExternalMetric(
  name,
  fun,
  warnIfExists = getOption("latrend.warnMetricOverride", TRUE)
)
```

Arguments

name	The name of the metric.
fun	The function to compute the metric, accepting a lcModel object as input.
warnIfExists	Whether to output a warning when the metric is already defined.

See Also

Other metric functions: [defineInternalMetric\(\)](#), [externalMetric](#), [lcModel](#), [lcModel-method](#), [getExternalMetricDefinition\(\)](#), [getExternalMetricNames\(\)](#), [getInternalMetricDefinition\(\)](#), [getInternalMetricNames\(\)](#), [metric\(\)](#)

defineInternalMetric *Define an internal metric for lcModels*

Description

Define an internal metric for lcModels

Usage

```
defineInternalMetric(  
  name,  
  fun,  
  warnIfExists = getOption("latrend.warnMetricOverride", TRUE)  
)
```

Arguments

name	The name of the metric.
fun	The function to compute the metric, accepting a lcModel object as input.
warnIfExists	Whether to output a warning when the metric is already defined.

See Also

Other metric functions: [defineExternalMetric\(\)](#), [externalMetric](#), [lcModel](#), [lcModel-method](#), [getExternalMetricDefinition\(\)](#), [getExternalMetricNames\(\)](#), [getInternalMetricDefinition\(\)](#), [getInternalMetricNames\(\)](#), [metric\(\)](#)

Examples

```
defineInternalMetric("BIC", fun = BIC)  
  
mae <- function(object) {  
  mean(abs(residuals(object)))  
}  
defineInternalMetric("MAE", fun = mae)
```

deviance.lcModel	<i>lcModel deviance</i>
------------------	-------------------------

Description

Get the deviance of the fitted lcModel object.

Usage

```
## S3 method for class 'lcModel'
deviance(object, ...)
```

Arguments

object	The lcModel object.
...	Additional arguments.

Details

The default implementation checks for the existence of the deviance() function for the internal model, and returns the output, if available.

Value

A numeric with the deviance value. If unavailable, NA is returned.

See Also

[stats::deviance metric](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

df.residual.lcModel	<i>Extract the residual degrees of freedom from a lcModel</i>
---------------------	---

Description

Extract the residual degrees of freedom from a lcModel

Usage

```
## S3 method for class 'lcModel'
df.residual(object, ...)
```

Arguments

object The lcModel object.
 ... Additional arguments.

Value

A numeric with the residual degrees of freedom. If unavailable, NA is returned.

See Also

[stats::df.residual](#) [nobs](#) [residuals](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

estimationTime *Get the model estimation time*

Description

Get the estimation time of the model, determined by the time taken for the associated [fit\(\)](#) function to finish.

Usage

```
## S4 method for signature 'lcModel'
estimationTime(object, unit = "secs", ...)

## S4 method for signature 'lcModels'
estimationTime(object, unit = "secs", ...)

## S4 method for signature 'list'
estimationTime(object, unit = "secs", ...)
```

Arguments

object The list of lcModel objects.
 unit The time unit in which the estimation time should be outputted. By default, estimation time is in seconds. For accepted units, see [base::difftime](#).
 ... Additional arguments.

Value

A numeric representing the model estimation time, in the specified unit.

Examples

```

data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)

estimationTime(model)
estimationTime(model, unit = 'mins')
estimationTime(model, unit = 'days')

```

evaluate.lcMethod *Substitute the call arguments for their evaluated values*

Description

Substitutes the call arguments if they can be evaluated without error.

Usage

```

## S3 method for class 'lcMethod'
evaluate(
  object,
  classes = "ANY",
  try = TRUE,
  exclude = character(),
  envir = NULL
)

```

Arguments

object	The lcMethod object.
classes	Substitute only arguments with specific class types. By default, all types are substituted.
try	Whether to try to evaluate arguments and ignore errors (the default), or to fail on any argument evaluation error.
exclude	Arguments to exclude from evaluation.
envir	The environment in which to evaluate the arguments. If NULL, the environment associated with the object is used. If not available, the parent.frame() is used.

Value

A new lcMethod object with the substituted arguments.

See Also

[compose](#)

Other lcMethod functions: [\[\[,lcMethod-method](#), [as.data.frame.lcMethods\(\)](#), [as.data.frame.lcMethod\(\)](#), [as.lcMethods\(\)](#), [as.list.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [names.lcMethod-method](#), [update.lcMethod\(\)](#)

```
externalMetric,lcModel,lcModel-method
      Compute external model metric(s)
```

Description

Compute one or more external metrics for two or more `lcModel` objects.

Note that there are many external metrics available, and there exists no external metric that works best in all scenarios. It is recommended to carefully consider which metric is most appropriate for your use case.

Many of the external metrics depend on implementations in other packages:

- `clusterCrit` (Desgraupes 2018)
- `mclustcomp` (You 2018)
- `igraph` (Csardi and Nepusz 2006)
- `psych` (Revelle 2019)

See `mclustcomp::mclustcomp()` for a grouped overview of similarity metrics.

Call `getInternalMetricNames()` to retrieve the names of the defined internal metrics. Call `getExternalMetricNames()` to retrieve the names of the defined external metrics.

Usage

```
## S4 method for signature 'lcModel,lcModel'
externalMetric(
  object,
  object2,
  name = getOption("latrend.externalMetric"),
  ...
)

## S4 method for signature 'lcModels,missing'
externalMetric(object, object2, name = "adjustedRand")

## S4 method for signature 'lcModels,character'
externalMetric(object, object2 = "adjustedRand")

## S4 method for signature 'lcModels,lcModel'
externalMetric(object, object2, name, drop = TRUE)

## S4 method for signature 'list,lcModel'
externalMetric(object, object2, name, drop = TRUE)
```

Arguments

object	The lcModel, lcModels, or list of lcModel objects to compute the metrics for.
object2	The other lcModel to compare with.
name	The name(s) of the external metric(s) to compute. If no names are given, the names specified in the latrend.externalMetric option (none by default) are used.
...	Additional arguments.
drop	Whether to return a numeric vector instead of a data.frame in case of a single metric.

Details

List of currently supported external metrics:

Metric name	Description
adjustedRand	Adjusted Rand index. Based on the Rand index, but adjusted for agreements occurring by chance. A score of 1 indicates a perfect agreement.
CohensKappa	Cohen's kappa. A partitioning agreement metric correcting for random chance. A score of 1 indicates a perfect agreement.
F	F-score
F1	F1-score , also referred to as the Sørensen–Dice Coefficient , or Dice similarity coefficient
FolkesMallows	Fowlkes-Mallows index
Hubert	Hubert index
Jaccard	Jaccard index
jointEntropy	Joint entropy between model assignments
Kulczynski	Kulczynski index
MaximumMatch	Maximum match measure
McNemar	McNemar statistic
MeilaHeckerman	Meila-Heckerman measure
Mirkin	Mirkin metric
MI	Mutual information
NMI	Normalized mutual information
NSJ	Normalized version of splitJoin. The proportion of edits relative to the maximum changes (twice the number of labels).
NVI	Normalized variation of information
Overlap	Overlap coefficient , also referred to as the Szymkiewicz–Simpson coefficient
PD	Partition difference
Phi	Phi coefficient.
precision	precision
Rand	Rand index
recall	recall
RogersTanimoto	Rogers-Tanimoto dissimilarity
RusselRao	Russell-Rao dissimilarity
SMC	Simple matching coefficient
splitJoin	total split-join index
splitJoin.ref	Split-join index of the first model to the second model. In other words, it is the edit-distance between the two models.
SokalSneath1	Type-1 Sokal-Sneath dissimilarity
SokalSneath2	Type-2 Sokal-Sneath dissimilarity
VI	Variation of information

Wallace1	Type-1 Wallace criterion
Wallace2	Type-2 Wallace criterion
WMSSE	Weighted minimum sum of squared errors between cluster trajectories
WMMSE	Weighted minimum mean of squared errors between cluster trajectories
WMAE	Weighted minimum mean of absolute errors between cluster trajectories

Value

For `externalMetric(lcModel, lcModel)`: A numeric vector of the computed metrics.

A named numeric vector containing the computed model metrics.

For `externalMetric(lcModels)`: A distance matrix of class `dist` representing the pairwise comparisons.

For `externalMetric(lcModels, name)`: A distance matrix of class `dist` representing the pairwise comparisons.

For `externalMetric(lcModels, lcModel)`: A named numeric vector or `data.frame` containing the computed model metrics.

For `externalMetric(list, lcModel)`: A named numeric vector or `data.frame` containing the computed model metrics.

Implementation

See the documentation of the `defineExternalMetric()` function for details on how to define your own external metrics.

References

Cohen J (1960). “A Coefficient of Agreement for Nominal Scales.” *Educational and Psychological Measurement*, **20**(1), 37-46.

Csardi G, Nepusz T (2006). “The igraph software package for complex network research.” *InterJournal*, **Complex Systems**, 1695. <https://igraph.org>.

Desgraupes B (2018). *clusterCrit: Clustering Indices*. R package version 1.2.8, <https://CRAN.R-project.org/package=clusterCrit>.

Hubert L, Arabie P (1985). “Comparing Partitions.” *Journal of Classification*, **2**(1), 193–218. ISSN 1432-1343, doi: [10.1007/BF01908075](https://doi.org/10.1007/BF01908075).

M K V, K K (2016). “A Survey on Similarity Measures in Text Mining.” *Machine Learning and Applications: An International Journal*, **3**, 19-28. doi: [10.5121/mlaj.2016.3103](https://doi.org/10.5121/mlaj.2016.3103).

Revelle W (2019). *psych: Procedures for Psychological, Psychometric, and Personality Research*. Northwestern University, Evanston, Illinois. R package version 1.9.12, <https://CRAN.R-project.org/package=psych>.

You K (2018). *mclustcomp: Measures for Comparing Clusters*. R package version 0.3.1, <https://CRAN.R-project.org/package=mclustcomp>.

See Also[metric](#)

Other metric functions: [defineExternalMetric\(\)](#), [defineInternalMetric\(\)](#), [getExternalMetricDefinition\(\)](#), [getExternalMetricNames\(\)](#), [getInternalMetricDefinition\(\)](#), [getInternalMetricNames\(\)](#), [metric\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model2 <- latrend(method, latrendData, nClusters = 2)
model3 <- latrend(method, latrendData, nClusters = 3)

if (require("mclustcomp")) {
  externalMetric(model2, model3, "adjustedRand")
}
```

*fit**lcMethod fit process: logic for fitting the method to the processed data*

Description

Note: this function should not be called directly, as it is part of the `lcMethod` fitting process. For fitting an `lcMethod` object to a dataset, see [latrend\(\)](#).

The `fit()` function of the `lcMethod` object estimates the model with the evaluated method specification, processed training data, and prepared environment.

Usage

```
## S4 method for signature 'lcMethod'
fit(method, data, envir, verbose)
```

Arguments

<code>method</code>	An object inheriting from <code>lcMethod</code> with all its arguments having been evaluated and finalized.
<code>data</code>	A data.frame representing the transformed training data.
<code>envir</code>	The environment containing variables generated by prepareData() and preFit() .
<code>verbose</code>	A R.utils::Verbose object indicating the level of verbosity.

Value

The fitted object inheriting from `lcModel`.

Implementation

This method should be implemented for all lcMethod subclasses.

```
setMethod("fit", "lcMethodExample", function(method, data, envir, verbose) {
  # estimate the model or cluster parameters
  coefs <- FIT_CODE

  # create the lcModel object
  new("lcModelExample",
    method = method,
    data = data,
    model = coefs,
    clusterNames = make.clusterNames(method$nClusters)
  )
})
```

Fitting procedure

Each lcMethod subclass defines a type of methods in terms of a series of steps for estimating the method. These steps, as part of the fitting procedure, are executed by `latrend()` in the following order:

1. `compose()`: Evaluate and finalize the method argument values.
2. `validate()`: Check the validity of the method argument values in relation to the dataset.
3. `prepareData()`: Process the training data for fitting.
4. `preFit()`: Prepare environment for estimation, independent of training data.
5. `fit()`: Estimate the specified method on the training data, outputting an object inheriting from lcModel.
6. `postFit()`: Post-process the outputted lcModel object.

The result of the fitting procedure is an `lcModel` object that inherits from the lcModel class.

fitted.lcModel

Extract lcModel fitted values

Description

Returns the cluster-specific fitted values for the given lcModel object. The default implementation calls `predict()` with `newdata = NULL`.

Usage

```
## S3 method for class 'lcModel'
fitted(object, ..., clusters = trajectoryAssignments(object))
```


Arguments

<code>object</code>	The <code>lcModel</code> object.
<code>...</code>	Additional arguments.
<code>clusters</code>	Optional cluster assignments per id. If unspecified, a matrix is returned containing the cluster-specific predictions per column.

Value

A numeric vector of the fitted values for the respective class, or a matrix of fitted values for each cluster.

Implementation

Classes extending `lcModel` can override this method to adapt the computation of the predicted values for the training data. Note that the implementation of this function is only needed when `predict()` and `predictForCluster()` are not defined for the `lcModel` subclass.

```
fitted.lcModelExt <- function(object, ..., clusters = trajectoryAssignments(object)) {
  pred = predict(object, newdata = NULL)
  transformFitted(pred = pred, model = object, clusters = clusters)
}
```

The `transformFitted()` function takes care of transforming the prediction input to the right output format.

See Also

[fittedTrajectories](#) [plotFittedTrajectories](#) [stats::fitted](#) [predict.lcModel](#) [trajectoryAssignments](#) [transformFitted](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
fitted(model)
```

fittedTrajectories *Extract the fitted trajectories for all strata*

Description

Extract the fitted trajectories for all strata

Usage

```
## S4 method for signature 'lcModel'
fittedTrajectories(
  object,
  at = time(object),
  what = "mu",
  clusters = trajectoryAssignments(object),
  ...
)
```

Arguments

object	The model.
at	The time points at which to compute the id-specific trajectories. The default implementation merely filters the output of <code>fitted()</code> , so fitted values can only be outputted for times at which the model was trained.
what	The distributional parameter to compute the response for.
clusters	The cluster assignments for the strata to base the trajectories on.
...	Additional arguments.

Details

The default implementation uses the output of `fitted()` of the respective model.

Value

A `data.frame` representing the fitted response per trajectory per moment in time for the respective cluster.

See Also

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```

data(latrendData)
# Note: not a great example because the fitted trajectories
# are identical to the respective cluster trajectory
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
fittedTrajectories(model)

fittedTrajectories(model, at = time(model)[c(1, 2)])

```

formula.lcMethod	<i>Extract formula</i>
------------------	------------------------

Description

Extracts the associated formula for the given distributional parameter.

Usage

```

## S3 method for class 'lcMethod'
formula(x, what = "mu", envir = NULL, ...)

```

Arguments

x	The lcMethod object.
what	The distributional parameter to which this formula applies. By default, the formula specifies "mu".
envir	The environment in which to evaluate the arguments. If NULL, the environment associated with the object is used. If not available, the parent.frame() is used.
...	Additional arguments.

Value

The formula for the given distributional parameter.

See Also

Other lcMethod functions: [\[\[\], lcMethod-method, as.data.frame.lcMethods\(\), as.data.frame.lcMethod\(\), as.lcMethods\(\), as.list.lcMethod\(\), evaluate.lcMethod\(\), lcMethod-class, names, lcMethod-method, update.lcMethod\(\)\]](#)

Examples

```

method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
formula(method) # Y ~ Time

```

formula.lcModel	<i>Extract the formula of a lcModel</i>
-----------------	---

Description

Get the formula associated with the fitted lcModel object. This is determined by the formula argument of the lcMethod specification that was used to fit the model.

Usage

```
## S3 method for class 'lcModel'
formula(x, what = "mu", ...)
```

Arguments

x	The lcModel object.
what	The distributional parameter.
...	Additional arguments.

Value

Returns the associated formula, or response $\sim \emptyset$ if not specified.

See Also

[stats::formula](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, data = latrendData)
formula(model) # Y ~ Time
```

generateLongData	<i>Generate longitudinal test data</i>
------------------	--

Description

Generate longitudinal test data

Usage

```

generateLongData(
  sizes = c(40, 60),
  fixed = Value ~ 1,
  cluster = ~1 + Time,
  random = ~1,
  id = getOption("latrend.id"),
  data = data.frame(Time = seq(0, 1, by = 0.1)),
  fixedCoefs = 0,
  clusterCoefs = cbind(c(-2, 1), c(2, -1)),
  randomScales = cbind(0.1, 0.1),
  rrandom = rnorm,
  noiseScales = c(0.1, 0.1),
  rnoise = rnorm,
  clusterNames = LETTERS[seq_along(sizes)],
  shuffle = FALSE,
  seed = NULL
)

```

Arguments

sizes	Number of strata per cluster.
fixed	Fixed effects formula.
cluster	Cluster effects formula.
random	Random effects formula.
id	Name of the strata.
data	Data with covariates to use for generation. Stratified data may be specified by adding a grouping column.
fixedCoefs	Coefficients matrix for the fixed effects.
clusterCoefs	Coefficients matrix for the cluster effects.
randomScales	Standard deviations matrix for the size of the variance components (random effects).
rrandom	Random sampler for generating the variance components at location 0.
noiseScales	Scale of the random noise passed to rnoise. Either scalar or defined per cluster.
rnoise	Random sampler for generating noise at location 0 with the respective scale.
clusterNames	A character vector denoting the names of the generated clusters.
shuffle	Whether to randomly reorder the strata in which they appear in the data.frame.
seed	Optional seed to set for the PRNG. The set PRNG state persists after the function completes.

Examples

```

longdata <- generateLongData(
  sizes = c(40, 70), id = "Id",

```

```

cluster = ~poly(Time, 2, raw = TRUE),
clusterCoefs = cbind(c(1, 2, 5), c(-3, 4, .2))
)

if (require("ggplot2")) {
  plotTrajectories(longdata, response = "Value", id = "Id", time = "Time")
}

```

getArgumentDefaults *Default argument values for lcMethod subclass*

Description

Returns the default arguments associated with the respective `lcMethod` subclass. These arguments are automatically included into the `lcMethod` object during initialization.

Usage

```

## S4 method for signature 'lcMethod'
getArgumentDefaults(object)

```

Arguments

`object` The `lcMethod` object.

Value

A named list of argument values.

Implementation

Although implementing this method is optional, it prevents users from having to specify all arguments every time they want to create a method specification.

In this example, most of the default arguments are defined as arguments of the function `lcMethodExample`, which we can include in the list by calling [formals](#). Copying the arguments from functions is especially useful when your method implementation is based on an existing function.

```

setMethod("getArgumentDefaults", "lcMethodExample", function(object) {
  list(
    formals(lcMethodExample),
    formals(funFEM::funFEM),
    extra = Value ~ 1,
    tol = 1e-4,
    callNextMethod()
  )
})

```

It is recommended to add `callNextMethod()` to the end of the list. This enables inheriting the default arguments from superclasses.

See Also

[lcMethod getArgumentExclusions](#)

Other lcMethod implementations: [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

getArgumentExclusions *Arguments to be excluded for lcMethod subclass*

Description

Returns the names of arguments that should be excluded during instantiation of the lcMethod.

Usage

```
## S4 method for signature 'lcMethod'
getArgumentExclusions(object)
```

Arguments

object The lcMethod object.

Value

A character vector of argument names.

Implementation

This function only needs to be implemented if you want to avoid users from specifying redundant arguments or arguments that are set automatically or conditionally on other arguments.

```
setMethod("getArgumentExclusions", "lcMethodExample", function(object) {
  c(
    "doPlot",
    "verbose",
    callNextMethod()
  )
})
```

Adding `callNextMethod()` to the end of the return vector enables inheriting exclusions from superclass

See Also

[lcMethod getArgumentsExclusions](#)

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMcLustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

`getExternalMetricDefinition`

Get the external metric definition

Description

Get the external metric definition

Usage

```
getExternalMetricDefinition(name)
```

Arguments

name	The name of the metric.
------	-------------------------

Value

The metric function, or NULL if not defined.

See Also

Other metric functions: [defineExternalMetric\(\)](#), [defineInternalMetric\(\)](#), [externalMetric](#), [lcModel](#), [lcModel-metric](#), [getExternalMetricNames\(\)](#), [getInternalMetricDefinition\(\)](#), [getInternalMetricNames\(\)](#), [metric\(\)](#)

`getExternalMetricNames`

Get the names of the available external metrics

Description

Get the names of the available external metrics

Usage

```
getExternalMetricNames()
```


See Also

Other metric functions: [defineExternalMetric\(\)](#), [defineInternalMetric\(\)](#), [externalMetric, lcModel, lcModel-metric\(\)](#), [getExternalMetricDefinition\(\)](#), [getInternalMetricDefinition\(\)](#), [getInternalMetricNames\(\)](#), [metric\(\)](#)

`getInternalMetricDefinition`

Get the internal metric definition

Description

Get the internal metric definition

Usage

`getInternalMetricDefinition(name)`

Arguments

name The name of the metric.

Value

The metric function, or NULL if not defined.

See Also

Other metric functions: [defineExternalMetric\(\)](#), [defineInternalMetric\(\)](#), [externalMetric, lcModel, lcModel-metric\(\)](#), [getExternalMetricDefinition\(\)](#), [getExternalMetricNames\(\)](#), [getInternalMetricNames\(\)](#), [metric\(\)](#)

`getInternalMetricNames`

Get the names of the available internal metrics

Description

Get the names of the available internal metrics

Usage

`getInternalMetricNames()`

See Also

Other metric functions: [defineExternalMetric\(\)](#), [defineInternalMetric\(\)](#), [externalMetric, lcModel, lcModel-metric\(\)](#), [getExternalMetricDefinition\(\)](#), [getExternalMetricNames\(\)](#), [getInternalMetricDefinition\(\)](#), [metric\(\)](#)

getLabel	<i>Extract the method label.</i>
----------	----------------------------------

Description

Extracts the assigned label from the given `lcMethod` or `lcModel` object. By default, the label is determined from the "label" argument of the `lcMethod` object. The label of an `lcModel` object is set upon estimation by `latrend()` to the label of its associated `lcMethod` object.

Usage

```
## S4 method for signature 'lcMethod'
getLabel(object, ...)
```

```
## S4 method for signature 'lcModel'
getLabel(object, ...)
```

Arguments

<code>object</code>	The <code>lcMethod</code> or <code>lcModel</code> object.
<code>...</code>	Additional arguments.

Value

The extracted label, as character.

See Also

[getName](#) [getShortName](#)

Examples

```
method <- lcMethodLMKM(Y ~ Time, time = "Time")
getLabel(method) # ""

getLabel(update(method, label = "v2")) # "v2"
```

getLcMethod	<i>Get the method specification of a lcModel</i>
-------------	--

Description

Get the `lcMethod` specification object that was used for fitting the given `lcModel` object.

Usage

```
getLcMethod(object)
```

Arguments

object The lcModel object.

Value

An lcMethod object.

See Also

[getCall.lcModel](#)

Examples

```
method <- lcMethodRandom("Y", id = "Id", time = "Time")
model <- latrend(method, latrendData)
getLcMethod(model)
```

getName	<i>Get the (short) name of the lcMethod or Model</i>
---------	--

Description

Extract the full or shortened name of the given lcMethod or lcModel object. The name of the fitted lcModel is determined by its associated lcMethod name and label, unless specified otherwise.

Usage

```
## S4 method for signature 'lcMethod'
getName(object, ...)

## S4 method for signature 'lcMethod'
getShortName(object, ...)

## S4 method for signature 'lcModel'
getName(object)

## S4 method for signature 'lcModel'
getShortName(object)
```

Arguments

object The lcMethod or lcModel object.
 ... Additional arguments.

Value

A character name.

Implementation

When implementing your own `lcMethod` subclass, override these methods to provide full and abbreviated names.

```
setMethod("getName", "lcMethodExample", function(object) "example name")
```

```
setMethod("getShortName", "lcMethodExample", function(object) "EX")
```

Similar methods can be implemented for your `lcModel` subclass, however in practice this is not needed as the names are determined by default from the `lcMethod` object that was used to fit the `lcModel` object.

See Also

[getLabel](#)

Examples

```
method <- lcMethodLMKM(Y ~ Time)
getName(method) # "lm-kmeans"
method <- lcMethodLMKM(Y ~ Time)
getShortName(method) # "LMKM"
```

ids

Get the trajectory ids on which the model was fitted

Description

Get the trajectory ids on which the model was fitted

Usage

```
ids(object)
```

Arguments

`object` The `lcModel` object.

Details

The order returned by `ids(object)` determines the id order for any output involving id-specific values, such as in [trajectoryAssignments\(\)](#) or [postprob\(\)](#).

Value

A character vector or integer vector of the identifier for every fitted trajectory.

Examples

```
data(latrendData)
method <- lcMethodRandom("Y", id = "Id", time = "Time")
model <- latrend(method, latrendData)
ids(model) # 1, 2, ..., 200
```

idVariable	<i>Extract the trajectory identifier variable</i>
------------	---

Description

Extracts the trajectory identifier variable (i.e., column name) from the given object.

Usage

```
## S4 method for signature 'lcMethod'
idVariable(object, ...)

## S4 method for signature 'lcModel'
idVariable(object)
```

Arguments

object	The object to extract the variable from.
...	Not used.

Value

The trajectory identifier name, as character.

See Also

Other lcModel variables: [responseVariable\(\)](#), [timeVariable\(\)](#)

Examples

```
method <- lcMethodLMKM(Y ~ Time, id = "Traj")
idVariable(method) # "Traj"

method <- lcMethodRandom("Y", id = "Id", time = "Time")
model <- latrend(method, latrendData)
idVariable(model) # "Id"
```

```
initialize,lcMethod-method
      lcMethod initialization
```

Description

Initialization of lcMethod objects, converting arbitrary arguments to arguments as part of an lcMethod object.

Usage

```
## S4 method for signature 'lcMethod'
initialize(.Object, ...)
```

Arguments

.Object	The newly allocated lcMethod object.
...	Other method arguments.

Examples

```
new("lcMethodLMKM", formula = Y ~ Time, id = "Id", time = "Time")
```

```
latrend      Cluster longitudinal data
```

Description

Fit a longitudinal cluster method to the given training data, according to the specification provided by the lcMethod object.

This function runs all steps as part of the [method fitting procedure](#).

Usage

```
latrend(
  method,
  data,
  ...,
  envir = NULL,
  verbose = getOption("latrend.verbose")
)
```

Arguments

method	An lcMethod object specifying the longitudinal cluster method to apply, or the name (as character) of an lcMethod subclass. See lcMethod for details.
data	The data.frame to which to apply the method. Inputs supported by trajectories() can also be used.
...	Any other arguments to update the lcMethod definition with.
envir	The environment in which to evaluate the method arguments (by compose()). This environment is also used to evaluate the data argument if it is of type call.
verbose	The level of verbosity. Either an object of class Verbose (see R.utils::Verbose for details), a logical indicating whether to show basic computation information, a numeric indicating the verbosity level (see Verbose), or one of c('info', 'fine', 'finest').

Details

If a seed value is specified in the lcMethod object or arguments to latrend, this seed is set using `set.seed` prior to the cluster preparation step.

Value

A lcModel object representing the fitted model.

See Also

Other longitudinal cluster fit functions: [latrendBatch\(\)](#), [latrendBoot\(\)](#), [latrendCV\(\)](#), [latrendRep\(\)](#)

Examples

```
data(latrendData)
model <- latrend(lcMethodLMKM(Y ~ Time, id = "Id", time = "Time"), data = latrendData)

model <- latrend("lcMethodLMKM", formula = Y ~ Time, id = "Id", time = "Time", data = latrendData)

method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, data = latrendData, nClusters = 3)

model <- latrend(method, data = latrendData, nClusters = 3, seed = 1)
```

latrend-parallel

Parallel computing using latrend

Description

The model estimation functions support parallel computation through the use of the [foreach](#) mechanism. In order to make use of parallel execution, a parallel back-end must be registered.

Windows

On Windows, the [parallel-package](#) can be used to define parallel socket workers.

```
nCores <- parallel::detectCores(logical = FALSE)
cl <- parallel::makeCluster(nCores)
```

Then, register the cluster as the parallel back-end using the `doParallel` package:

```
doParallel::registerDoParallel(cl)
```

If you defined your own `lcMethod` or `lcModel` extension classes, make sure to load them on the workers as well. This can be done, for example, using:

```
parallel::clusterEvalQ(cl,
  expr = setClass('lcMethodMyImpl', contains = "lcMethod"))
```

Unix

On Unix systems, it is easier to setup parallelization as the R process is forked. In this example we use the `doMC` package:

```
nCores <- parallel::detectCores(logical = FALSE)
doMC::registerDoMC(nCores)
```

See Also

[latrendRep](#), [latrendBatch](#), [latrendBoot](#), [latrendCV](#)

Examples

```
data(latrendData)

# parallel latrendRep()
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
models <- latrendRep(method, data = latrendData, .rep = 5, parallel = TRUE)

# parallel latrendBatch()
methods <- lcMethods(method, nClusters = 1:3)
models <- latrendBatch(methods, data = latrendData, parallel = TRUE)
```


latrendBatch

*Cluster longitudinal data for a list of method specifications***Description**

Fit a list of longitudinal cluster methods on one or more datasets.

Usage

```
latrendBatch(
  methods,
  data,
  cartesian = TRUE,
  seed = NULL,
  parallel = FALSE,
  errorHandling = "stop",
  envir = NULL,
  verbose = getOption("latrend.verbose")
)
```

Arguments

methods	A list of lcMethod objects.
data	The dataset(s) to which to fit the respective lcMethod on. Either a data.frame, matrix, list or an expression evaluating to one of the supported types. Multiple datasets can be supplied by encapsulating the datasets using data = .(df1, df2, ..., dfN). Doing this results in a more readable call associated with each fitted lcModel object.
cartesian	Whether to fit the provided methods on each of the datasets. If cartesian=FALSE, only a single dataset may be provided or a list of data matching the length of methods.
seed	Sets the seed for generating the respective seed for each of the method fits. Seeds are only set for methods without a seed argument.
parallel	Whether to enable parallel evaluation. See latrend-parallel . Method evaluation and dataset transformation is done on the calling thread.
errorHandling	Whether to "stop" on an error, or to "remove" evaluations that raised an error.
envir	The environment in which to evaluate the lcMethod arguments.
verbose	The level of verbosity. Either an object of class Verbose (see R.utils::Verbose for details), a logical indicating whether to show basic computation information, a numeric indicating the verbosity level (see Verbose), or one of c('info', 'fine', 'finest').

Details

Methods and datasets are evaluated and validated prior to any fitting. This ensures that the batch estimation fails as early as possible in case of errors.

Value

A lcModels object. In case of a model fit error under `errorHandling = pass`, a list is returned.

See Also

lcMethods

Other longitudinal cluster fit functions: [latrendBoot\(\)](#), [latrendCV\(\)](#), [latrendRep\(\)](#), [latrend\(\)](#)

Examples

```
data(latrendData)
refMethod <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
methods <- lcMethods(refMethod, nClusters = 1:2)
models <- latrendBatch(methods, data = latrendData)

# different dataset per method
models <- latrendBatch(
  methods,
  data = .(
    subset(latrendData, Time > .5),
    subset(latrendData, Time < .5)
  )
)
```

latrendBoot

Cluster longitudinal data using bootstrapping

Description

Performs bootstrapping, generating samples from the given data at the id level, fitting a lcModel to each sample.

Usage

```
latrendBoot(
  method,
  data,
  samples = 50,
  seed = NULL,
  parallel = FALSE,
  errorHandling = "stop",
  envir = NULL,
  verbose = getOption("latrend.verbose")
)
```

Arguments

method	An lcMethod object specifying the longitudinal cluster method to apply, or the name (as character) of an lcMethod subclass. See lcMethod for details.
data	A data.frame.
samples	The number of bootstrap samples to evaluate.
seed	The seed to use. Optional.
parallel	Whether to enable parallel evaluation. See latrend-parallel . Method evaluation and dataset transformation is done on the calling thread.
errorHandling	Whether to "stop" on an error, or to "remove" evaluations that raised an error.
envir	The environment in which to evaluate the method arguments (by compose()). This environment is also used to evaluate the data argument if it is of type call.
verbose	The level of verbosity. Either an object of class Verbose (see R.utils::Verbose for details), a logical indicating whether to show basic computation information, a numeric indicating the verbosity level (see Verbose), or one of c('info', 'fine', 'finest').

Value

A lcModels object of length samples.

See Also

Other longitudinal cluster fit functions: [latrendBatch\(\)](#), [latrendCV\(\)](#), [latrendRep\(\)](#), [latrend\(\)](#)

Other validation methods: [createTestDataFolds\(\)](#), [createTestDataFold\(\)](#), [createTrainDataFolds\(\)](#), [latrendCV\(\)](#), [lcModel-data-filters](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
bootModels <- latrendBoot(method, latrendData, samples = 10)

bootMAE <- metric(bootModels, name = "MAE")
mean(bootMAE)
sd(bootMAE)
```

latrendCV

Cluster longitudinal data over k folds

Description

Apply k-fold cross validation for internal cluster validation. Creates k random subsets ("folds") from the data, estimating a model for each of the k-1 combined folds.

Usage

```
latrendCV(
  method,
  data,
  folds = 10,
  seed = NULL,
  parallel = FALSE,
  errorHandling = "stop",
  envir = NULL,
  verbose = getOption("latrend.verbose")
)
```

Arguments

method	An lcMethod object specifying the longitudinal cluster method to apply, or the name (as character) of an lcMethod subclass. See lcMethod for details.
data	A data.frame.
folds	The number of folds. Ten folds by default.
seed	The seed to use. Optional.
parallel	Whether to enable parallel evaluation. See latrend-parallel . Method evaluation and dataset transformation is done on the calling thread.
errorHandling	Whether to "stop" on an error, or to "remove" evaluations that raised an error.
envir	The environment in which to evaluate the method arguments (by compose()). This environment is also used to evaluate the data argument if it is of type call.
verbose	The level of verbosity. Either an object of class Verbose (see R.utils::Verbose for details), a logical indicating whether to show basic computation information, a numeric indicating the verbosity level (see Verbose), or one of c('info', 'fine', 'finest').

Value

A lcModels object of containing the folds training models.

See Also

Other longitudinal cluster fit functions: [latrendBatch\(\)](#), [latrendBoot\(\)](#), [latrendRep\(\)](#), [latrend\(\)](#)
 Other validation methods: [createTestDataFolds\(\)](#), [createTestDataFold\(\)](#), [createTrainDataFolds\(\)](#), [latrendBoot\(\)](#), [lcModel-data-filters](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")

if (require("caret")) {
  model <- latrendCV(method, latrendData, folds = 5, seed = 1)
```

```
model <- latrendCV(method, subset(latrendData, Time < .5), folds = 5)
}
```

latrendData	<i>Artificial longitudinal dataset comprising three classes</i>
-------------	---

Description

An artificial longitudinal dataset comprising 200 trajectories belonging to one of 3 classes. Each trajectory deviates in intercept and slope from its respective class trajectory.

Usage

```
latrendData
```

Format

A data.frame comprising longitudinal observations from 200 trajectories. Each row represents the observed value of a trajectory at a specific moment in time.

Id integer: The trajectory identifier.

Time numeric: The measurement time, between 0 and 2.

Y numeric: The observed value at the respective time Time for trajectory Id.

Class factor: The reference class.

Source

This dataset was generated using [generateLongData](#).

See Also

[generateLongData](#)

Examples

```
data(latrendData)

if (require("ggplot2")) {
  plotTrajectories(latrendData, id = "Id", time = "Time", response = "Y")

  # plot according to the reference class
  plotTrajectories(latrendData, id = "Id", time = "Time", response = "Y", cluster = "Class")
}
```

latrendRep

Cluster longitudinal data repeatedly

Description

Performs a repeated fit of the specified latrend model on the given data.

Usage

```
latrendRep(
  method,
  data,
  .rep = 10,
  ...,
  .errorHandling = "stop",
  .seed = NULL,
  .parallel = FALSE,
  envir = NULL,
  verbose = getOption("latrend.verbose")
)
```

Arguments

method	An lcMethod object specifying the longitudinal cluster method to apply, or the name (as character) of an lcMethod subclass. See lcMethod for details.
data	The data.frame to which to apply the method. Inputs supported by trajectories() can also be used.
.rep	The number of repeated fits.
...	Any other arguments to update the lcMethod definition with.
.errorHandling	Whether to "stop" on an error, or to "remove" evaluations that raised an error.
.seed	Set the seed for generating the respective seed for each of the repeated fits.
.parallel	Whether to use parallel evaluation. See latrend-parallel .
envir	The environment in which to evaluate the method arguments (by compose()). This environment is also used to evaluate the data argument if it is of type call.
verbose	The level of verbosity. Either an object of class Verbose (see R.utils::Verbose for details), a logical indicating whether to show basic computation information, a numeric indicating the verbosity level (see Verbose), or one of c('info', 'fine', 'finest').

Details

This method is faster than repeatedly calling [latrend](#) as it only prepares the data via [prepareData\(\)](#) once.

Value

A lcModels object containing the resulting models.

See Also

Other longitudinal cluster fit functions: [latrendBatch\(\)](#), [latrendBoot\(\)](#), [latrendCV\(\)](#), [latrend\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
models <- latrendRep(method, data = latrendData, .rep = 5) # 5 repeated runs

models <- latrendRep(method, data = latrendData, .seed = 1, .rep = 3)
```

lcApproxModel-class *lcApproxModel class*

Description

approx models have defined cluster trajectories at fixed moments in time, which should be interpolated. For a correct implementation, lcApproxModel requires the extending class to implement clusterTrajectories(at=NULL) to return the fixed cluster trajectories.

Usage

```
## S3 method for class 'lcApproxModel'
fitted(object, ..., clusters = trajectoryAssignments(object))

## S4 method for signature 'lcApproxModel'
predictForCluster(
  object,
  newdata,
  cluster,
  what = "mu",
  approxFun = approx,
  ...
)
```

Arguments

object	The lcModel object.
...	Additional arguments.
clusters	Optional cluster assignments per id. If unspecified, a matrix is returned containing the cluster-specific predictions per column.

<code>newdata</code>	Optional <code>data.frame</code> for which to compute the model predictions. If omitted, the model training data is used. Cluster trajectory predictions are made when <code>ids</code> are not specified.
<code>cluster</code>	The cluster name (as character) to predict for.
<code>what</code>	The distributional parameter to predict. By default, the mean response 'mu' is predicted. The cluster membership predictions can be obtained by specifying <code>what = 'mb'</code> .
<code>approxFun</code>	Function to interpolate between measurement moments, <code>approx()</code> by default.

 lcMethod-class

lcMethod class

Description

lcMethod objects represent the specification of a method for longitudinal clustering. Furthermore, the object class contains the logic for estimating the respective method.

You can specify a longitudinal cluster method through one of the method-specific constructor functions, e.g., `lcMethodKML()`, `lcMethodLcmmGBTM()`, or `lcMethodDtwclust()`. Alternatively, you can instantiate methods through `methods::new()`, e.g., by calling `new("lcMethodKML", response = "Value")`. In both cases, default values are specified for omitted arguments.

Details

Because the lcMethod arguments may be unevaluated, argument retrieval functions such as `[[` accept an `envir` argument. A default environment can be assigned or obtained from a lcMethod object using the `environment()` function.

Slots

`arguments` A list representing the arguments of the lcMethod object. Arguments are not evaluated upon creation of the method object. Instead, arguments are stored similar to a call object, and are only evaluated when a method is fitted. Do not modify or access.

`sourceCalls` A list of calls for tracking the original call after substitution. Used for printing objects which require too many characters (e.g. ,function definitions, matrices). Do not modify or access.

Method arguments

An lcMethod objects represent the specification of a method with a set of configurable parameters (referred to as arguments).

Arguments can be of any type. It is up to the lcMethod implementation of `validate()` to ensure that the required arguments are present and are of the expected type.

Arguments can have almost any name. Exceptions include the names "data", "envir", and "verbose". Furthermore, argument names may not start with a period (".").

Arguments cannot be directly modified, i.e., lcMethod objects are immutable. Modifying an argument involves creating an altered copy through the `update.lcMethod` method.

Fitting procedure

Each `lcMethod` subclass defines a type of methods in terms of a series of steps for estimating the method. These steps, as part of the fitting procedure, are executed by `latrend()` in the following order:

1. `compose()`: Evaluate and finalize the method argument values.
2. `validate()`: Check the validity of the method argument values in relation to the dataset.
3. `prepareData()`: Process the training data for fitting.
4. `preFit()`: Prepare environment for estimation, independent of training data.
5. `fit()`: Estimate the specified method on the training data, outputting an object inheriting from `lcModel`.
6. `postFit()`: Post-process the outputted `lcModel` object.

The result of the fitting procedure is an `lcModel` object that inherits from the `lcModel` class.

Implementation

The base class `lcMethod` provides the logic for storing, evaluating, and printing the method parameters.

Subclasses of `lcMethod` differ only in the fitting procedure logic (see above).

To implement your own `lcMethod` subclass, you'll want to implement at least the following functions:

- `fit()`: The main function for estimating your method.
- `getName()`: The name of your method.
- `getShortName()`: The abbreviated name of your method.
- `getArgumentDefaults()`: Sensible default argument values to your method.

For more complex methods, the additional functions as part of the fitting procedure (see the *Fitting procedure* section above) will be of use.

See Also

environment

Other `lcMethod` implementations: `getArgumentDefaults()`, `getArgumentExclusions()`, `lcMethodAkmedoids`, `lcMethodCrimCV`, `lcMethodDtwclust`, `lcMethodFeature`, `lcMethodFunFEM`, `lcMethodFunction`, `lcMethodGCKM`, `lcMethodKML`, `lcMethodLMKM`, `lcMethodLcmmGBTM`, `lcMethodLcmmGMM`, `lcMethodMcIustLLPA`, `lcMethodMixAK_GLMM`, `lcMethodMixtoolsGMM`, `lcMethodMixtoolsNPRM`, `lcMethodRandom`, `lcMethodStratify`

Other `lcMethod` functions: `[]`, `lcMethod-method`, `as.data.frame.lcMethods()`, `as.data.frame.lcMethod()`, `as.lcMethods()`, `as.list.lcMethod()`, `evaluate.lcMethod()`, `formula.lcMethod()`, `names.lcMethod-method`, `update.lcMethod()`

Examples

```

method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time", nClusters = 2)
method

method <- new("lcMethodLMKM", formula = Y ~ Time, id = "Id", time = "Time", nClusters = 2)

# get argument names
names(method)

# evaluate argument
method$nClusters

# create a copy with updated nClusters argument
method3 <- update(method, nClusters = 3)

```

lcMethodAkmedoids *Specify AKMedoids method*

Description

Specify AKMedoids method

Usage

```

lcMethodAkmedoids(
  response,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 3,
  clusterCenter = median,
  crit = "Calinski_Harabasz",
  ...
)

```

Arguments

response	The name of the response variable.
time	The name of the time variable.
id	The name of the trajectory identification variable.
nClusters	The number of clusters to estimate.
clusterCenter	A function for computing the cluster center representation.
crit	Criterion to apply for internal model selection. Not applicable.
...	Arguments passed to <code>akmedoids::akclustr</code> . The following external arguments are ignored: <code>traj</code> , <code>id_field</code> , <code>k</code>

References

Adepeju M, Langton S, Bannister J (2020). *akmedoids: Anchored Kmedoids for Longitudinal Data Clustering*. R package version 0.1.5, <https://CRAN.R-project.org/package=akmedoids>.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMcLustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)
if (require("akmedoids")) {
  method <- lcMethodAkmedoids(response = "Y", time = "Time", id = "Id", nClusters = 3)
  model <- latrend(method, data = latrendData)
}
```

lcMethodCrimCV

Specify a zero-inflated repeated-measures GBTM method

Description

Specify a zero-inflated repeated-measures GBTM method

Usage

```
lcMethodCrimCV(
  response,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

response	The name of the response variable.
time	The name of the time variable.
id	The name of the trajectory identifier variable.
nClusters	The number of clusters to estimate.
...	Arguments passed to crimCV::crimCV . The following external arguments are ignored: Dat, ng.

References

Nielsen JD (2018). *crimCV: Group-Based Modelling of Longitudinal Data*. R package version 0.9.6, <https://CRAN.R-project.org/package=crimCV>.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
# This example is not tested because crimCV sometimes fails
# to converge and throws the error "object 'Frtr' not found"
## Not run:
data(latrendData)
if (require("crimCV")) {
  method <- lcMethodCrimCV("Y", id = "Id", time = "Time", nClusters = 3, dpoly = 1, init = 2)
  model <- latrend(method, data = subset(latrendData, Time > .5))

  if (require("ggplot2")) {
    plot(model)
  }

  data(T01adj)
  method <- lcMethodCrimCV(response = "Offenses", time = "Offense", id = "Subject",
    nClusters = 2, dpoly = 1, init = 2)
  model <- latrend(method, data = T01adj[1:100, ])
}

## End(Not run)
```

lcMethodDtwclust

Specify time series clustering via dtwclust

Description

Specify time series clustering via dtwclust

Usage

```
lcMethodDtwclust(
  response,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

response	The name of the response variable.
time	The name of the time variable.
id	The name of the trajectory identifier variable.
nClusters	Number of clusters.
...	Arguments passed to <code>dtwclust::tsclust</code> . The following arguments are ignored: series, k, trace.

References

Sardá-Espinosa A (2019). "Time-Series Clustering in R Using the dtwclust Package." *The R Journal*. doi: [10.32614/RJ2019023](https://doi.org/10.32614/RJ2019023).

See Also

Other lcMethod implementations: `getArgumentDefaults()`, `getArgumentExclusions()`, `lcMethod-class`, `lcMethodAkmedoids`, `lcMethodCrimCV`, `lcMethodFeature`, `lcMethodFunFEM`, `lcMethodFunction`, `lcMethodGCKM`, `lcMethodKML`, `lcMethodLMKM`, `lcMethodLcmmGBTM`, `lcMethodLcmmGMM`, `lcMethodMclustLLPA`, `lcMethodMixAK_GLMM`, `lcMethodMixtoolsGMM`, `lcMethodMixtoolsNPRM`, `lcMethodRandom`, `lcMethodStratify`

Examples

```
data(latrendData)

if (require("dtwclust")) {
  method <- lcMethodDtwclust("Y", id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
}
```

lcMethodFeature	<i>Feature-based clustering</i>
-----------------	---------------------------------

Description

Feature-based clustering.

Usage

```
lcMethodFeature(
  response,
  representationStep,
  clusterStep,
  standardize = scale,
  center = meanNA,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  ...
)
```

Arguments

response	The name of the response variable.
representationStep	A function with signature <code>function(method, data)</code> that computes the representation per strata, returned as a matrix. Alternatively, <code>representationStep</code> is a pre-computed representation matrix.
clusterStep	A function with signature <code>function(repdata)</code> that outputs a <code>lcModel</code> .
standardize	A function to standardize the output matrix of the representation step. By default, the output is shifted and rescaled to ensure zero mean and unit variance.
center	The function for computing the longitudinal cluster centers, used for representing the cluster trajectories.
time	The name of the time variable.
id	The name of the trajectory identification variable.
...	Additional arguments.

Linear regression & k-means example

In this example we define a feature-based approach where each trajectory is represented using a linear regression model. The coefficients of the trajectories are then clustered using k-means.

Note that this method is already implemented as `lcMethodLMKM()`.

Representation step:

```
repStep <- function(method, data, verbose) {
  library(data.table)
  library(magrittr)
  xdata = as.data.table(data)
  coefdata <- xdata[,
    lm(method$formula, .SD)
    keyby = c(method$id)
  ]
  # exclude the id column
  coefmat <- subset(coefdata, select = -1)
  rownames(coefmat) <- coefdata[[method$id]]
  return(coefmat)
}
```

Cluster step:

```
clusStep <- function(method, data, repMat, envir, verbose) {
  km <- kmeans(repMat, centers = method$nClusters)

  lcModelPartition(
    response = method$response,
    data = data,
    trajectoryAssignments = km$cluster
  )
}
```

Now specify the method and fit the model:

```
data(latrendData)
method <- lcMethodFeature(
  formula = Y ~ Time,
  response = "Y",
  id = "Id",
  time = "Time",
  representationStep = repStep,
  clusterStep = clusStep

model <- latrend(method, data = latrendData)
)
```

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

lcMethodFlexmix	<i>Method interface to flexmix()</i>
-----------------	--------------------------------------

Description

Wrapper to the flexmix() method from the flexmix package.

Usage

```
lcMethodFlexmix(
  formula,
  formula.mb = ~1,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

formula	A formula specifying the model.
formula.mb	A formula specifying the class membership model. By default, an intercept-only model is used.
time	The name of the time variable.
id	The name of the trajectory identifier variable.

nClusters The number of clusters to estimate.
 ... Arguments passed to `flexmix::flexmix`. The following arguments are ignored:
 data, concomitant, k.

References

Grün B, Leisch F (2008). “FlexMix Version 2: Finite Mixtures with Concomitant Variables and Varying and Constant Parameters.” *Journal of Statistical Software*, **28**(4), 1–35. doi: [10.18637/jss.v028.i04](https://doi.org/10.18637/jss.v028.i04).

See Also

Other lcMethod package interfaces: [lcMethodFlexmixGBTM](#)

Examples

```
data(latrendData)
if (require("flexmix")) {
  method <- lcMethodFlexmix(Y ~ Time, id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
}
```

lcMethodFlexmixGBTM *Group-based trajectory modeling using flexmix*

Description

Fits a GBTM based on the `flexmix::FLXMRglm` driver.

Usage

```
lcMethodFlexmixGBTM(
  formula,
  formula.mb = ~1,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

formula A formula specifying the model.
 formula.mb A formula specifying the class membership model. By default, an intercept-only model is used.
 time The name of the time variable.
 id The name of the trajectory identifier variable.

nClusters The number of clusters to estimate.
 ... Arguments passed to `flexmix::flexmix` or `flexmix::FLXMRglm`. The following arguments are ignored: data, k, trace.

References

Grün B, Leisch F (2008). “FlexMix Version 2: Finite Mixtures with Concomitant Variables and Varying and Constant Parameters.” *Journal of Statistical Software*, **28**(4), 1–35. doi: [10.18637/jss.v028.i04](https://doi.org/10.18637/jss.v028.i04).

See Also

Other lcMethod package interfaces: [lcMethodFlexmix](#)

Examples

```
data(latrendData)
if (require("flexmix")) {
  method <- lcMethodFlexmixGBTM(Y ~ Time, id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
}
```

lcMethodFunction *Specify a custom method based on a function*

Description

Specify a custom method based on a function

Usage

```
lcMethodFunction(
  response,
  fun,
  center = meanNA,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  name = "custom"
)
```

Arguments

response The name of the response variable.
 fun The cluster function with signature (method, data) that returns a `lcModel` object.
 center Optional function for computing the longitudinal cluster centers, with signature (x).

time	The name of the time variable.
id	The name of the trajectory identification variable.
name	The name of the method.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)
# Stratification based on the mean response level
clusfun <- function(data, response, id, time, ...) {
  clusters <- data.table::as.data.table(data)[, mean(Y) > 0, by = Id]$V1
  lcModelPartition(
    data = data,
    trajectoryAssignments = factor(
      clusters,
      levels = c(FALSE, TRUE),
      labels = c("Low", "High")
    ),
    response = response,
    time = time,
    id = id
  )
}
method <- lcMethodFunction(response = "Y", fun = clusfun, id = "Id", time = "Time")
model <- latrend(method, data = latrendData)
```

lcMethodFunFEM

Specify a FunFEM method

Description

Specify a FunFEM method

Usage

```
lcMethodFunFEM(
  response,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  basis = function(time) fda::create.bspline.basis(time, nbasis = 10, norder = 4),
  ...
)
```

Arguments

response	The name of the response variable.
time	The name of the time variable.
id	The name of the trajectory identifier variable.
nClusters	The number of clusters to estimate.
basis	The basis function. By default, a 3rd-order B-spline with 10 breaks is used.
...	Arguments passed to <code>funFEM::funFEM</code> . The following external arguments are ignored: <code>fd</code> , <code>K</code> , <code>disp</code> , <code>graph</code> .

References

Bouveyron C (2015). *funFEM: Clustering in the Discriminative Functional Subspace*. R package version 1.1, <https://CRAN.R-project.org/package=funFEM>.

See Also

Other lcMethod implementations: `getArgumentDefaults()`, `getArgumentExclusions()`, `lcMethod-class`, `lcMethodAkmedoids`, `lcMethodCrimCV`, `lcMethodDtwclust`, `lcMethodFeature`, `lcMethodFunction`, `lcMethodGCKM`, `lcMethodKML`, `lcMethodLMKM`, `lcMethodLcmmGBTM`, `lcMethodLcmmGMM`, `lcMethodMcLustLLPA`, `lcMethodMixAK_GLMM`, `lcMethodMixtoolsGMM`, `lcMethodMixtoolsNPRM`, `lcMethodRandom`, `lcMethodStratify`

Examples

```
data(latrendData)

if (require("funFEM") && require("fda")) {
  method <- lcMethodFunFEM("Y", id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)

  method <- lcMethodFunFEM("Y",
    basis = function(time) {
      create.bspline.basis(time, nbasis = 10, norder = 4)
    }
  )
}
```

lcMethodGCKM

Two-step clustering through latent growth curve modeling and k-means

Description

Two-step clustering through latent growth curve modeling and k-means.

Usage

```
lcMethodGCKM(
  formula,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  center = meanNA,
  standardize = scale,
  ...
)
```

Arguments

formula	Formula, including a random effects component for the trajectory. See lme4::lmer formula syntax.
time	The name of the time variable..
id	The name of the trajectory identifier variable.
nClusters	The number of clusters.
center	A function that computes the cluster center based on the original trajectories associated with the respective cluster. By default, the mean is computed.
standardize	A function to standardize the output matrix of the representation step. By default, the output is shifted and rescaled to ensure zero mean and unit variance.
...	Arguments passed to lme4::lmer . The following external arguments are ignored: data, centers, trace.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)

if (require("lme4")) {
  method <- lcMethodGCKM(Y ~ (Time | Id), id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
}
```

lcMethodKML	<i>Specify a longitudinal k-means (KML) method</i>
-------------	--

Description

Specify a longitudinal k-means (KML) method

Usage

```
lcMethodKML(
  response,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

response	The name of the response variable.
time	The name of the time variable.
id	The name of the trajectory identifier variable.
nClusters	The number of clusters to estimate.
...	Arguments passed to kml::parALGO and kml::kml . The following external arguments are ignored: object, nbClusters, parAlgo, toPlot, saveFreq

References

Genolini C, Alacoque X, Sentenac M, Arnaud C (2015). “kml and kml3d: R Packages to Cluster Longitudinal Data.” *Journal of Statistical Software*, **65**(4), 1–34. doi: [10.18637/jss.v065.i04](https://doi.org/10.18637/jss.v065.i04).

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)

if (require("kml")) {
  method <- lcMethodKML("Y", id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
}
```

lcMethodLcmmGBTM *Specify GBTM method*

Description

Group-based trajectory modeling through fixed-effects modeling.

Usage

```
lcMethodLcmmGBTM(
  fixed,
  mixture = ~1,
  classmb = ~1,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  init = "default",
  ...
)
```

Arguments

<code>fixed</code>	The fixed effects formula.
<code>mixture</code>	The mixture-specific effects formula. See lcmm::hlme for details.
<code>classmb</code>	The cluster membership formula for the multinomial logistic model. See lcmm::hlme for details.
<code>time</code>	The name of the time variable.
<code>id</code>	The name of the trajectory identifier variable. This replaces the subject argument of lcmm::hlme .
<code>nClusters</code>	The number of clusters to fit. This replaces the <code>ng</code> argument of lcmm::hlme .
<code>init</code>	Alternative for the <code>B</code> argument of lcmm::hlme , for initializing the <code>hlme</code> fitting procedure. If <code>"lme.random"</code> (default): random initialization through a standard linear mixed model. Assigns a fitted standard linear mixed model enclosed in a call to <code>random()</code> to the <code>B</code> argument. If <code>"lme"</code> , fits a standard linear mixed model and passes this to the <code>B</code> argument. If <code>NULL</code> or <code>"default"</code> , the default lcmm::hlme input for <code>B</code> is used. The argument is ignored if the <code>B</code> argument is specified, or <code>nClusters = 1</code> .
<code>...</code>	Arguments passed to lcmm::hlme . The following arguments are ignored: <code>data</code> , <code>fixed</code> , <code>random</code> , <code>mixture</code> , <code>subject</code> , <code>classmb</code> , <code>returndata</code> , <code>ng</code> , <code>verbose</code> , <code>subset</code> .

References

Proust-Lima C, Philipps V, Lique B (2017). "Estimation of Extended Mixed Models Using Latent Classes and Latent Processes: The R Package `lcmm`." *Journal of Statistical Software*, **78**(2), 1–56. doi: [10.18637/jss.v078.i02](https://doi.org/10.18637/jss.v078.i02).

Proust-Lima C, Philipps V, Diakite A, Lique B (2019). *lcmm: Extended Mixed Models Using Latent Classes and Latent Processes*. R package version: 1.8.1, <https://cran.r-project.org/package=lcmm>.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)
if (rlang::is_installed("lcmm")) {
  method <- lcMethodLcmmGBTM(
    fixed = Y ~ Time,
    mixture = ~ 1,
    id = "Id",
    time = "Time",
    nClusters = 3
  )
  gbtm <- latrend(method, data = latrendData)
  summary(gbtm)

  method <- lcMethodLcmmGBTM(
    fixed = Y ~ Time,
    mixture = ~ Time,
    id = "Id",
    time = "Time",
    nClusters = 3
  )
}
```

 lcMethodLcmmGMM

Specify GMM method using lcmm

Description

Growth mixture modeling through latent-class linear mixed modeling.

Usage

```
lcMethodLcmmGMM(
  fixed,
  mixture = ~1,
  random = ~1,
  classmb = ~1,
  time = getOption("latrend.time"),
```

```

    id = getOption("latrend.id"),
    init = "lme",
    nClusters = 2,
    ...
  )

```

Arguments

fixed	The fixed effects formula.
mixture	The mixture-specific effects formula. See lcmm::hlme for details.
random	The random effects formula. See lcmm::hlme for details.
classmb	The cluster membership formula for the multinomial logistic model. See lcmm::hlme for details.
time	The name of the time variable.
id	The name of the trajectory identifier variable. This replaces the subject argument of lcmm::hlme .
init	Alternative for the B argument of lcmm::hlme , for initializing the hlme fitting procedure. If "lme.random" (default): random initialization through a standard linear mixed model. Assigns a fitted standard linear mixed model enclosed in a call to random() to the B argument. If "lme", fits a standard linear mixed model and passes this to the B argument. If NULL or "default", the default lcmm::hlme input for B is used. The argument is ignored if the B argument is specified, or nClusters = 1.
nClusters	The number of clusters to fit. This replaces the ng argument of lcmm::hlme .
...	Arguments passed to lcmm::hlme . The following arguments are ignored: data, fixed, random, mixture, subject, classmb, returndata, ng, verbose, subset.

References

Proust-Lima C, Philipps V, Lique B (2017). "Estimation of Extended Mixed Models Using Latent Classes and Latent Processes: The R Package lcmm." *Journal of Statistical Software*, **78**(2), 1–56. doi: [10.18637/jss.v078.i02](https://doi.org/10.18637/jss.v078.i02).

Proust-Lima C, Philipps V, Diakite A, Lique B (2019). *lcmm: Extended Mixed Models Using Latent Classes and Latent Processes*. R package version: 1.8.1, <https://cran.r-project.org/package=lcmm>.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```

data(latrendData)

if (rlang::is_installed("lcmm")) {
  method <- lcMethodLcmmGMM(
    fixed = Y ~ Time,
    mixture = ~ Time,
    random = ~ 1,
    id = "Id",
    time = "Time", ,
    nClusters = 2
  )
  gmm <- latrend(method, data = latrendData)
  summary(gmm)

  method <- lcMethodLcmmGMM(
    fixed = Y ~ Time,
    mixture = ~ Time,
    random = ~ Time,
    id = "Id",
    time = "Time",
    nClusters = 3
  )
}

```

lcMethodLMKM

*Two-step clustering through linear regression modeling and k-means***Description**

Two-step clustering through linear regression modeling and k-means

Usage

```

lcMethodLMKM(
  formula,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  center = meanNA,
  standardize = scale,
  ...
)

```

Arguments

formula	A formula specifying the linear trajectory model.
time	The name of the time variable.

id	The name of the trajectory identification variable.
nClusters	The number of clusters to estimate.
center	A function that computes the cluster center based on the original trajectories associated with the respective cluster. By default, the mean is computed.
standardize	A function to standardize the output matrix of the representation step. By default, the output is shifted and rescaled to ensure zero mean and unit variance.
...	Arguments passed to <code>stats::lm</code> . The following external arguments are ignored: x, data, control, centers, trace.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time", nClusters = 3)
model <- latrend(method, latrendData)
```

lcMethodMclustLLPA *Longitudinal latent profile analysis*

Description

Latent profile analysis or finite Gaussian mixture modeling.

Usage

```
lcMethodMclustLLPA(
  response,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

response	The name of the response variable.
time	The name of the time variable.
id	The name of the trajectory identifier variable.
nClusters	The number of clusters to estimate.
...	Arguments passed to <code>mclust::Mclust</code> . The following external arguments are ignored: data, G, verbose.

References

Scrucca L, Fop M, Murphy TB, Raftery AE (2016). “mclust 5: clustering, classification and density estimation using Gaussian finite mixture models.” *The R Journal*, **8**(1), 205–233.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)
if (require("mclust")) {
  method <- lcMethodMclustLLPA("Y", id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
}
```

lcMethodMixAK_GLMM *Specify a GLMM iwht a normal mixture in the random effects*

Description

Specify a GLMM iwht a normal mixture in the random effects

Usage

```
lcMethodMixAK_GLMM(
  fixed,
  random,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

fixed	A formula specifying the fixed effects of the model, including the response. Creates the y and x arguments for the call to mixAK::GLMM_MCMC .
random	A formula specifying the random effects of the model, including the random intercept. Creates the z and random.intercept arguments for the call to mixAK::GLMM_MCMC .
time	The name of the time variable.
id	The name of the trajectory identifier variable. This is used to generate the id vector argument for the call to mixAK::GLMM_MCMC .

nClusters The number of clusters.
 ... Arguments passed to `mixAK::GLMM_MCMC`. The following external arguments are ignored: `y`, `x`, `z`, `random.intercept`, `silent`.

Note

This method currently does not appear to work under R 4.2 due to an error triggered by the `mixAK` package during fitting.

References

Komárek A (2009). "A New R Package for Bayesian Estimation of Multivariate Normal Mixtures Allowing for Selection of the Number of Components and Interval-Censored Data." *Computational Statistics and Data Analysis*, **53**(12), 3932–3947. doi: [10.1016/j.csda.2009.05.006](https://doi.org/10.1016/j.csda.2009.05.006).

See Also

Other `lcMethod` implementations: `getArgumentDefaults()`, `getArgumentExclusions()`, `lcMethod-class`, `lcMethodAkmedoids`, `lcMethodCrimCV`, `lcMethodDtwclust`, `lcMethodFeature`, `lcMethodFunFEM`, `lcMethodFunction`, `lcMethodGCKM`, `lcMethodKML`, `lcMethodLMKM`, `lcMethodLcmmGBTM`, `lcMethodLcmmGMM`, `lcMethodMclustLLPA`, `lcMethodMixtoolsGMM`, `lcMethodMixtoolsNPRM`, `lcMethodRandom`, `lcMethodStratify`

Examples

```
data(latrendData)
# this example only runs when the mixAK package is installed
try({
  method <- lcMethodMixAK_GLMM(fixed = Y ~ 1, random = ~ Time,
    id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
  summary(model)
})
```

lcMethodMixtoolsGMM *Specify mixed mixture regression model using mixtools*

Description

Specify mixed mixture regression model using mixtools

Usage

```
lcMethodMixtoolsGMM(
  formula,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

formula	Formula, including a random effects component for the trajectory. See lme4::lmer formula syntax.
time	The name of the time variable..
id	The name of the trajectory identifier variable.
nClusters	The number of clusters.
...	Arguments passed to mixtools::regmixEM.mixed . The following arguments are ignored: data, y, x, w, k, addintercept.fixed, verb.

References

Benaglia T, Chauveau D, Hunter DR, Young D (2009). “mixtools: An R Package for Analyzing Finite Mixture Models.” *Journal of Statistical Software*, **32**(6), 1–29. doi: [10.18637/jss.v032.i06](https://doi.org/10.18637/jss.v032.i06).

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)

if (require("mixtools")) {
  method <- lcMethodMixtoolsGMM(
    formula = Y ~ Time + (1 | Id),
    id = "Id", time = "Time",
    nClusters = 3,
    arb.R = FALSE
  )
}
```

lcMethodMixtoolsNPRM *Specify non-parametric estimation for independent repeated measures*

Description

Specify non-parametric estimation for independent repeated measures

Usage

```
lcMethodMixtoolsNPRM(
  response,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  blockid = NULL,
  bw = NULL,
  h = NULL,
  ...
)
```

Arguments

response	The name of the response variable.
time	The name of the time variable.
id	The name of the trajectory identifier variable.
nClusters	The number of clusters to estimate.
blockid	See mixtools::npEM .
bw	See mixtools::npEM .
h	See mixtools::npEM .
...	Arguments passed to mixtools::npEM . The following optional arguments are ignored: data, x, mu0, verb.

References

Benaglia T, Chauveau D, Hunter DR, Young D (2009). "mixtools: An R Package for Analyzing Finite Mixture Models." *Journal of Statistical Software*, **32**(6), 1–29. doi: [10.18637/jss.v032.i06](https://doi.org/10.18637/jss.v032.i06).

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodRandom](#), [lcMethodStratify](#)

Examples

```
data(latrendData)

if (require("mixtools")) {
  method <- lcMethodMixtoolsNPRM("Y", id = "Id", time = "Time", nClusters = 3)
  model <- latrend(method, latrendData)
}
```

lcMethodMixTVEM	<i>Specify a MixTVEM</i>
-----------------	--------------------------

Description

Specify a MixTVEM

Usage

```
lcMethodMixTVEM(
  formula,
  formula.mb = ~1,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  ...
)
```

Arguments

formula	A formula excluding the time component. Time-invariant covariates are detected automatically as these are a special case in MixTVEM.
formula.mb	A formula for cluster-membership prediction. Covariates must be time-invariant. Furthermore, the formula must contain an intercept.
time	The name of the time variable.
id	The name of the trajectory identifier variable.
nClusters	The number of clusters. This replaces the numClasses argument of the TVEMMixNormal function call.
...	Arguments passed to the TVEMMixNormal() function. The following optional arguments are ignored: doPlot, getSEs, numClasses.

Note

In order to use this method, you must download and source MixTVEM.R. See the reference below.

References

<https://github.com/dziakjl/MixTVEM>

Dziak JJ, Li R, Tan X, Shiffman S, Shiyko MP (2015). "Modeling intensive longitudinal data with mixtures of nonparametric trajectories and time-varying effects." *Psychological Methods*, **20**(4), 444–469. ISSN 1939-1463.

Examples

```
# this example only runs if you download and place MixTVEM.R in your wd
try({
  source("MixTVEM.R")
  method = lcMethodMixTVEM(
    Value ~ time(1) - 1,
    time = 'Assessment',
    id = "Id",
    nClusters = 3
  )
})
```

lcMethodRandom

Specify a random-partitioning method

Description

Creates a model with random cluster assignments according to the random cluster proportions drawn from a Dirichlet distribution.

Usage

```
lcMethodRandom(
  response,
  alpha = 10,
  center = meanNA,
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  nClusters = 2,
  name = "random",
  ...
)
```

Arguments

response	The name of the response variable.
alpha	The Dirichlet parameters. Either scalar or of length nClusters. The higher alpha, the more uniform the clusters will be.
center	Optional function for computing the longitudinal cluster centers, with signature (x).
time	The name of the time variable.
id	The name of the trajectory identification variable.
nClusters	The number of clusters.
name	The name of the method.
...	Additional arguments, such as the seed.

References

Frigyik BA, Kapila A, Gupta MR (2010). "Introduction to the Dirichlet distribution and related processes." Technical Report UWEETR-2010-0006, Department of Electrical Engineering, University of Washington.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodStratify](#)

Examples

```
data(latrendData)
method <- lcMethodRandom(response = "Y", id = "Id", time = "Time")
model <- latrend(method, latrendData)

# uniform clusters
method <- lcMethodRandom(
  alpha = 1e3,
  nClusters = 3,
  response = "Y",
  id = "Id",
  time = "Time"
)

# single large cluster
method <- lcMethodRandom(
  alpha = c(100, 1, 1, 1),
  nClusters = 4,
  response = "Y",
  id = "Id",
  time = "Time"
)
```

lcMethods

Generate a list of lcMethod objects

Description

Generates a list of lcMethod objects for all combinations of the provided argument values.

Usage

```
lcMethods(method, ..., envir = NULL)
```

Arguments

method	The lcMethod to use as the template, which will be updated for each of the other arguments.
...	Any other arguments to update the lcMethod definition with. Values must be scalar, vector, list, or encapsulated in a .() call. Arguments wrapped in .() are passed as-is to the model call, ensuring a readable method. Arguments comprising a single symbol (e.g. a variable name) are interpreted as a constant. To force evaluation, specify arg=(var) or arg=force(var). Arguments of type vector or list are split across a series of method fit calls. Arguments of type scalar are constant across the method fits. If a list is intended to be passed as a constant argument, then specifying arg=(listObject) results in it being treated as such.
envir	The environment in which to evaluate the method arguments.

Value

A list of lcMethod objects.

Examples

```
data(latrendData)
baseMethod <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
methods <- lcMethods(baseMethod, nClusters = 1:6)

nclus <- 1:6
methods <- lcMethods(baseMethod, nClusters = nclus)

# list notation, useful for providing functions
methods <- lcMethods(baseMethod, nClusters = .(1, 3, 5))
length(methods) # 3
```

lcMethodStratify	<i>Specify a stratification method</i>
------------------	--

Description

Specify a stratification method

Usage

```
lcMethodStratify(
  response,
  stratify,
  center = meanNA,
  nClusters = NaN,
  clusterNames = NULL,
  time = getOption("latrend.time"),
```

```

    id = getOption("latrend.id"),
    name = "stratify"
  )

```

Arguments

response	The name of the response variable.
stratify	An expression returning a number or factor value per trajectory, representing the cluster assignment. Alternatively, a function can be provided that takes separate trajectory data.frame as input.
center	The function for computing the longitudinal cluster centers, used for representing the cluster trajectories.
nClusters	The number of clusters. This is optional, as this can be derived from the largest assignment number by default, or the number of factor levels.
clusterNames	The names of the clusters. If a factor assignment is returned, the levels are used as the cluster names.
time	The name of the time variable.
id	The name of the trajectory identification variable.
name	The name of the method.

See Also

Other lcMethod implementations: [getArgumentDefaults\(\)](#), [getArgumentExclusions\(\)](#), [lcMethod-class](#), [lcMethodAkmedoids](#), [lcMethodCrimCV](#), [lcMethodDtwclust](#), [lcMethodFeature](#), [lcMethodFunFEM](#), [lcMethodFunction](#), [lcMethodGCKM](#), [lcMethodKML](#), [lcMethodLMKM](#), [lcMethodLcmmGBTM](#), [lcMethodLcmmGMM](#), [lcMethodMclustLLPA](#), [lcMethodMixAK_GLMM](#), [lcMethodMixtoolsGMM](#), [lcMethodMixtoolsNPRM](#), [lcMethodRandom](#)

Examples

```

data(latrendData)
# Stratification based on the mean response level
method <- lcMethodStratify(
  "Y",
  mean(Y) > 0,
  clusterNames = c("Low", "High"),
  id = "Id",
  time = "Time"
)
model <- latrend(method, latrendData)
summary(model)

# Stratification function
stratfun <- function(trajdata) {
  trajmean <- mean(trajdata$Y)
  factor(
    trajmean > 1.7,
    levels = c(FALSE, TRUE),
    labels = c("Low", "High")
  )
}

```

```

    )
  }
  method <- lcMethodStratify("Y", stratfun, id = "Id", time = "Time")

  # Multiple clusters
  stratfun3 <- function(trajdata) {
    trajmean <- mean(trajdata$Y)
    cut(
      trajmean,
      c(-Inf, .5, 2, Inf),
      labels = c("Low", "Medium", "High")
    )
  }
  method <- lcMethodStratify("Y", stratfun3, id = "Id", time = "Time")

```

 lcModel-class

lcModel class

Description

Abstract class for defining estimated longitudinal cluster models.

Arguments

object	The lcModel object.
...	Any additional arguments.

Details

An extending class must implement the following methods to ensure basic functionality:

- `predict.lcModelExt`: Used to obtain the fitted cluster trajectories and trajectories.
- `postprob(lcModelExt)`: The posterior probability matrix is used to determine the cluster assignments of the trajectories.

For predicting the posterior probability for unseen data, the `predictPostprob()` should be implemented.

Slots

method	The lcMethod-class object specifying the arguments under which the model was fitted.
call	The call that was used to create this lcModel object. Typically, this is the call to <code>latrend()</code> or any of the other fitting functions.
model	An arbitrary underlying model representation.
data	A <code>data.frame</code> object, or an expression to resolves to the <code>data.frame</code> object.
date	The date-time when the model estimation was initiated.
id	The name of the trajectory identifier column.

`time` The name of the time variable.
`response` The name of the response variable.
`label` The label assigned to this model.
`ids` The trajectory identifier values the model was fitted on.
`times` The exact times on which the model has been trained
`clusterNames` The names of the clusters.
`estimationTime` The time, in seconds, that it took to fit the model.
`tag` An arbitrary user-specified data structure. This slot may be accessed and updated directly.

See Also

Other model-specific methods: `clusterTrajectories()`, `coef.lcModel()`, `converged()`, `deviance.lcModel()`, `df.residual.lcModel()`, `fitted.lcModel()`, `fittedTrajectories()`, `logLik.lcModel()`, `model.frame.lcModel()`, `nobs.lcModel()`, `postprob()`, `predict.lcModel()`, `predictAssignments()`, `predictForCluster()`, `predictPostprob()`, `residuals.lcModel()`, `sigma.lcModel()`, `time.lcModel()`

<code>lcModelPartition</code>	<i>Create a lcModel with pre-defined partitioning</i>
-------------------------------	---

Description

Represents an arbitrary partitioning of a set of trajectories. As such, this model has no predictive capabilities. The cluster trajectories are represented by the specified center function (mean by default).

Usage

```

lcModelPartition(
  data,
  response,
  trajectoryAssignments,
  nClusters = NA,
  clusterNames = character(),
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  name = "part",
  center = meanNA,
  method = NULL,
  model = NULL,
  envir = parent.frame()
)
  
```

Arguments

data	A data.frame representing the trajectory data.
response	The name of the response variable.
trajectoryAssignments	A vector of cluster membership per trajectory, a data.frame with an id column and "Cluster" column, or the name of the cluster membership column in the data argument.. For vector input, the type must be factor, character, or integer (1 to nClusters). The order of the trajectory, and thus the respective assignments, is determined by the id column of the data. Provide a factor id column for the input data to ensure that the ordering is as you aspect.
nClusters	The number of clusters. Should be NA for trajectory assignments of type factor.
clusterNames	The names of the clusters, or a function with input n outputting a character vector of names. If unspecified, the names are determined from the trajectoryAssignments argument.
time	The name of the time variable.
id	The name of the trajectory identification variable.
name	The name of the method.
center	The function for computing the longitudinal cluster centers, used for representing the cluster trajectories.
method	Optional lcMethod object that was used for fitting this model to the data.
model	An optional object to attach to the lcModelPartition object, representing the internal model that was used for obtaining the partition.
envir	The environment associated with the model. Used for evaluating the assigned data object by model.data.lcModel .

Examples

```
# comparing a model to the ground truth using the adjusted Rand index
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 3)

# extract the reference class from the Class column
trajLabels <- aggregate(Class ~ Id, head, 1, data = latrendData)
trajLabels$Cluster <- trajLabels$Class
refModel <- lcModelPartition(latrendData, response = "Y", trajectoryAssignments = trajLabels)

if (require("mclustcomp")) {
  externalMetric(model, refModel, "adjustedRand")
}
```

lcModels	<i>Construct a flat (named) list of lcModel objects</i>
----------	---

Description

The `lcModels` S3 class represents a list of `lcModel` objects. This makes it easier to work with a set of models in a more structured manner.

The `lcModels()` function takes the inputs and generates a named `lcModels` object containing a list of the input models. Duplicates are preserved.

Usage

```
lcModels(...)
```

Arguments

... `lcModel`, `lcModels`, or a recursive list of `lcModel` objects. Arguments may be named.

Value

A `lcModels` object containing all specified `lcModel` objects.

See Also

Other `lcModel` list functions: [as.lcModels\(\)](#), [print.lcModels\(\)](#), [subset.lcModels\(\)](#)

Examples

```
data(latrendData)
lmkmMethod <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
lmkmModel <- latrend(lmkmMethod, latrendData)
rngMethod <- lcMethodRandom("Y", id = "Id", time = "Time")
rngModel <- latrend(rngMethod, latrendData)

lcModels(lmkmModel, rngModel)

lcModels(defaults = c(lmkmModel, rngModel))
```

 lcModelWeightedPartition

Create a lcModel with pre-defined weighted partitioning

Description

Create a lcModel with pre-defined weighted partitioning

Usage

```
lcModelWeightedPartition(
  data,
  response,
  weights,
  clusterNames = colnames(weights),
  time = getOption("latrend.time"),
  id = getOption("latrend.id"),
  name = "wpart"
)
```

Arguments

data	A data.frame representing the trajectory data.
response	The name of the response variable.
weights	A numIds x numClusters matrix of partition probabilities.
clusterNames	The names of the clusters, or a function with input n outputting a character vector of names.
time	The name of the time variable.
id	The name of the trajectory identification variable.
name	The name of the method.

 logLik.lcModel

Extract the log-likelihood of a lcModel

Description

Extract the log-likelihood of a lcModel

Usage

```
## S3 method for class 'lcModel'
logLik(object, ...)
```


Arguments

object The lcModel object.
 ... Additional arguments.

Details

The default implementation checks for the existence of the logLik() function for the internal model, and returns the output, if available.

Value

A numeric with the computed log-likelihood. If unavailable, NA is returned.

See Also

[stats::logLik](#) metric

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)

if (rlang::is_installed("lcmm")) {
  method <- lcMethodLcmmGBTM(
    fixed = Y ~ Time,
    mixture = ~ 1,
    id = "Id",
    time = "Time",
    nClusters = 3
  )
  gbtm <- latrend(method, data = latrendData)
  logLik(gbtm)
}
```

max.lcModels

Select the lcModel with the highest metric value

Description

Select the lcModel with the highest metric value

Usage

```
## S3 method for class 'lcModels'
max(x, name, ...)
```

Arguments

x	The lcModels object.
name	The name of the internal metric.
...	Additional arguments.

Value

The lcModel with the highest metric value

See Also

[min.lcModels externalMetric](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")

model1 <- latrend(method, latrendData, nClusters = 1)
model2 <- latrend(method, latrendData, nClusters = 2)
model3 <- latrend(method, latrendData, nClusters = 3)

models <- lcModels(model1, model2, model3)

if (require("clusterCrit")) {
  max(models, "Dunn")
}
```

metric

Compute internal model metric(s)

Description

Compute one or more internal metrics for the given lcModel object.

Note that there are many metrics available, and there exists no metric that works best in all scenarios. It is recommended to carefully consider which metric is most appropriate for your use case.

Recommended overview papers:

- Arbelaitz et al. (2013) provide an extensive overview validity indices for cluster algorithms.
- van der Nest et al. (2020) provide an overview of metrics for mixture models (GBTM, GMM); primarily likelihood-based or posterior probability-based metrics.
- Henson et al. (2007) provide an overview of likelihood-based metrics for mixture models.

Call [getInternalMetricNames\(\)](#) to retrieve the names of the defined internal metrics.

See the *Details* section below for a list of supported metrics.

Usage

```
## S4 method for signature 'lcModel'
metric(object, name = getOption("latrend.metric", c("WRSS", "APPA.mean")), ...)

## S4 method for signature 'list'
metric(object, name, drop = TRUE)

## S4 method for signature 'lcModels'
metric(object, name, drop = TRUE)
```

Arguments

object	The lcModel, lcModels, or list of lcModel objects to compute the metrics for.
name	The name(s) of the metric(s) to compute. If no names are given, the names specified in the latrend.metric option (WRSS, APPA, AIC, BIC) are used.
...	Additional arguments.
drop	Whether to return a numeric vector instead of a data.frame in case of a single metric.

Details

List of currently supported metrics:

Metric name	Description
AIC	Akaike information criterion. A goodness-of-fit estimator that adjusts for model complexity (i.e., the
APPA.mean	Mean of the average posterior probability of assignment (APPA) across clusters. A measure of the pr
APPA.min	Lowest APPA among the clusters
BIC	Bayesian information criterion. A goodness-of-fit estimator that corrects for the degrees of freedom (
CAIC	Consistent Akaike information criterion
CLC	Classification likelihood criterion
converged	Whether the model converged during estimation
deviance	The model deviance
Dunn	The Dunn index
entropy	Entropy of the posterior probabilities
estimationTime	The time needed for fitting the model
ED	Euclidean distance between the cluster trajectories and the assigned observed trajectories
ED.fit	Euclidean distance between the cluster trajectories and the assigned fitted trajectories
ICL.BIC	Integrated classification likelihood (ICL) approximated using the BIC
logLik	Model log-likelihood
MAE	Mean absolute error of the fitted trajectories (assigned to the most likely respective cluster) to the obs
Mahalanobis	Mahalanobis distance between the cluster trajectories and the assigned observed trajectories
MSE	Mean squared error of the fitted trajectories (assigned to the most likely respective cluster) to the obs
relativeEntropy, RE	A measure of the precision of the trajectory classification. A value of 1 indicates perfect classification
RMSE	Root mean squared error of the fitted trajectories (assigned to the most likely respective cluster) to th
RSS	Residual sum of squares under most likely cluster allocation
scaledEntropy	See relativeEntropy
sigma	The residual standard deviation

ssBIC	Sample-size adjusted BIC
SED	Standardized Euclidean distance between the cluster trajectories and the assigned observed trajectory
SED.fit	The cluster-weighted standardized Euclidean distance between the cluster trajectories and the assigned observed trajectory
WMAE	MAE weighted by cluster-assignment probability
WMSE	MSE weighted by cluster-assignment probability
WRMSE	RMSE weighted by cluster-assignment probability
WRSS	RSS weighted by cluster-assignment probability

Value

For `metric(lcModel)`: A named numeric vector with the computed model metrics.

For `metric(list)`: A `data.frame` with a metric per column.

For `metric(lcModels)`: A `data.frame` with a metric per column.

Implementation

See the documentation of the `defineInternalMetric()` function for details on how to define your own metrics.

References

- Akaike H (1974). "A new look at the statistical model identification." *IEEE Transactions on Automatic Control*, **19**(6), 716-723. doi: [10.1109/TAC.1974.1100705](https://doi.org/10.1109/TAC.1974.1100705).
- Arbelaitz O, Gurrutxaga I, Muguerza J, Pérez JM, Perona I (2013). "An extensive comparative study of cluster validity indices." *Pattern recognition*, **46**(1), 243–256. ISSN 0031-3203, doi: [10.1016/j.patcog.2012.07.021](https://doi.org/10.1016/j.patcog.2012.07.021).
- Biernacki C, Celeux G, Govaert G (2000). "Assessing a mixture model for clustering with the integrated completed likelihood." *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **22**(7), 719-725. doi: [10.1109/34.865189](https://doi.org/10.1109/34.865189).
- Bozdogan H (1987). "Model Selection and Akaike's Information Criterion (AIC): The General Theory and Its Analytical Extensions." *Psychometrika*, **52**, 345–370. doi: [10.1007/BF02294361](https://doi.org/10.1007/BF02294361).
- Henson JM, Reise SP, Kim KH (2007). "Detecting Mixtures From Structural Model Differences Using Latent Variable Mixture Modeling: A Comparison of Relative Model Fit Statistics." *Structural Equation Modeling: A Multidisciplinary Journal*, **14**(2), 202–226. doi: [10.1080/10705510709336744](https://doi.org/10.1080/10705510709336744).
- Mahalanobis PC (1936). "On the generalized distance in statistics." *Proceedings of the National Institute of Sciences (Calcutta)*, **2**(1), 49–55.
- McLachlan G, Peel D (2000). *Finite Mixture Models*. John Wiley & Sons, Inc. ISBN 9780471006268.
- Muthén B (2004). "Latent variable analysis: Growth mixture modeling and related techniques for longitudinal data." In *The SAGE Handbook of Quantitative Methodology for the Social Sciences*, 346–369. SAGE Publications, Inc. doi: [10.4135/9781412986311.n19](https://doi.org/10.4135/9781412986311.n19).

Nagin DS (2005). *Group-based modeling of development*. Harvard University Press. ISBN 9780674041318, doi: [10.4159/9780674041318](https://doi.org/10.4159/9780674041318).

Ramaswamy V, Desarbo W, Reibstein D, Robinson W (1993). "An Empirical Pooling Approach for Estimating Marketing Mix Elasticities with PIMS Data." *Marketing Science*, **12**(1), 103-124. doi: [10.1287/mksc.12.1.103](https://doi.org/10.1287/mksc.12.1.103).

Schwarz G (1978). "Estimating the Dimension of a Model." *The Annals of Statistics*, **6**(2), 461 – 464.

Sclove SL (1987). "Application of model-selection criteria to some problems in multivariate analysis." *Psychometrika*, **52**(3), 333–343. doi: [10.1007/BF02294360](https://doi.org/10.1007/BF02294360).

van der Nest G, Lima Passos V, Candel MJ, van Breukelen GJ (2020). "An overview of mixture modelling for latent evolutions in longitudinal data: Modelling approaches, fit statistics and software." *Advances in Life Course Research*, **43**, 100323. ISSN 1040-2608, doi: [10.1016/j.alcr.2019.100323](https://doi.org/10.1016/j.alcr.2019.100323).

See Also

[externalMetric](#) [min.lcModels](#) [max.lcModels](#)

Other metric functions: [defineExternalMetric\(\)](#), [defineInternalMetric\(\)](#), [externalMetric](#), [lcModel](#), [lcModel-metric](#), [getExternalMetricDefinition\(\)](#), [getExternalMetricNames\(\)](#), [getInternalMetricDefinition\(\)](#), [getInternalMetricNames\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
metric(model, "WMAE")

if (require("clusterCrit")) {
  metric(model, c("WMAE", "Dunn"))
}
```

min.lcModels

Select the lcModel with the lowest metric value

Description

Select the lcModel with the lowest metric value

Usage

```
## S3 method for class 'lcModels'
min(x, name, ...)
```

Arguments

x	The lcModels object
name	The name of the internal metric.
...	Additional arguments.

Value

The lcModel with the lowest metric value

See Also

[max.lcModels externalMetric](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")

model1 <- latrend(method, latrendData, nClusters = 1)
model2 <- latrend(method, latrendData, nClusters = 2)
model3 <- latrend(method, latrendData, nClusters = 3)

models <- lcModels(model1, model2, model3)

min(models, "WMAE")
```

model.data.lcModel	<i>Extract the model data that was used for fitting</i>
--------------------	---

Description

Evaluates the data call in the environment that the model was trained in.

Usage

```
## S3 method for class 'lcModel'
model.data(object, ...)
```

Arguments

object	The lcModel object.
...	Additional arguments.

Value

The full data.frame that was used for fitting the lcModel.

See Also

[model.frame.lcModel](#) [time.lcModel](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
model.data(model)
```

`model.frame.lcModel` *Extract model training data*

Description

See [stats::model.frame\(\)](#) for more details.

Usage

```
## S3 method for class 'lcModel'
model.frame(formula, ...)
```

Arguments

<code>formula</code>	The <code>lcModel</code> object.
<code>...</code>	Additional arguments.

Value

A data frame containing the variables used by the model.

See Also

[stats::model.frame](#) [model.data.lcModel](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, data = latrendData)
model.frame(model)
```

names, lcMethod-method *lcMethod argument names*

Description

Extract the argument names or number of arguments from an lcMethod object.

Usage

```
## S4 method for signature 'lcMethod'
length(x)

## S4 method for signature 'lcMethod'
names(x)
```

Arguments

x The lcMethod object.

Value

The number of arguments, as integer.
A character vector of argument names.

See Also

Other lcMethod functions: [\[\[, lcMethod-method](#), [as.data.frame.lcMethods\(\)](#), [as.data.frame.lcMethod\(\)](#), [as.lcMethods\(\)](#), [as.list.lcMethod\(\)](#), [evaluate.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [update.lcMethod\(\)](#)

Examples

```
method <- lcMethodLMKM(Y ~ Time)
names(method)
length(method)
```

nClusters *Number of clusters*

Description

Get the number of clusters estimated by the given lcModel object.

Usage

```
nClusters(object)
```


Arguments

object The lcModel object.

Value

An integer with the number of clusters identified by the lcModel.

See Also

[nIds nobs](#)

Examples

```
data(latrendData)
method <- lcMethodRandom("Y", id = "Id", time = "Time", nClusters = 3)
model <- latrend(method, latrendData)
nClusters(model) # 3
```

nIds	<i>Number of trajectories</i>
------	-------------------------------

Description

Get the number of trajectories (strata) that were used for fitting the given lcModel object. The number of trajectories is determined from the number of unique identifiers in the training data. In case the trajectory ids were supplied using a factor column, the number of trajectories is determined by the number of levels instead.

Usage

```
nIds(object)
```

Arguments

object The lcModel object.

Value

An integer with the number of trajectories on which the lcModel was fitted.

See Also

[nobs nClusters](#)

Examples

```
data(latrendData)
method <- lcMethodRandom("Y", id = "Id", time = "Time")
model <- latrend(method, latrendData)
nIds(model)
```

nobs.lcModel	<i>Number of observations used for the lcModel fit</i>
--------------	--

Description

Extracts the number of observations that contributed information towards fitting the cluster trajectories of the respective lcModel object. Therefore, only non-missing response observations count towards the number of observations.

Usage

```
## S3 method for class 'lcModel'
nobs(object, ...)
```

Arguments

object	The lcModel object.
...	Additional arguments.

See Also

[nIds nClusters](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
nobs(model)
```

OCC	<i>Odds of correct classification (OCC)</i>
-----	---

Description

Computes the odds of correct classification (OCC) for each cluster. In other words, it computes the proportion of trajectories that can be expected to be correctly classified by the model for each cluster.

Usage

```
OCC(object)
```

Arguments

object The model, of type lcModel.

Details

An OCC of 1 indicates that the cluster assignment is no better than by random chance.

Value

The OCC per cluster, as a numeric vector of length nClusters(object). Empty clusters will output NA.

References

Nagin DS (2005). *Group-based modeling of development*. Harvard University Press. ISBN 9780674041318, doi: [10.4159/9780674041318](https://doi.org/10.4159/9780674041318). Klijn SL, Weijnenberg MP, Lemmens P, van den Brandt PA, Passos VL (2017). “Introducing the fit-criteria assessment plot - A visualisation tool to assist class enumeration in group-based trajectory modelling.” *Statistical Methods in Medical Research*, **26**(5), 2424-2436. van der Nest G, Lima Passos V, Candel MJ, van Breukelen GJ (2020). “An overview of mixture modelling for latent evolutions in longitudinal data: Modelling approaches, fit statistics and software.” *Advances in Life Course Research*, **43**, 100323. ISSN 1040-2608, doi: [10.1016/j.alcr.2019.100323](https://doi.org/10.1016/j.alcr.2019.100323).

See Also

[confusionMatrix APPA](#)

OSA.adherence

Biweekly Mean Treatment Adherence of OSA Patients over 1 Year

Description

Deprecated, renamed to [PAP.adh](#).

Usage

OSA.adherence

Format

An object of class data.frame with 13000 rows and 5 columns.

PAP.adh

Biweekly Mean Therapy Adherence of OSA Patients over 1 Year

Description

A simulated longitudinal dataset comprising 500 patients with obstructive sleep apnea (OSA) during their first year on CPAP therapy. The dataset contains the patient usage hours, averaged over 2-week periods.

The daily usage data underlying the downsampled dataset was simulated based on 7 different adherence patterns. The defined adherence patterns were inspired by the adherence patterns identified by Aloia et al. (2008), with slight adjustments

The PAP.adh1y dataset is a subset of PAP.adh, comprising only patients who used therapy for at least 1 year. The subset does not contain the Non-users and Early drop-out groups.

Usage

PAP.adh

PAP.adh1y

Format

A data.frame comprising longitudinal data of 500 patients, each having 26 observations over a period of 1 year. Each row represents a patient observation interval (two weeks), with columns:

Patient factor: The patient identifier, where each level represents a simulated patient.

Biweek integer: Two-week interval index. Starts from 1.

MaxDay integer: The last day used for the aggregation of the respective interval, integer

UsageHours numeric: The mean hours of usage in the respective week. Greater than or equal to zero, and typically around 4-6 hours.

Group factor: The reference group (i.e., adherence pattern) from which this patient was generated.

An object of class data.frame with 9880 rows and 5 columns.

Note

This dataset is only intended for demonstration purposes. While the data format will remain the same, the data content is subject to change in future versions.

Source

This dataset was generated based on the cluster-specific descriptive statistics table provided in Aloia et al. (2008), with some adjustments made in order to improve cluster separation for demonstration purposes.

Aloia MS, Goodwin MS, Velicer WF, Arnedt JT, Zimmerman M, Skrekas J, Harris S, Millman RP (2008). "Time series analysis of treatment adherence patterns in individuals with obstructive sleep apnea." *Annals of Behavioral Medicine*, **36**(1), 44–53. ISSN 0883-6612, doi: [10.1007/s12160008-90529](https://doi.org/10.1007/s12160008-90529).

Examples

```
data(PAP.adh)

if (require("ggplot2")) {
  plotTrajectories(PAP.adh, id = "Patient", time = "Biweek", response = "UsageHours")

  # plot according to cluster ground truth
  plotTrajectories(
    PAP.adh,
    id = "Patient",
    time = "Biweek",
    response = "UsageHours",
    cluster = "Group"
  )
}
```

plot-lcModel-method *Plot a lcModel*

Description

Plot a `lcModel` object. By default, this plots the cluster trajectories of the model, along with the training data.

Usage

```
## S4 method for signature 'lcModel'
plot(x, y, ...)
```

Arguments

<code>x</code>	The <code>lcModel</code> object.
<code>y</code>	Not used.
<code>...</code>	Arguments passed on to plotClusterTrajectories object The (cluster) trajectory data.

Value

A `ggplot` object.

See Also

[plotClusterTrajectories](#) [plotFittedTrajectories](#) [plotTrajectories](#) [ggplot2::ggplot](#)

Examples

```

data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 3)

if (require("ggplot2")) {
  plot(model)
}

```

plot-lcModels-method *Grid plot for a list of models*

Description

Grid plot for a list of models

Usage

```

## S4 method for signature 'lcModels'
plot(x, y, ..., subset, gridArgs = list())

```

Arguments

x	The lcModels object.
y	Not used.
...	Additional parameters passed to the plot() call for each lcModel object.
subset	Logical expression based on the lcModel method arguments, indicating which lcModel objects to keep.
gridArgs	Named list of parameters passed to gridExtra::arrangeGrob .

plotClusterTrajectories
Plot cluster trajectories

Description

Plot cluster trajectories

Plot the cluster trajectories of a lcModel

Usage

```
## S4 method for signature 'data.frame'
plotClusterTrajectories(
  object,
  response,
  cluster = "Cluster",
  time = getOption("latrend.time"),
  center = meanNA,
  trajectories = c(FALSE, "sd", "se", "80pct", "90pct", "95pct", "range"),
  facet = !isFALSE(as.logical(trajectories[1])),
  id = getOption("latrend.id"),
  ...
)

## S4 method for signature 'lcModel'
plotClusterTrajectories(
  object,
  what = "mu",
  at = time(object),
  clusterLabels = NULL,
  trajectories = FALSE,
  facet = !isFALSE(as.logical(trajectories[1])),
  trajAssignments = trajectoryAssignments(object),
  ...
)
```

Arguments

object	The (cluster) trajectory data.
response	The response variable name.
cluster	The cluster assignment column
time	The time variable name.
center	A function for aggregating multiple points at the same point in time
trajectories	Whether to additionally plot the original trajectories (TRUE), or to show the expected interval (standard deviation, standard error, range, or percentile range) of the observations at the respective moment in time. Note that visualizing the expected intervals is currently only supported for time-aligned trajectories, as the interval is computed at each unique moment in time. By default (FALSE), no information on the underlying trajectories is shown.
facet	Whether to facet by cluster. This is done by default when trajectories is enabled.
id	Id column. Only needed when trajectories = TRUE.
...	Arguments passed to <code>clusterTrajectories()</code> , or <code>ggplot2::geom_line()</code> for plotting the cluster trajectory lines.

<code>what</code>	The distributional parameter to predict. By default, the mean response 'mu' is predicted. The cluster membership predictions can be obtained by specifying <code>what = 'mb'</code> .
<code>at</code>	An optional vector of the times at which to compute the cluster trajectory predictions.
<code>clusterLabels</code>	Cluster display names. By default it's the cluster name with its proportion enclosed in parentheses.
<code>trajAssignments</code>	The cluster assignments for the fitted trajectories. Only used when <code>trajectories = TRUE</code> and <code>facet = TRUE</code> . See trajectoryAssignments .

Value

A ggplot object.

See Also

[clusterTrajectories](#) [plotFittedTrajectories](#) [plotTrajectories](#) [plot](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 3)

if (require("ggplot2")) {
  plotClusterTrajectories(model)

  # show assigned trajectories
  plotClusterTrajectories(model, trajectories = TRUE)

  # show 95th percentile observation interval
  plotClusterTrajectories(model, trajectories = "95pct")

  # show observation standard deviation
  plotClusterTrajectories(model, trajectories = "sd")

  # show observation standard error
  plotClusterTrajectories(model, trajectories = "se")

  # show observation range
  plotClusterTrajectories(model, trajectories = "range")
}
```

`plotFittedTrajectories`*Plot fitted trajectories of a lcModel*

Description

Plot fitted trajectories of a lcModel

Usage

```
## S4 method for signature 'lcModel'  
plotFittedTrajectories(object, ...)
```

Arguments

<code>object</code>	The lcModel object.
<code>...</code>	Arguments passed on to trajectories
<code>id</code>	The identifier variable name.
<code>time</code>	The time variable name.
<code>response</code>	The response variable name.

See Also

[fittedTrajectories](#) [plotClusterTrajectories](#) [plotTrajectories](#) [plot](#)

Examples

```
data(latrendData)  
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")  
model <- latrend(method, latrendData, nClusters = 3)  
  
if (require("ggplot2")) {  
  plotFittedTrajectories(model)  
}
```

`plotMetric`*Plot one or more internal metrics for all lcModels*

Description

Plot one or more internal metrics for all lcModels

Usage

```
plotMetric(models, name, by = "nClusters", subset, group = character())
```

Arguments

models	A lcModels or list of lcModel objects to compute and plot the metrics of.
name	The name(s) of the metric(s) to compute. If no names are given, the names specified in the <code>latrend.metric</code> option (WRSS, APPA, AIC, BIC) are used.
by	The argument name along which methods are plotted.
subset	Logical expression based on the lcModel method arguments, indicating which lcModel objects to keep.
group	The argument names to use for determining groups of different models. By default, all arguments are included. Specifying <code>group = character()</code> disables grouping. Specifying a single argument for grouping uses that specific column as the grouping column. In all other cases, groupings are represented by a number.

Value

ggplot2 object.

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
methods <- lcMethods(method, nClusters = 1:3)
models <- latrendBatch(methods, latrendData)

if (require("ggplot2")) {
  plotMetric(models, "WMAE")
}

if (require("ggplot2") && require("clusterCrit")) {
  plotMetric(models, c("WMAE", "Dunn"))
}
```

plotTrajectories *Plot the data trajectories*

Description

Plots the output of [trajectories](#) for the given object.

Usage

```
plotTrajectories(object, ...)

## S4 method for signature 'data.frame'
plotTrajectories(
  object,
  response,
```

```

    time = getOption("latrend.time"),
    id = getOption("latrend.id"),
    cluster = NULL,
    facet = TRUE,
    ...
)

## S4 method for signature 'ANY'
plotTrajectories(object, ...)

## S4 method for signature 'lcModel'
plotTrajectories(object, ...)

```

Arguments

object	The data or model or extract the trajectories from.
...	Additional arguments passed to trajectories() .
response	Response variable character name or a call.
time	The time variable name.
id	The identifier variable name.
cluster	Cluster variable name. If unspecified, trajectories are not grouped. Alternatively, cluster is a vector indicating cluster membership per id.
facet	Whether to facet by cluster.

See Also

[trajectories](#) [plotFittedTrajectories](#) [plotClusterTrajectories](#)

Examples

```

data(latrendData)

if (require("ggplot2")) {
  plotTrajectories(latrendData, response = "Y", id = "Id", time = "Time")

  plotTrajectories(
    latrendData,
    response = quote(exp(Y)),
    id = "Id",
    time = "Time"
  )

  plotTrajectories(
    latrendData,
    response = "Y",
    id = "Id",
    time = "Time",
    cluster = "Class"
  )
}

```

```

# compute cluster membership based on the mean being below 0
assignments <- aggregate(Y ~ Id, latrendData, mean)$Y < 0
plotTrajectories(
  latrendData,
  response = "Y",
  id = "Id",
  time = "Time",
  cluster = assignments
)
}
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData, nClusters = 3)

if (require("ggplot2")) {
  plotTrajectories(model)
}

```

postFit

lcMethod fit process: logic for post-processing the fitted lcModel

Description

Note: this function should not be called directly, as it is part of the `lcMethod` fitting process. For fitting an `lcMethod` object to a dataset, see `latrend()`.

The `postFit()` function of the `lcMethod` object defines how the `lcModel` object returned by `fit()` should be post-processed. This can be used, for example, to:

- Resolve label switching.
- Clean up the internal model representation.
- Correct estimation errors.
- Compute additional metrics.

By default, this method does not do anything. It merely returns the original `lcModel` object.

This is the last step in the `lcMethod` fitting procedure. The `postFit` method may be called again on fitted `lcModel` objects, allowing post-processing to be updated for existing models.

Usage

```

## S4 method for signature 'lcMethod'
postFit(method, data, model, envir, verbose)

```

Arguments

method	An object inheriting from <code>lcMethod</code> with all its arguments having been evaluated and finalized.
data	A <code>data.frame</code> representing the transformed training data.
model	The <code>lcModel</code> object returned by <code>fit()</code> .
envir	The environment containing variables generated by <code>prepareData()</code> and <code>preFit()</code> .
verbose	A <code>R.utils::Verbose</code> object indicating the level of verbosity.

Value

The updated `lcModel` object.

Implementation

The method is intended to be able to be called on previously fitted `lcModel` objects as well, allowing for potential bugfixes or additions to previously fitted models. Therefore, when implementing this method, ensure that you do not discard information from the model which would prevent the method from being run a second time on the object.

In this example, the `lcModelExample` class is assumed to be defined with a slot named "centers":

```
setMethod("postFit", "lcMethodExample", function(method, data, model, envir, verbose) {
  # compute and store the cluster centers
  model@centers <- INTENSIVE_COMPUTATION
  return(model)
})
```

Fitting procedure

Each `lcMethod` subclass defines a type of methods in terms of a series of steps for estimating the method. These steps, as part of the fitting procedure, are executed by `latrend()` in the following order:

1. `compose()`: Evaluate and finalize the method argument values.
2. `validate()`: Check the validity of the method argument values in relation to the dataset.
3. `prepareData()`: Process the training data for fitting.
4. `preFit()`: Prepare environment for estimation, independent of training data.
5. `fit()`: Estimate the specified method on the training data, outputting an object inheriting from `lcModel`.
6. `postFit()`: Post-process the outputted `lcModel` object.

The result of the fitting procedure is an `lcModel` object that inherits from the `lcModel` class.

postprob	<i>Posterior probability per fitted trajectory</i>
----------	--

Description

Get the posterior probability matrix with element (i, j) indicating the probability of trajectory i belonging to cluster j .

Usage

```
## S4 method for signature 'lcModel'
postprob(object, ...)
```

Arguments

object	The lcModel.
...	Additional arguments.

Details

This method should be extended by lcModel implementations. The default implementation returns uniform probabilities for all observations.

Value

A I-by-K matrix with $I = nIds(object)$ and $K = nClusters(object)$.

Implementation

Classes extending lcModel should override this method.

```
setMethod("postprob", "lcModelExt", function(object, ...) {
  # return trajectory-specific posterior probability matrix
})
```

Troubleshooting

If you are getting errors about undefined model signatures when calling `postprob(model)`, check whether the `postprob()` function is still the one defined by the `latrend` package. It may have been overridden when attaching another package (e.g., `lcmm`). If you need to attach conflicting packages, load them first.

See Also

[trajectoryAssignments](#) [predictPostprob](#) [predictAssignments](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```

data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)

postprob(model)

if (rlang::is_installed("lcmm")) {
  gmmMethod = lcMethodLcmmGMM(
    fixed = Y ~ Time,
    mixture = ~ Time,
    id = "Id",
    time = "Time",
    idiag = TRUE,
    nClusters = 2
  )
  gmmModel <- latrend(gmmMethod, data = latrendData)
  postprob(gmmModel)
}

```

postprobFromAssignments

Create a posterior probability matrix from a vector of cluster assignments.

Description

For each trajectory, the probability of the assigned cluster is 1.

Usage

```
postprobFromAssignments(assignments, k)
```

Arguments

assignments	Integer vector indicating cluster assignment per trajectory
k	The number of clusters.

predict.lcModel	<i>lcModel predictions</i>
-----------------	----------------------------

Description

Predicts the expected trajectory observations at the given time for each cluster.

Usage

```
## S3 method for class 'lcModel'
predict(object, newdata = NULL, what = "mu", ..., useCluster = NA)
```

Arguments

<code>object</code>	The <code>lcModel</code> object.
<code>newdata</code>	Optional <code>data.frame</code> for which to compute the model predictions. If omitted, the model training data is used. Cluster trajectory predictions are made when <code>ids</code> are not specified.
<code>what</code>	The distributional parameter to predict. By default, the mean response 'mu' is predicted. The cluster membership predictions can be obtained by specifying <code>what = 'mb'</code> .
<code>...</code>	Additional arguments.
<code>useCluster</code>	Whether to use the "Cluster" column in the <code>newdata</code> argument for computing predictions conditional on the respective cluster. For <code>useCluster = NA</code> (the default), the feature is enabled if <code>newdata</code> contains the "Cluster" column.

Value

If `newdata` specifies the cluster membership; a `data.frame` of cluster-specific predictions. Otherwise, a list of `data.frame` of cluster-specific predictions is returned.

Implementation

Note: Subclasses of `lcModel` should preferably implement `predictForCluster()` instead of overriding `predict.lcModel` as that function is designed to be easier to implement because it is single-purpose.

The `predict.lcModelExt` function should be able to handle the case where `newdata = NULL` by returning the fitted values. After post-processing the non-NULL `newdata` input, the observation- and cluster-specific predictions can be computed. Lastly, the output logic is handled by the `transformPredict()` function. It converts the computed predictions (e.g., `matrix` or `data.frame`) to the appropriate output format.

```
predict.lcModelExt <- function(object, newdata = NULL, what = "mu", ...) {
  if (is.null(newdata)) {
    newdata = model.data(object)
    if (hasName(newdata, 'Cluster')) {
      # allowing the Cluster column to remain would break the fitted() output.
      newdata[['Cluster']] = NULL
    }
  }

  # compute cluster-specific predictions for the given newdata
  pred <- NEWDATA_COMPUTATIONS_HERE
  transformPredict(pred = pred, model = object, newdata = newdata)
})
```


See Also

[predictForCluster](#) [stats::predict](#) [fitted.lcModel](#) [clusterTrajectories](#) [trajectories](#) [predictPostprob](#) [predictAssignments](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)

predFitted <- predict(model) # same result as fitted(model)

# Cluster trajectory of cluster A
predCluster <- predict(model, newdata = data.frame(Cluster = "A", Time = time(model)))

# Prediction for id S1 given cluster A membership
predId <- predict(model, newdata = data.frame(Cluster = "A", Id = "S1", Time = time(model)))

# Prediction matrix for id S1 for all clusters
predIdAll <- predict(model, newdata = data.frame(Id = "S1", Time = time(model)))
```

`predictAssignments` *Predict the cluster assignments for new trajectories*

Description

Computes the posterior probability based on the provided (observed) data.

Usage

```
## S4 method for signature 'lcModel'
predictAssignments(object, newdata = NULL, strategy = which.max, ...)
```

Arguments

<code>object</code>	The <code>lcModel</code> object.
<code>newdata</code>	Optional <code>data.frame</code> for which to compute the model predictions. If omitted, the model training data is used. Cluster trajectory predictions are made when <code>ids</code> are not specified.
<code>strategy</code>	A function returning the cluster index based on the given vector of membership probabilities. By default (<code>strategy = which.max</code>), trajectories are assigned to the most likely cluster.
<code>...</code>	Additional arguments.

Details

The default implementation uses [predictPostprob](#) to determine the cluster membership.

Value

A factor of length `nrow(newdata)` that indicates the assigned cluster per trajectory per observation.

See Also

[predictPostprob](#) [predict.lcModel](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
## Not run:
data(latrendData)
if (require("kml")) {
  model <- latrend(method = lcMethodKML("Y", id = "Id", time = "Time"), latrendData)
  predictAssignments(model, newdata = data.frame(Id = 999, Y = 0, Time = 0))
}
## End(Not run)
```

`predictForCluster` *lcModel prediction conditional on a cluster*

Description

Predicts the expected trajectory observations at the given time under the assumption that the trajectory belongs to the specified cluster.

The same result can be obtained by calling [predict\(\)](#) with the `newdata` `data.frame` having a "Cluster" assignment column. The main purpose of this function is to make it easier to implement the prediction computations for custom `lcModel` classes.

Usage

```
## S4 method for signature 'lcModel'
predictForCluster(object, newdata = NULL, cluster, ..., what = "mu")
```

Arguments

object	The lcModel object.
newdata	Optional data.frame for which to compute the model predictions. If omitted, the model training data is used. Cluster trajectory predictions are made when ids are not specified.
cluster	The cluster name (as character) to predict for.
...	Additional arguments.
what	The distributional parameter to predict. By default, the mean response 'mu' is predicted. The cluster membership predictions can be obtained by specifying what = 'mb'.

Details

The default predictForCluster() method makes use of [predict.lcModel\(\)](#), and vice versa. For this to work, any extending lcModel classes, e.g., lcModelExample, should implement either predictForCluster(lcModelExample) or predict.lcModelExample(). When implementing new models, it is advisable to implement predictForCluster as the cluster-specific computation generally results in shorter and simpler code.

Value

A vector with the predictions per newdata observation, or a data.frame with the predictions and newdata alongside.

Implementation

Classes extending lcModel should override this method, unless [predict.lcModel\(\)](#) is preferred.

```
setMethod("predictForCluster", "lcModelExt",
  function(object, newdata = NULL, cluster, ..., what = "mu") {
    # return model predictions for the given data under the
    # assumption of the data belonging to the given cluster
  })
```

See Also

[predict.lcModel](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
```

```

predictForCluster(
  model,
  newdata = data.frame(Time = c(0, 1)),
  cluster = "B"
)

# all fitted values under cluster B
predictForCluster(model, cluster = "B")

```

predictPostprob	<i>lcModel posterior probability prediction</i>
-----------------	---

Description

Returns the observation-specific posterior probabilities for the given data. The default implementation returns a uniform probability matrix.

Usage

```

## S4 method for signature 'lcModel'
predictPostprob(object, newdata = NULL, ...)

```

Arguments

object	The <code>lcModel</code> to predict the posterior probabilities with.
newdata	Optional data frame for which to compute the posterior probability. If omitted, the model training data is used.
...	Additional arguments.

Value

A N-by-K matrix indicating the posterior probability per trajectory per measurement on each row, for each cluster (the columns). Here, N = `nrow(newdata)` and K = `nClusters(object)`.

Implementation

Classes extending `lcModel` should override this method to enable posterior probability predictions for new data.

```

setMethod("predictPostprob", "lcModelExt", function(object, newdata = NULL, ...) {
  # return observation-specific posterior probability matrix
})

```

See Also

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

```
preFit          lcMethod fit process: method preparation logic
```

Description

Note: this function should not be called directly, as it is part of the `lcMethod` fitting process. For fitting an `lcMethod` object to a dataset, see `latrend()`.

The `preFit()` function of the `lcMethod` object performs preparatory work that is needed for fitting the method but should not be counted towards the method estimation time. The work is added to the provided environment, allowing the `fit()` function to make use of the prepared work.

Usage

```
## S4 method for signature 'lcMethod'
preFit(method, data, envir, verbose)
```

Arguments

<code>method</code>	An object inheriting from <code>lcMethod</code> with all its arguments having been evaluated and finalized.
<code>data</code>	A <code>data.frame</code> representing the transformed training data.
<code>envir</code>	The environment containing additional data variables returned by <code>prepareData()</code> .
<code>verbose</code>	A <code>R.utils::Verbose</code> object indicating the level of verbosity.

Value

The updated environment that will be passed to `fit()`.

Implementation

```
setMethod("preFit", "lcMethodExample", function(method, data, envir, verbose) {
  # update envir with additional computed work
  envir$x <- INTENSIVE_OPERATION
  return(envir)
})
```

Fitting procedure

Each `lcMethod` subclass defines a type of methods in terms of a series of steps for estimating the method. These steps, as part of the fitting procedure, are executed by `latrend()` in the following order:

1. `compose()`: Evaluate and finalize the method argument values.
2. `validate()`: Check the validity of the method argument values in relation to the dataset.
3. `prepareData()`: Process the training data for fitting.
4. `preFit()`: Prepare environment for estimation, independent of training data.

5. `fit()`: Estimate the specified method on the training data, outputting an object inheriting from `lcModel`.
6. `postFit()`: Post-process the outputted `lcModel` object.

The result of the fitting procedure is an `lcModel` object that inherits from the `lcModel` class.

```
prepareData
```

```
lcMethod fit process: logic for preparing the training data
```

Description

Note: this function should not be called directly, as it is part of the `lcMethod` fitting process. For fitting an `lcMethod` object to a dataset, see `latrend()`.

The `prepareData()` function of the `lcMethod` object processes the training data prior to fitting the method. Example uses:

- Transforming the data to another format, e.g., a matrix.
- Truncating the response variable.
- Computing derived covariates.
- Creating additional data objects.

The computed variables are stored in an environment which is passed to the `preFit()` function for further processing.

By default, this method does not do anything.

Usage

```
## S4 method for signature 'lcMethod'
prepareData(method, data, verbose)
```

Arguments

<code>method</code>	An object inheriting from <code>lcMethod</code> with all its arguments having been evaluated and finalized.
<code>data</code>	A <code>data.frame</code> representing the transformed training data.
<code>verbose</code>	A <code>R.utils::Verbose</code> object indicating the level of verbosity.

Value

An environment with the prepared data variable(s) that will be passed to `preFit()`.

Implementation

A common use case for this method is when the internal method fitting procedure expects the data in a different format. In this example, the method converts the training data `data.frame` to a matrix of repeated and aligned trajectory measurements.

```
setMethod("prepareData", "lcMethodExample", function(method, data, verbose) {
  envir = new.env()
  # transform the data to matrix
  envir$dataMat = tsmatrix(data,
    id = idColumn, time = timeColumn, response = valueColumn)
  return(envir)
})
```

Fitting procedure

Each `lcMethod` subclass defines a type of methods in terms of a series of steps for estimating the method. These steps, as part of the fitting procedure, are executed by `latrend()` in the following order:

1. `compose()`: Evaluate and finalize the method argument values.
2. `validate()`: Check the validity of the method argument values in relation to the dataset.
3. `prepareData()`: Process the training data for fitting.
4. `preFit()`: Prepare environment for estimation, independent of training data.
5. `fit()`: Estimate the specified method on the training data, outputting an object inheriting from `lcModel`.
6. `postFit()`: Post-process the outputted `lcModel` object.

The result of the fitting procedure is an `lcModel` object that inherits from the `lcModel` class.

```
print.lcMethod      Print the arguments of an lcMethod object
```

Description

Print the arguments of an `lcMethod` object

Usage

```
## S3 method for class 'lcMethod'
print(x, ..., eval = FALSE, width = 40, envir = NULL)
```

Arguments

<code>x</code>	The <code>lcMethod</code> object.
<code>...</code>	Not used.
<code>eval</code>	Whether to print the evaluated argument values.
<code>width</code>	Maximum number of characters per argument.
<code>envir</code>	The environment in which to evaluate the arguments when <code>eval = TRUE</code> .

`print.lcModels` *Print lcModels list concisely*

Description

Print lcModels list concisely

Usage

```
## S3 method for class 'lcModels'
print(
  x,
  ...,
  summary = FALSE,
  excludeShared = !getOption("latrend.printSharedModelArgs")
)
```

Arguments

<code>x</code>	The lcModels object.
<code>...</code>	Not used.
<code>summary</code>	Whether to print the complete summary per model. This may be slow for long lists!
<code>excludeShared</code>	Whether to exclude model arguments which are identical across all models.

See Also

Other lcModel list functions: [as.lcModels\(\)](#), [lcModels](#), [subset.lcModels\(\)](#)

`qqPlot` *Quantile-quantile plot*

Description

Plot the quantile-quantile (Q-Q) plot for the fitted lcModel object. This function is based on the **qqplotr** package.

Usage

```
## S4 method for signature 'lcModel'
qqPlot(object, byCluster = FALSE, ...)
```


Arguments

object The lcModel object.
 byCluster Whether to plot the Q-Q line per cluster
 ... Additional arguments passed to `qqplotr::geom_qq_band()`, `qqplotr::stat_qq_line()`,
 and `qqplotr::stat_qq_point()`.

Value

A ggplot object.

See Also

[residuals.lcModel metric plotClusterTrajectories](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time", nClusters = 3)
model <- latrend(method, latrendData)

if (require("ggplot2") && require("qqplotr")) {
  qqPlot(model)
}
```

residuals.lcModel *Extract lcModel residuals*

Description

Extract the residuals for a fitted lcModel object. By default, residuals are computed under the most likely cluster assignment for each trajectory.

Usage

```
## S3 method for class 'lcModel'
residuals(object, ..., clusters = trajectoryAssignments(object))
```

Arguments

object The lcModel object.
 ... Additional arguments.
 clusters Optional cluster assignments per id. If unspecified, a matrix is returned containing the cluster-specific predictions per column.

Value

A numeric vector of residuals for the cluster assignments specified by clusters. If the clusters argument is unspecified, a matrix of cluster-specific residuals per observations is returned.

See Also

[fitted.lcModel trajectories](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [sigma.lcModel\(\)](#), [time.lcModel\(\)](#)

responseVariable	<i>Extract the response variable</i>
------------------	--------------------------------------

Description

Extracts the response variable from the given object.

Usage

```
## S4 method for signature 'lcMethod'
responseVariable(object, ...)
```

```
## S4 method for signature 'lcModel'
responseVariable(object, ...)
```

Arguments

object	The object to extract the response variable from.
...	Additional arguments.

Details

If the lcMethod object specifies a formula argument, then the response is extracted from the response term of the formula.

Value

The response variable name as a character.

See Also

Other lcModel variables: [idVariable\(\)](#), [timeVariable\(\)](#)

Examples

```
method <- lcMethodLMKM(Y ~ Time)
responseVariable(method) # "Y"
data(latrendData)
method <- lcMethodRandom("Y", id = "Id", time = "Time")
model <- latrend(method, latrendData)
responseVariable(model) # "Y"
```

sigma.lcModel	<i>Extract residual standard deviation from a lcModel</i>
---------------	---

Description

Extracts or estimates the residual standard deviation. If `sigma()` is not defined for a model, it is estimated from the residual error vector.

Usage

```
## S3 method for class 'lcModel'
sigma(object, ...)
```

Arguments

object	The lcModel object.
...	Additional arguments.

Value

A numeric indicating the residual standard deviation.

See Also

[coef.lcModel metric](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [time.lcModel\(\)](#)

strip	<i>Reduce the lcModel memory footprint for serialization</i>
-------	--

Description

Strip a lcModel of non-essential variables and environments in order to reduce the model size for serialization.

Usage

```
## S4 method for signature 'lcMethod'
strip(object, ..., classes = "formula")

## S4 method for signature 'ANY'
strip(object, ..., classes = "formula")

## S4 method for signature 'lcModel'
strip(object, ..., classes = "formula")
```

Arguments

object	The lcModel object.
...	Additional arguments.
classes	The object classes for which to remove their assigned environment. By default, only environments from formula are removed.

Value

An lcModel object of the same type as the object argument.

Implementation

Classes extending lcModel can override this method to remove additional non-essentials.

```
setMethod("strip", "lcModelExt", function(object, ..., classes = "formula") {
  object <- callNextMethod()
  # further process the object
  return(object)
})
```

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
newModel <- strip(model)
```

subset.lcModels

Subsetting a lcModels list based on method arguments

Description

Subsetting a lcModels list based on method arguments

Usage

```
## S3 method for class 'lcModels'
subset(x, subset, drop = FALSE, ...)
```

Arguments

x	The lcModels or list of lcModel to be subsetted.
subset	Logical expression based on the lcModel method arguments, indicating which lcModel objects to keep.
drop	Whether to return a lcModel object if the result is length 1.
...	Not used.

Value

A lcModels list with the subset of lcModel objects.

See Also

Other lcModel list functions: [as.lcModels\(\)](#), [lcModels](#), [print.lcModels\(\)](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")

model1 <- latrend(method, latrendData, nClusters = 1)
model2 <- latrend(method, latrendData, nClusters = 2)
model3 <- latrend(method, latrendData, nClusters = 3)

rngMethod <- lcMethodRandom("Y", id = "Id", time = "Time")
rngModel <- latrend(rngMethod, latrendData)

models <- lcModels(model1, model2, model3, rngModel)

subset(models, nClusters > 1 & .method == 'lmkm')
```

summary.lcModel

Summarize a lcModel

Description

Extracts all relevant information from the underlying model into a list

Usage

```
## S3 method for class 'lcModel'
summary(object, ...)
```

Arguments

object The lcModel object.
... Additional arguments.

test.latrend	<i>Test the implementation of an lcMethod and associated lcModel subclasses</i>
--------------	---

Description

Test a lcMethod subclass implementation and its resulting lcModel implementation.

Usage

```
test.latrend(
  class = "lcMethodKML",
  instantiator = NULL,
  data = NULL,
  args = list(),
  tests = c("method", "basic", "fitted", "predict", "cluster-single", "cluster-three"),
  maxFails = 5L,
  errorOnFail = FALSE,
  clusterRecovery = c("warn", "ignore", "fail"),
  verbose = TRUE
)
```

Arguments

class	The name of the lcMethod subclass to test. The class should inherit from lcMethod.
instantiator	A function with signature (id, time, response, ...), returning an object inheriting from the lcMethod specified by the class argument.
data	An optional dataset comprising three highly distinct constant clusters that will be used for testing, represented by a data.frame. The data.frame must contain the columns "Id", "Time", "Value", "Cluster" of types character, numeric, numeric, and character, respectively. All trajectories should be of equal length and have observations at the same moments in time. Trajectory observations are assumed to be independent of time, i.e., all trajectories are constant. This enables tests to insert additional observations as needed by sampling from the available observations.
args	Other arguments passed to the instantiator function.
tests	A character vector indicating the type of tests to run, as defined in the *.Rraw files inside the /test/ folder.
maxFails	The maximum number of allowed test condition failures before testing is ended prematurely.
errorOnFail	Whether to throw the test errors as an error. This is always enabled while running package tests.
clusterRecovery	Whether to test for correct recovery/identification of the original clusters in the test data. By default, a warning is outputted.

verbose Whether the output testing results. This is always disabled while running package tests.

Note

This is an experimental function that is subject to large changes in the future. The default dataset used for testing is subject to change.

Examples

```
test.latrend("lcMethodRandom", clusterRecovery = "skip")
```

time.lcModel	<i>Sampling times of a lcModel</i>
--------------	------------------------------------

Description

Extract the sampling times on which the lcModel was fitted.

Usage

```
## S3 method for class 'lcModel'
time(x, ...)
```

Arguments

x The lcModel object.
 ... Not used.

Value

A numeric vector of the unique times at which observations occur, in increasing order.

See Also

[timeVariable model.data](#)

Other model-specific methods: [clusterTrajectories\(\)](#), [coef.lcModel\(\)](#), [converged\(\)](#), [deviance.lcModel\(\)](#), [df.residual.lcModel\(\)](#), [fitted.lcModel\(\)](#), [fittedTrajectories\(\)](#), [lcModel-class](#), [logLik.lcModel\(\)](#), [model.frame.lcModel\(\)](#), [nobs.lcModel\(\)](#), [postprob\(\)](#), [predict.lcModel\(\)](#), [predictAssignments\(\)](#), [predictForCluster\(\)](#), [predictPostprob\(\)](#), [residuals.lcModel\(\)](#), [sigma.lcModel\(\)](#)

timeVariable	<i>Extract the time variable</i>
--------------	----------------------------------

Description

Extracts the time variable (i.e., column name) from the given object.

Usage

```
## S4 method for signature 'lcMethod'  
timeVariable(object, ...)
```

```
## S4 method for signature 'lcModel'  
timeVariable(object)
```

Arguments

object	The object to extract the variable from.
...	Additional arguments.

Value

The time variable name, as character.

See Also

Other lcModel variables: [idVariable\(\)](#), [responseVariable\(\)](#)

Examples

```
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")  
timeVariable(method) # "Time"  
data(latrendData)  
method <- lcMethodRandom("Y", id = "Id", time = "Time")  
model <- latrend(method, latrendData)  
timeVariable(model) # "Time"
```

trajectories	<i>Extract the trajectories</i>
--------------	---------------------------------

Description

Transform or extract the trajectories from the given object to a standardized format.

The standardized data format is for method estimation by [latrend](#), and for plotting functions.

Usage

```
trajectories(  
  object,  
  id = idVariable(object),  
  time = timeVariable(object),  
  response = responseVariable(object),  
  ...  
)  
  
## S4 method for signature 'data.frame'  
trajectories(  
  object,  
  id = idVariable(object),  
  time = timeVariable(object),  
  response = responseVariable(object),  
  ...  
)  
  
## S4 method for signature 'matrix'  
trajectories(  
  object,  
  id = idVariable(object),  
  time = timeVariable(object),  
  response = responseVariable(object),  
  ...  
)  
  
## S4 method for signature 'call'  
trajectories(object, ..., envir)  
  
## S4 method for signature 'lcModel'  
trajectories(  
  object,  
  id = idVariable(object),  
  time = timeVariable(object),  
  response = responseVariable(object),  
  ...  
)
```

Arguments

object	The data or model or extract the trajectories from.
id	The identifier variable name.
time	The time variable name.
response	The response variable name.
...	Additional arguments.

envir The environment used to evaluate the data object in (e.g., in case object is of type call).

Details

The generic function removes unused factor levels in the Id column, and any trajectories which are only comprised of NAs in the response.

Value

A data.frame with columns matching the id, time, and response name arguments.

See Also

[plotTrajectories latrend](#)

trajectoryAssignments *Get the cluster membership of each trajectory*

Description

Classify the fitted trajectories based on the posterior probabilities computed by [postprob\(\)](#), according to a given classification strategy.

By default, trajectories are assigned based on the highest posterior probability using [which.max\(\)](#). In cases where identical probabilities are expected between clusters, it is preferable to use [which.is.max](#) instead, as this function breaks ties at random. Another strategy to consider is the function [which.weight\(\)](#), which enables weighted sampling of cluster assignments based on the trajectory-specific probabilities.

Usage

```
## S4 method for signature 'matrix'
trajectoryAssignments(
  object,
  strategy = which.max,
  clusterNames = colnames(object),
  ...
)

## S4 method for signature 'lcModel'
trajectoryAssignments(object, strategy = which.max, ...)
```

Arguments

object	The object to obtain the cluster assignments from.
strategy	A function returning the cluster index based on the given vector of membership probabilities. By default, ids are assigned to the cluster with the highest probability.
clusterNames	Optional character vector with the cluster names. If clusterNames = NULL, <code>make.clusterNames()</code> is used.
...	Any additional arguments passed to the strategy function.

Details

In case object is a matrix: the posterior probability matrix, with the k th column containing the observation- or trajectory-specific probability for cluster k .

Value

A factor indicating the cluster membership for each trajectory.

See Also

[postprob](#) [clusterSizes](#) [predictAssignments](#)

Examples

```
data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model <- latrend(method, latrendData)
trajectoryAssignments(model)

# assign trajectories at random using weighted sampling
trajectoryAssignments(model, strategy = which.weight)
```

transformFitted	<i>Helper function for custom lcModel classes implementing fitted.lcModel()</i>
-----------------	---

Description

A helper function for implementing the `fitted.lcModel()` method as part of your own `lcModel` class, ensuring the correct output type and format (see the Value section). Note that this function has no use outside of implementing `fitted.lcModel`.

The function makes it easier to implement `fitted.lcModel` based on existing implementations that may output their results in different data formats. Furthermore, the function checks whether the input data is valid.

The prediction ordering depends on the ordering of the data observations that was used for fitting the `lcModel`.

By default, `transformFitted()` accepts one of the following inputs:

data.frame A data.frame in long format providing a cluster-specific prediction for each observation per row, with column names "Fit" and "Cluster". This data.frame therefore has `nobs(object) * nClusters(object)` rows.

matrix An N-by-K matrix where each row provides the cluster-specific predictions for the respective observation. Here, $N = \text{nrow}(\text{model.data}(\text{object}))$ and $K = \text{nClusters}(\text{object})$.

list A list of cluster-specific prediction vectors. Each prediction vector should be of length `nrow(model.data(object))`. The overall (named) list of cluster-specific prediction vectors is of length `nClusters(object)`.

Users can implement support for other prediction formats by defining the `transformFitted` method with other signatures.

Usage

```
transformFitted(pred, model, clusters)

## S4 method for signature '`NULL`,lcModel'
transformFitted(pred, model, clusters = NULL)

## S4 method for signature 'matrix,lcModel'
transformFitted(pred, model, clusters = NULL)

## S4 method for signature 'list,lcModel'
transformFitted(pred, model, clusters = NULL)

## S4 method for signature 'data.frame,lcModel'
transformFitted(pred, model, clusters = NULL)
```

Arguments

<code>pred</code>	The cluster-specific predictions for each observation
<code>model</code>	The <code>lcModel</code> by which the prediction was made.
<code>clusters</code>	The trajectory cluster assignment per observation. Optional.

Value

If the `clusters` argument was specified, a vector of fitted values conditional on the given cluster assignment. Else, a matrix with the fitted values per cluster per column.

Example implementation

A typical implementation of `fitted.lcModel()` for your own `lcModel` class would have the following format:

```
fitted.lcModelExample <- function(object,
  clusters = trajectoryAssignments(object)) {
  # computations of the fitted values per cluster here
  predictionMatrix <- CODE_HERE
  transformFitted(pred = predictionMatrix, model = object, clusters = clusters)
```

```
}

```

For a complete and runnable example, see the custom models vignette accessible via `vignette("custom", package = "latrend")`.

transformPredict	<i>Helper function for custom lcModel classes implementing predict.lcModel()</i>
------------------	--

Description

A helper function for implementing the `predict.lcModel()` method as part of your own `lcModel` class, ensuring the correct output type and format (see the Value section). Note that this function has no use outside of ensuring valid output for `predict.lcModel`. For implementing `lcModel` predictions from scratch, it is advisable to implement `predictForCluster` instead of `predict.lcModel`.

The prediction ordering corresponds to the observation ordering of the `newdata` argument.

By default, `transformPredict()` accepts one of the following inputs:

`data.frame` A `data.frame` in long format providing a cluster-specific prediction for each observation per row, with column names "Fit" and "Cluster". This `data.frame` therefore has `nrow(model.data(object)) * nClusters(object)` rows.

`matrix` An N-by-K matrix where each row provides the cluster-specific predictions for the respective observations in `newdata`. Here, $N = \text{nrow}(\text{newdata})$ and $K = \text{nClusters}(\text{object})$.

`vector` A vector of length `nrow(newdata)` with predictions corresponding to the rows of `newdata`.

Users can implement support for other prediction formats by defining the `transformPredict()` method with other signatures.

Usage

```
transformPredict(pred, model, newdata)

## S4 method for signature '`NULL`,lcModel'
transformPredict(pred, model, newdata)

## S4 method for signature 'vector,lcModel'
transformPredict(pred, model, newdata)

## S4 method for signature 'matrix,lcModel'
transformPredict(pred, model, newdata)

## S4 method for signature 'data.frame,lcModel'
transformPredict(pred, model, newdata)
```

Arguments

pred	The (per-cluster) predictions for newdata.
model	The lcModel for which the prediction was made.
newdata	A data.frame containing the input data to predict for.

Value

A data.frame with the predictions, or a list of cluster-specific prediction data.frames.

Example implementation

In case we have a custom lcModel class based on an existing internal model representation with a predict() function, we can use transformPredict() to easily transform the internal model predictions to the right format. A common output is a matrix with the cluster-specific predictions.

```
predict.lcModelExample <- function(object, newdata) {
  predictionMatrix <- predict(object@model, newdata)
  transformPredict(
    pred = predictionMatrix,
    model = object,
    newdata = newdata
  )
}
```

However, for ease of implementation it is generally advisable to implement [predictForCluster](#) instead of [predict.lcModel](#).

For a complete and runnable example, see the custom models vignette accessible via `vignette("custom", package = "latrend")`.

See Also

[predictForCluster](#), [predict.lcModel](#)

tsframe

Convert a multiple time series matrix to a data.frame

Description

Convert a multiple time series matrix to a data.frame

Usage

```
tsframe(  
  data,  
  response,  
  id = getOption("latrend.id"),  
  time = getOption("latrend.time"),  
  ids = rownames(data),  
  times = colnames(data),  
  as.data.table = FALSE  
)  
  
meltRepeatedMeasures(  
  data,  
  response,  
  id = getOption("latrend.id"),  
  time = getOption("latrend.time"),  
  ids = rownames(data),  
  times = colnames(data),  
  as.data.table = FALSE  
)
```

Arguments

<code>data</code>	The matrix containing a trajectory on each row.
<code>response</code>	The response column name.
<code>id</code>	The id column name.
<code>time</code>	The time column name.
<code>ids</code>	A vector specifying the id names. Should match the number of rows of data.
<code>times</code>	A numeric vector specifying the times of the measurements. Should match the number of columns of data.
<code>as.data.table</code>	Whether to return the result as a <code>data.table</code> , or a <code>data.frame</code> otherwise.

Value

A `data.table` or `data.frame` containing the repeated measures.

Note

The `meltRepeatedMeasures()` function is deprecated and will be removed in a future version, please use `tsframe()` instead.

See Also

[tsmatrix](#)

`tsmatrix`*Convert a longitudinal data.frame to a matrix*

Description

Converts a longitudinal `data.frame` comprising trajectories with an equal number of observations, measured at identical moments in time, to a `matrix`. Each row of the matrix represents a trajectory.

Usage

```
tsmatrix(  
  data,  
  response,  
  id = getOption("latrend.id"),  
  time = getOption("latrend.time"),  
  fill = NA  
)  
  
dcastRepeatedMeasures(  
  data,  
  response,  
  id = getOption("latrend.id"),  
  time = getOption("latrend.time"),  
  fill = NA  
)
```

Arguments

<code>data</code>	The matrix containing a trajectory on each row.
<code>response</code>	The response column name.
<code>id</code>	The id column name.
<code>time</code>	The time column name.
<code>fill</code>	A scalar value. If <code>FALSE</code> , an error is thrown when time series observations are missing in the data frame. Otherwise, the value used for representing missing observations.

Value

A matrix with a trajectory per row.

Note

The `dcastRepeatedMeasures()` function is deprecated and will be removed in a future version. Please use `tsmatrix()` instead.

See Also[tsframe](#)

update.lcMethod	<i>Update a method specification</i>
-----------------	--------------------------------------

Description

Update a method specification

Usage

```
## S3 method for class 'lcMethod'
update(object, ..., .eval = FALSE, .remove = character(), envir = NULL)
```

Arguments

object	The lcMethod object.
...	The new or updated method argument values.
.eval	Whether to assign the evaluated argument values to the method. By default (FALSE), the argument expression is preserved.
.remove	Names of arguments that should be removed.
envir	The environment in which to evaluate the arguments. If NULL, the environment associated with the object is used. If not available, the parent.frame() is used.

Details

Updates or adds arguments to a lcMethod object. The inputs are evaluated in order to determine the presence of formula objects, which are updated accordingly.

Value

The new lcMethod object with the additional or updated arguments.

See Also

Other lcMethod functions: [\[\[,lcMethod-method](#), [as.data.frame.lcMethods\(\)](#), [as.data.frame.lcMethod\(\)](#), [as.lcMethods\(\)](#), [as.list.lcMethod\(\)](#), [evaluate.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [names,lcMethod-method](#)

Examples

```

method <- lcMethodLMKM(Y ~ 1, nClusters = 2)
method2 <- update(method, formula = ~ . + Time)

method3 <- update(method2, nClusters = 3)

k <- 2
method4 <- update(method, nClusters = k) # nClusters: k

method5 <- update(method, nClusters = k, .eval = TRUE) # nClusters: 2

```

update.lcModel *Update a lcModel*

Description

Fit a new model with modified arguments from the current model.

Usage

```

## S3 method for class 'lcModel'
update(object, ...)

```

Arguments

object	The lcModel object.
...	Arguments passed on to latrend
method	An lcMethod object specifying the longitudinal cluster method to apply, or the name (as character) of an lcMethod subclass. See lcMethod for details.
data	The data.frame to which to apply the method. Inputs supported by trajectories() can also be used.
envir	The environment in which to evaluate the method arguments (by compose()). This environment is also used to evaluate the data argument if it is of type call.
verbose	The level of verbosity. Either an object of class Verbose (see R.utils::Verbose for details), a logical indicating whether to show basic computation information, a numeric indicating the verbosity level (see Verbose), or one of <code>c('info', 'fine', 'finest')</code> .

Value

The refitted lcModel object, of the same type as the object argument.

See Also

[latrend](#) [getCall](#)

Examples

```

data(latrendData)
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time")
model2 <- latrend(method, latrendData, nClusters = 2)

# fit for a different number of clusters
model3 <- update(model2, nClusters = 3)

```

 validate

lcMethod fit process: method argument validation logic

Description

Note: this function should not be called directly, as it is part of the `lcMethod` fitting process. For fitting an `lcMethod` object to a dataset, see `latrend()`.

The `validate()` function of the `lcMethod` object validates the method with respect to the training data. This enables a method to verify, for example:

- whether the formula covariates are present.
- whether the argument combination settings are valid.
- whether the data is suitable for training.

By default, the `validate()` function checks whether the `id`, `time`, and response variables are present as columns in the training data.

Usage

```

## S4 method for signature 'lcMethod'
validate(method, data, envir = NULL, ...)

```

Arguments

<code>method</code>	An object inheriting from <code>lcMethod</code> with all its arguments having been evaluated and finalized.
<code>data</code>	A <code>data.frame</code> representing the transformed training data.
<code>envir</code>	The environment in which the <code>lcMethod</code> should be evaluated
<code>...</code>	Not used.

Value

Either `TRUE` if all validation checks passed, or a character containing a description of the failed validation checks.

Implementation

An example implementation checking for the existence of specific arguments and type:

```
library(assertthat)
setMethod("validate", "lcMethodExample", function(method, data, envir = NULL, ...) {
  validate_that(
    hasName(method, "myArgument"),
    hasName(method, "anotherArgument"),
    is.numeric(method$myArgument)
  )
})
```

Fitting procedure

Each `lcMethod` subclass defines a type of methods in terms of a series of steps for estimating the method. These steps, as part of the fitting procedure, are executed by `latrend()` in the following order:

1. `compose()`: Evaluate and finalize the method argument values.
2. `validate()`: Check the validity of the method argument values in relation to the dataset.
3. `prepareData()`: Process the training data for fitting.
4. `preFit()`: Prepare environment for estimation, independent of training data.
5. `fit()`: Estimate the specified method on the training data, outputting an object inheriting from `lcModel`.
6. `postFit()`: Post-process the outputted `lcModel` object.

The result of the fitting procedure is an `lcModel` object that inherits from the `lcModel` class.

See Also

[assertthat::validate_that](#)

which.weight

Sample an index of a vector weighted by the elements

Description

Returns a random index, weighted by the element magnitudes. This function is intended to be used as an optional strategy for [trajectoryAssignments](#), resulting in randomly sampled cluster membership.

Usage

```
which.weight(x)
```

Arguments

x A positive numeric vector.

Value

An integer giving the index of the sampled element.

Examples

```
x = c(.01, .69, .3)
which.weight(x) #1, 2, or 3
```

[[,lcMethod-method *Retrieve and evaluate a lcMethod argument by name*

Description

Retrieve and evaluate a lcMethod argument by name

Usage

```
## S4 method for signature 'lcMethod'
x$name

## S4 method for signature 'lcMethod'
x[[i, eval = TRUE, envir = NULL]]
```

Arguments

x The lcMethod object.

name The argument name, as character.

i Name or index of the argument to retrieve.

eval Whether to evaluate the call argument (enabled by default).

envir The environment in which to evaluate the argument. This argument is only applicable when eval = TRUE.

Value

The argument call or evaluation result.

See Also

Other lcMethod functions: [as.data.frame.lcMethods\(\)](#), [as.data.frame.lcMethod\(\)](#), [as.lcMethods\(\)](#), [as.list.lcMethod\(\)](#), [evaluate.lcMethod\(\)](#), [formula.lcMethod\(\)](#), [lcMethod-class](#), [names.lcMethod-method](#), [update.lcMethod\(\)](#)

Examples

```
method <- lcMethodLMKM(Y ~ Time, id = "Id", time = "Time", nClusters = 3)
method$nClusters # 3
m = lcMethodLMKM(Y ~ Time, id = "Id", time = "Time", nClusters = 5)
m[["nClusters"]] # 5

k = 2
m = lcMethodLMKM(Y ~ Time, id = "Id", time = "Time", nClusters = k)
m[["nClusters", eval=FALSE]] # k
```

Index

* datasets

- latrendData, 53
- OSA.adherence, 99
- PAP.adh, 100

* lcMethod functions

- [[,lcMethod-method, 141
- as.data.frame.lcMethod, 8
- as.data.frame.lcMethods, 9
- as.lcMethods, 10
- as.list.lcMethod, 11
- evaluate.lcMethod, 27
- formula.lcMethod, 35
- lcMethod-class, 56
- names,lcMethod-method, 96
- update.lcMethod, 137

* lcMethod implementations

- getArgumentDefaults, 38
- getArgumentExclusions, 39
- lcMethod-class, 56
- lcMethodAkmedoids, 58
- lcMethodCrimCV, 59
- lcMethodDtwclust, 60
- lcMethodFeature, 61
- lcMethodFunction, 65
- lcMethodFunFEM, 66
- lcMethodGCKM, 67
- lcMethodKML, 69
- lcMethodLcmmGBTM, 70
- lcMethodLcmmGMM, 71
- lcMethodLMKM, 73
- lcMethodMclustLLPA, 74
- lcMethodMixAK_GLMM, 75
- lcMethodMixtoolsGMM, 76
- lcMethodMixtoolsNPRM, 77
- lcMethodRandom, 80
- lcMethodStratify, 82

* lcMethod package interfaces

- lcMethodFlexmix, 63
- lcMethodFlexmixGBTM, 64

* lcModel list functions

- as.lcModels, 11
- lcModels, 87
- print.lcModels, 120
- subset.lcModels, 124

* lcModel variables

- idVariable, 45
- responseVariable, 122
- timeVariable, 128

* longitudinal cluster fit functions

- latrend, 46
- latrendBatch, 49
- latrendBoot, 50
- latrendCV, 51
- latrendRep, 54

* metric functions

- defineExternalMetric, 23
- defineInternalMetric, 24
- externalMetric,lcModel,lcModel-method, 28
- getExternalMetricDefinition, 40
- getExternalMetricNames, 40
- getInternalMetricDefinition, 41
- getInternalMetricNames, 41
- metric, 90

* model-specific methods

- clusterTrajectories, 16
- coef.lcModel, 17
- converged, 20
- deviance.lcModel, 25
- df.residual.lcModel, 25
- fitted.lcModel, 32
- fittedTrajectories, 34
- lcModel-class, 84
- logLik.lcModel, 88
- model.frame.lcModel, 95
- nobs.lcModel, 98
- postprob, 110
- predict.lcModel, 111

- predictAssignments, 113
- predictForCluster, 114
- predictPostprob, 116
- residuals.lcModel, 121
- sigma.lcModel, 123
- time.lcModel, 127
- * **validation methods**
 - createTestDataFold, 21
 - createTestDataFolds, 22
 - createTrainDataFolds, 22
 - latrendBoot, 50
 - latrendCV, 51
- [[, lcMethod-method, 141
- \$.lcMethod-method ([[, lcMethod-method), 141
- _PACKAGE (latrend-package), 5
- akmedoids::akclustr, 58
- APPA, 7, 19, 99
- APPA(), 91
- approx, 56
- as.data.frame.lcMethod, 8, 9, 10, 12, 27, 35, 57, 96, 137, 141
- as.data.frame.lcMethods, 8, 9, 10, 12, 27, 35, 57, 96, 137, 141
- as.data.frame.lcModels, 9
- as.lcMethods, 8, 9, 10, 12, 27, 35, 57, 96, 137, 141
- as.lcModels, 11, 87, 120, 125
- as.list.lcMethod, 8–10, 11, 27, 35, 57, 96, 137, 141
- assertthat::validate_that, 140
- atomic, 8
- base::difftime, 26
- clusterCrit::extCriteria(), 29
- clusterNames, 12
- clusterNames<-, 13
- clusterProportions, 14, 15, 19
- clusterProportions, lcModel-method (clusterProportions), 14
- clusterSizes, 14, 15, 131
- clusterTrajectories, 7, 16, 17, 20, 25, 26, 33, 34, 85, 89, 95, 98, 104, 110, 113–116, 122, 123, 127
- clusterTrajectories(), 103
- clusterTrajectories, lcModel-method (clusterTrajectories), 16
- coef.lcModel, 16, 17, 20, 25, 26, 33, 34, 85, 89, 95, 98, 110, 113–116, 122, 123, 127
- compose, 18, 27
- compose(), 18, 32, 47, 51, 52, 54, 57, 109, 117, 119, 138, 140
- compose, lcMethod-method (compose), 18
- confusionMatrix, 8, 19, 99
- converged, 16, 17, 20, 25, 26, 33, 34, 85, 89, 95, 98, 110, 113–116, 122, 123, 127
- converged(), 91
- converged, lcModel-method (converged), 20
- createTestDataFold, 21, 22, 23, 51, 52
- createTestDataFolds, 21, 22, 23, 51, 52
- createTrainDataFolds, 21, 22, 22, 51, 52
- crimCV:::crimCV, 59
- dcastRepeatedMeasures (tsmatrix), 136
- defineExternalMetric, 23, 24, 31, 40, 41, 93
- defineExternalMetric(), 30
- defineInternalMetric, 24, 24, 31, 40, 41, 93
- defineInternalMetric(), 92
- deviance.lcModel, 16, 17, 20, 25, 26, 33, 34, 85, 89, 95, 98, 110, 113–116, 122, 123, 127
- df.residual.lcModel, 16, 17, 20, 25, 25, 33, 34, 85, 89, 95, 98, 110, 113–116, 122, 123, 127
- dist, 30
- dtwclust:::tsclust, 61
- environment, 57
- estimationTime, 26
- estimationTime(), 91
- estimationTime, lcModel-method (estimationTime), 26
- estimationTime, lcModels-method (estimationTime), 26
- estimationTime, list-method (estimationTime), 26
- evaluate.lcMethod, 8–10, 12, 19, 27, 35, 57, 96, 137, 141
- externalMetric, 90, 93, 94
- externalMetric (externalMetric, lcModel, lcModel-method), 28
- externalMetric, lcModel, lcModel-method, 28

- externalMetric,lcModels,character-method
(externalMetric,lcModel,lcModel-method),
28
- externalMetric,lcModels,lcModel-method
(externalMetric,lcModel,lcModel-method),
28
- externalMetric,lcModels,lcModels-method
(externalMetric,lcModel,lcModel-method),
28
- externalMetric,lcModels,missing-method
(externalMetric,lcModel,lcModel-method),
28
- externalMetric,list,lcModel-method
(externalMetric,lcModel,lcModel-method),
28

- fit, 31
- fit(), 19, 26, 32, 57, 108, 109, 117–119, 140
- fit,lcMethod-method (fit), 31
- fitted.lcApproxModel
(lcApproxModel-class), 55
- fitted.lcModel, 7, 16, 17, 20, 25, 26, 32, 34,
85, 89, 95, 98, 110, 113–116, 122,
123, 127
- fitted.lcModel(), 131, 132
- fittedTrajectories, 7, 16, 17, 20, 25, 26,
33, 34, 85, 89, 95, 98, 105, 110,
113–116, 122, 123, 127
- fittedTrajectories,lcModel-method
(fittedTrajectories), 34
- flexmix::flexmix, 64, 65
- flexmix::FLXMRglm, 64, 65
- foreach, 47
- formals, 38
- formula.lcMethod, 8–10, 12, 27, 35, 57, 96,
137, 141
- formula.lcModel, 36
- funFEM::funFEM, 67

- generateLongData, 36, 53
- getArgumentDefaults, 38, 40, 57, 59–61, 63,
66–69, 71, 72, 74–78, 81, 83
- getArgumentDefaults(), 57
- getArgumentDefaults,lcMethod-method
(getArgumentDefaults), 38
- getArgumentExclusions, 39, 39, 40, 57,
59–61, 63, 66–69, 71, 72, 74–78, 81,
83
- getArgumentExclusions,lcMethod-method
(getArgumentExclusions), 39
- getCall, 138
- getCall.lcModel, 43
- getExternalMetricDefinition, 24, 31, 40,
41, 93
- getExternalMetricNames, 24, 31, 40, 40, 41,
93
- getExternalMetricNames(), 28
- getInternalMetricDefinition, 24, 31, 40,
41, 41, 93
- getInternalMetricNames, 24, 31, 40, 41, 41,
93
- getInternalMetricNames(), 28, 90
- getLabel, 42, 44
- getLabel,lcMethod-method (getLabel), 42
- getLabel,lcModel-method (getLabel), 42
- getLcMethod, 42
- getName, 42, 43
- getName(), 57
- getName,lcMethod-method (getName), 43
- getName,lcModel-method (getName), 43
- getShortName, 42
- getShortName (getName), 43
- getShortName(), 57
- getShortName,lcMethod-method (getName),
43
- getShortName,lcModel-method (getName),
43
- ggplot2::geom_line(), 103
- ggplot2::ggplot, 101
- gridExtra::arrangeGrob, 102

- ids, 44
- idVariable, 45, 122, 128
- idVariable,lcMethod-method
(idVariable), 45
- idVariable,lcModel-method (idVariable),
45
- igraph::compare(), 29
- igraph::split_join_distance(), 29
- initialize,lcMethod-method, 46

- kml::kml, 69
- kml::parALGO, 69

- latrend, 7, 46, 50–52, 54, 55, 128, 130, 138
- latrend(), 6, 18, 31, 32, 42, 57, 108, 109,
117–119, 139, 140

- latrend-package, 5
- latrend-parallel, 7, 47, 49, 51, 52, 54
- latrendBatch, 7, 47, 48, 49, 51, 52, 55
- latrendBatch(), 6
- latrendBoot, 7, 21–23, 47, 48, 50, 50, 52, 55
- latrendCV, 7, 21–23, 47, 48, 50, 51, 51, 55
- latrendData, 6, 53
- latrendRep, 7, 47, 48, 50–52, 54
- lcApproxModel (lcApproxModel-class), 55
- lcApproxModel-class, 55
- lcMethod, 7, 39, 40, 47, 51, 52, 54, 138
- lcMethod (lcMethod-class), 56
- lcMethod-class, 56, 84
- lcMethodAkmedoids, 39, 40, 57, 58, 60, 61, 63, 66–69, 71, 72, 74–78, 81, 83
- lcMethodCrimCV, 39, 40, 57, 59, 59, 61, 63, 66–69, 71, 72, 74–78, 81, 83
- lcMethodDtwclust, 39, 40, 57, 59, 60, 60, 63, 66–69, 71, 72, 74–78, 81, 83
- lcMethodDtwclust(), 56
- lcMethodFeature, 39, 40, 57, 59–61, 61, 66–69, 71, 72, 74–78, 81, 83
- lcMethodFlexmix, 63, 65
- lcMethodFlexmixGBTM, 64, 64
- lcMethodFunction, 39, 40, 57, 59–61, 63, 65, 67–69, 71, 72, 74–78, 81, 83
- lcMethodFunFEM, 39, 40, 57, 59–61, 63, 66, 66, 68, 69, 71, 72, 74–78, 81, 83
- lcMethodGCKM, 39, 40, 57, 59–61, 63, 66, 67, 67, 69, 71, 72, 74–78, 81, 83
- lcMethodKML, 39, 40, 57, 59–61, 63, 66–68, 69, 71, 72, 74–78, 81, 83
- lcMethodKML(), 56
- lcMethodLcmmGBTM, 39, 40, 57, 59–61, 63, 66–69, 70, 72, 74–78, 81, 83
- lcMethodLcmmGBTM(), 56
- lcMethodLcmmGMM, 39, 40, 57, 59–61, 63, 66–69, 71, 71, 74–78, 81, 83
- lcMethodLMKM, 39, 40, 57, 59–61, 63, 66–69, 71, 72, 73, 75–78, 81, 83
- lcMethodLMKM(), 62
- lcMethodMclustLLPA, 39, 40, 57, 59–61, 63, 66–69, 71, 72, 74, 74, 76–78, 81, 83
- lcMethodMixAK_GLMM, 39, 40, 57, 59–61, 63, 66–69, 71, 72, 74, 75, 75, 77, 78, 81, 83
- lcMethodMixtoolsGMM, 39, 40, 57, 59–61, 63, 66–69, 71, 72, 74–76, 76, 78, 81, 83
- lcMethodMixtoolsNPRM, 39, 40, 57, 59–61, 63, 66–69, 71, 72, 74–77, 77, 81, 83
- lcMethodMixTVEM, 79
- lcMethodRandom, 39, 40, 57, 59–61, 63, 66–69, 71, 72, 74–78, 80, 83
- lcMethods, 7, 81
- lcMethods(), 6
- lcMethodStratify, 39, 40, 57, 59–61, 63, 66–69, 71, 72, 74–78, 81, 82
- lcmm: :hlme, 70, 72
- lcModel, 7, 19, 32, 57, 109, 118, 119, 140
- lcModel-class, 84
- lcModelPartition, 85
- lcModels, 11, 87, 120, 125
- lcModels-class (lcModels), 87
- lcModelWeightedPartition, 88
- length, lcMethod-method (names, lcMethod-method), 96
- lme4: :lmer, 68, 77
- logLik, 91
- logLik.lcModel, 16, 17, 20, 25, 26, 33, 34, 85, 88, 95, 98, 110, 113–116, 122, 123, 127
- make.clusterNames(), 131
- max.lcModels, 89, 93, 94
- mclust: :Mclust, 74
- mclustcomp: :mclustcomp(), 28–30
- meltRepeatedMeasures (tsframe), 134
- method fitting procedure, 46
- methods: :new(), 56
- metric, 24, 25, 31, 40, 41, 89, 90, 121, 123
- metric, lcModel-method (metric), 90
- metric, lcModels-method (metric), 90
- metric, list-method (metric), 90
- min.lcModels, 90, 93, 93
- mixAK: :GLMM_MCMC, 75, 76
- mixtools: :npEM, 78
- mixtools: :regmixEM.mixed, 77
- model.data, 127
- model.data.lcModel, 86, 94, 95
- model.frame.lcModel, 16, 17, 20, 25, 26, 33, 34, 85, 89, 95, 95, 98, 110, 113–116, 122, 123, 127
- names, lcMethod-method, 96
- nClusters, 96, 97, 98
- nIds, 97, 97, 98
- nobs, 26, 97

- nobs.lcModel, [16](#), [17](#), [20](#), [25](#), [26](#), [33](#), [34](#), [85](#), [89](#), [95](#), [98](#), [110](#), [113–116](#), [122](#), [123](#), [127](#)
- OCC, [8](#), [19](#), [98](#)
- OSA.adherence, [99](#)
- PAP.adh, [99](#), [100](#)
- PAP.adh1y (PAP.adh), [100](#)
- parallel-package, [48](#)
- plot, [104](#), [105](#)
- plot,lcModel,ANY-method
(plot-lcModel-method), [101](#)
- plot,lcModel-method
(plot-lcModel-method), [101](#)
- plot,lcModels,ANY-method
(plot-lcModels-method), [102](#)
- plot,lcModels-method
(plot-lcModels-method), [102](#)
- plot-lcModel-method, [101](#)
- plot-lcModels-method, [102](#)
- plotClusterTrajectories, [7](#), [101](#), [102](#), [105](#), [107](#), [121](#)
- plotClusterTrajectories,data.frame-method
(plotClusterTrajectories), [102](#)
- plotClusterTrajectories,lcModel-method
(plotClusterTrajectories), [102](#)
- plotFittedTrajectories, [33](#), [101](#), [104](#), [105](#), [107](#)
- plotFittedTrajectories,lcModel-method
(plotFittedTrajectories), [105](#)
- plotMetric, [105](#)
- plotMetric(), [6](#)
- plotTrajectories, [101](#), [104](#), [105](#), [106](#), [130](#)
- plotTrajectories(), [6](#)
- plotTrajectories,ANY-method
(plotTrajectories), [106](#)
- plotTrajectories,data.frame-method
(plotTrajectories), [106](#)
- plotTrajectories,lcModel-method
(plotTrajectories), [106](#)
- postFit, [108](#)
- postFit(), [19](#), [32](#), [57](#), [109](#), [118](#), [119](#), [140](#)
- postFit,lcMethod-method (postFit), [108](#)
- postprob, [7](#), [14](#), [16](#), [17](#), [19](#), [20](#), [25](#), [26](#), [33](#), [34](#), [85](#), [89](#), [95](#), [98](#), [110](#), [113–116](#), [122](#), [123](#), [127](#), [131](#)
- postprob(), [14](#), [44](#), [130](#)
- postprob,lcModel-method (postprob), [110](#)
- postprobFromAssignments, [111](#)
- predict(), [32](#), [33](#), [114](#)
- predict.lcModel, [7](#), [16](#), [17](#), [20](#), [25](#), [26](#), [33](#), [34](#), [85](#), [89](#), [95](#), [98](#), [110](#), [111](#), [114–116](#), [122](#), [123](#), [127](#), [133](#), [134](#)
- predict.lcModel(), [115](#), [133](#)
- predictAssignments, [7](#), [16](#), [17](#), [20](#), [25](#), [26](#), [33](#), [34](#), [85](#), [89](#), [95](#), [98](#), [110](#), [113](#), [113](#), [115](#), [116](#), [122](#), [123](#), [127](#), [131](#)
- predictAssignments,lcModel-method
(predictAssignments), [113](#)
- predictForCluster, [7](#), [16](#), [17](#), [20](#), [25](#), [26](#), [33](#), [34](#), [85](#), [89](#), [95](#), [98](#), [110](#), [113](#), [114](#), [114](#), [116](#), [122](#), [123](#), [127](#), [133](#), [134](#)
- predictForCluster(), [33](#), [112](#)
- predictForCluster,lcApproxModel-method
(lcApproxModel-class), [55](#)
- predictForCluster,lcModel-method
(predictForCluster), [114](#)
- predictPostprob, [7](#), [16](#), [17](#), [20](#), [25](#), [26](#), [33](#), [34](#), [85](#), [89](#), [95](#), [98](#), [110](#), [113–115](#), [116](#), [122](#), [123](#), [127](#)
- predictPostprob,lcModel-method
(predictPostprob), [116](#)
- preFit, [117](#)
- preFit(), [19](#), [31](#), [32](#), [57](#), [109](#), [117–119](#), [140](#)
- preFit,lcMethod-method (preFit), [117](#)
- prepareData, [118](#)
- prepareData(), [18](#), [31](#), [32](#), [57](#), [109](#), [117](#), [119](#), [140](#)
- prepareData,lcMethod-method
(prepareData), [118](#)
- print.lcMethod, [119](#)
- print.lcModels, [11](#), [87](#), [120](#), [125](#)
- psych::cohen.kappa(), [29](#)
- qqPlot, [120](#)
- qqPlot,lcModel-method (qqPlot), [120](#)
- qqplotr::geom_qq_band(), [121](#)
- qqplotr::stat_qq_line(), [121](#)
- qqplotr::stat_qq_point(), [121](#)
- R.utils::Verbose, [31](#), [47](#), [49](#), [51](#), [52](#), [54](#), [109](#), [117](#), [118](#), [138](#)
- residuals, [26](#)
- residuals.lcModel, [16](#), [17](#), [20](#), [25](#), [26](#), [33](#), [34](#), [85](#), [89](#), [95](#), [98](#), [110](#), [113–116](#), [121](#), [121](#), [123](#), [127](#)
- responseVariable, [45](#), [122](#), [128](#)

- responseVariable, lcMethod-method
(responseVariable), 122
- responseVariable, lcModel-method
(responseVariable), 122
- sigma(), 123
- sigma.lcModel, 16, 17, 20, 25, 26, 33, 34, 85,
89, 95, 98, 110, 113–116, 122, 123,
127
- stats::AIC(), 91
- stats::BIC(), 91
- stats::deviance, 25
- stats::deviance(), 91
- stats::df.residual, 26
- stats::fitted, 33
- stats::formula, 36
- stats::lm, 74
- stats::logLik, 89
- stats::logLik(), 91
- stats::model.frame, 95
- stats::model.frame(), 95
- stats::predict, 113
- stats::sigma(), 91
- strip, 123
- strip, ANY-method (strip), 123
- strip, lcMethod-method (strip), 123
- strip, lcModel-method (strip), 123
- subset.lcModels, 11, 87, 120, 124
- summary.lcModel, 125
- test.latrend, 126
- time.lcModel, 16, 17, 20, 25, 26, 33, 34, 85,
89, 95, 98, 110, 113–116, 122, 123,
127
- timeVariable, 45, 122, 127, 128
- timeVariable, lcMethod-method
(timeVariable), 128
- timeVariable, lcModel-method
(timeVariable), 128
- trajectories, 105–107, 113, 122, 128
- trajectories(), 47, 54, 107, 138
- trajectories, call-method
(trajectories), 128
- trajectories, data.frame-method
(trajectories), 128
- trajectories, lcModel-method
(trajectories), 128
- trajectories, matrix-method
(trajectories), 128
- trajectoryAssignments, 7, 15, 19, 33, 104,
110, 130, 140
- trajectoryAssignments(), 15, 19, 44
- trajectoryAssignments, lcModel-method
(trajectoryAssignments), 130
- trajectoryAssignments, matrix-method
(trajectoryAssignments), 130
- transformFitted, 33, 131
- transformFitted(), 33
- transformFitted, data.frame, lcModel-method
(transformFitted), 131
- transformFitted, list, lcModel-method
(transformFitted), 131
- transformFitted, matrix, lcModel-method
(transformFitted), 131
- transformFitted, NULL, lcModel-method
(transformFitted), 131
- transformPredict, 133
- transformPredict(), 112
- transformPredict, data.frame, lcModel-method
(transformPredict), 133
- transformPredict, matrix, lcModel-method
(transformPredict), 133
- transformPredict, NULL, lcModel-method
(transformPredict), 133
- transformPredict, vector, lcModel-method
(transformPredict), 133
- tsframe, 134, 137
- tsmatrix, 135, 136
- update.lcMethod, 8–10, 12, 27, 35, 56, 57,
96, 137, 141
- update.lcModel, 138
- validate, 139
- validate(), 18, 32, 56, 57, 109, 117, 119, 140
- validate, lcMethod-method (validate), 139
- Verbose, 47, 49, 51, 52, 54, 138
- which.is.max, 130
- which.max(), 130
- which.weight, 140
- which.weight(), 130