

# Package ‘nftbart’

August 26, 2022

**Type** Package

**Title** Nonparametric Failure Time Bayesian Additive Regression Trees

**Version** 1.4

**Date** 2022-09-25

**Author** Rodney Sparapani [aut, cre],  
Robert McCulloch [aut],  
Matthew Pratola [ctb],  
Hugh Chipman [ctb]

**Maintainer** Rodney Sparapani <rsparapa@mcw.edu>

**Description** Nonparametric Failure Time (NFT) Bayesian Additive Regression Trees (BART): Time-to-event Machine Learning with Heteroskedastic Bayesian Additive Regression Trees (HBART) and Low Information Omnibus (LIO) Dirichlet Process Mixtures (DPM). An NFT BART model is of the form  $Y = \mu + f(x) + sd(x) E$  where functions  $f$  and  $sd$  have BART and HBART priors, respectively, while  $E$  is a nonparametric error distribution due to a DPM LIO prior hierarchy. See the following for a technical description of the model <<https://www.mcw.edu/-/media/MCW/Departments/Biostatistics/tr72.pdf?la=en>>.

**License** GPL (>= 2)

**Depends** R (>= 3.6), survival, nnet

**Imports** Rcpp

**Suggests** knitr, rmarkdown

**LinkingTo** Rcpp

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2022-08-25 22:20:02 UTC

## R topics documented:

bartModelMatrix	2
bMM	3
CDimpute	5

Cindex . . . . .	6
galaxy . . . . .	7
lung . . . . .	8
nft . . . . .	9
nft2 . . . . .	14
predict.aftree . . . . .	19
predict.nft . . . . .	21
predict.nft2 . . . . .	23
tsvs . . . . .	25
tsvs2 . . . . .	29
xicuts . . . . .	33

<b>Index</b>	<b>34</b>
--------------	-----------

---

bartModelMatrix	<i>Deprecated: use bMM instead</i>
-----------------	------------------------------------

---

## Description

Create a matrix out of a vector or data.frame. The compiled functions of this package operate on matrices in memory. Therefore, if the user submits a vector or data.frame, then this function converts it to a matrix. Also, it determines the number of cutpoints necessary for each column when asked to do so.

## Usage

```
bartModelMatrix(X, numcut=0L, usequants=FALSE, type=7, rm.const=FALSE,
                cont=FALSE, xicuts=NULL, rm.vars=NULL)
```

## Arguments

X	A vector or data.frame to create the matrix from.
numcut	The maximum number of cutpoints to consider. If numcut=0, then just return a matrix; otherwise, return a list.
usequants	If usequants is FALSE, then the cutpoints in xinfo are generated uniformly; otherwise, if TRUE, quantiles are used for the cutpoints.
type	Determines which quantile algorithm is employed.
rm.const	Whether or not to remove constant variables.
cont	Whether or not to assume all variables are continuous.
xicuts	To specify your own cut-points, use the xicuts argument.
rm.vars	The variables that you want removed.

**Value**

If `numcut==0` (the default), then a matrix of the covariates is returned; otherwise, a list is returned with the following values.

<code>X</code>	A matrix of the covariates with <code>n</code> rows and <code>p</code> columns.
<code>numcut</code>	A vector of length <code>p</code> of the number of cut-points for each covariate.
<code>grp</code>	A vector that corresponds to variables in the input <code>data.frame</code> that were translated into dummy columns in the output matrix, i.e., for each input variable in order, there is a number in the vector corresponding to the number of output columns created for it.

**See Also**

[bMM](#)

**Examples**

```
## set.seed(99)
## a <- rbinom(10, 4, 0.4)
## table(a)
## x <- runif(10)
## df <- data.frame(a=factor(a), x=x)
## (b <- bartModelMatrix(df))
## (b <- bartModelMatrix(df, numcut=9))
## (b <- bartModelMatrix(df, numcut=9, usequants=TRUE))
## Not run:
## this is an error
## f <- bartModelMatrix(as.character(a))
## End(Not run)
```

---

bMM

*Create a matrix out of a vector or data.frame*

---

**Description**

Adapted from `bartModelMatrix()`. The compiled functions of this package operate on matrices in memory. Therefore, if the user submits a vector or `data.frame`, then this function converts it to a matrix. Also, it determines the number of cutpoints necessary for each column when asked to do so.

**Usage**

```
bMM(X, numcut=0L, usequants=FALSE, type=7, xicuts=NULL, rm.const=FALSE,
    rm.dupe=FALSE, method="spearman", use="pairwise.complete.obs")
```

**Arguments**

X	A vector or data.frame to create the matrix from.
numcut	The maximum number of cutpoints to consider. If numcut=0, then just return a matrix; otherwise, return a list.
usequants	If usequants is FALSE, then the cutpoints in xinfo are generated uniformly; otherwise, if TRUE, quantiles are used for the cutpoints.
type	Determines which quantile algorithm is employed.
xicuts	To specify your own cut-points, use the xicuts argument.
rm.const	To remove constant variables or not.
rm.dupe	To remove duplicate variables or not.
method, use	Correlation options.

**Value**

If numcut==0 (the default), then a matrix of the covariates is returned; otherwise, a list is returned with the following values.

X	A matrix of the covariates with n rows and p columns.
numcut	A vector of length p of the number of cut-points for each covariate.
grp	A vector that corresponds to variables in the input data.frame that were translated into dummy columns in the output matrix, i.e., for each input variable in order, there is a number in the vector corresponding to the number of output columns created for it.
dummy	Corresponds to grp with a two row matrix including the start column of each dummy group in row 1 and the end column in row 2.

**See Also**

[xicuts](#)

**Examples**

```
set.seed(99)

a <- rbinom(10, 4, 0.4)

table(a)

x <- runif(10)

df <- data.frame(a=factor(a), x=x)
```

```
(b <- bMM(df))

(b <- bMM(df, numcut=9))

(b <- bMM(df, numcut=9, usequants=TRUE))

## Not run:
## this is an error
f <- bMM(as.character(a))

## End(Not run)
```

---

CDimpute

*Cold-deck missing imputation*


---

## Description

This function imputes missing data.

## Usage

```
CDimpute(x.train, x.test=matrix(0, 0, 0), impute.bin=NULL)
```

## Arguments

<code>x.train</code>	The training matrix.
<code>x.test</code>	The testing matrix, if given.
<code>impute.bin</code>	An index of the columns to avoid imputing which will be handled by BART internally.

## Details

We call this method cold-decking in analogy to hot-decking. Hot-decking was a method commonly employed with US Census data in the early computing era. For a particular respondent, missing data was imputed by randomly selecting from the responses of their neighbors since it is assumed that the values are likely similar. In our case, we make no assumptions about which values may, or may not, be nearby. We simply take a random sample from the matrix rows to impute the missing data. If the training and testing matrices are the same, then they receive the same imputation.

## Value

<code>x.train</code>	The imputed training matrix.
<code>x.test</code>	The imputed testing matrix.
<code>miss.train</code>	A summary of the missing variables for training.
<code>miss.test</code>	A summary of the missing variables for testing.
<code>impute.flag</code>	Whether <code>impute.bin</code> columns were, or were not, imputed.
<code>same</code>	Whether <code>x.train</code> and <code>x.test</code> are identical.

---

Cindex

*Calculate the C-index for survival analysis.*

---

### Description

The C-index for survival analysis is the corollary of the c statistic (the area under the Receiver Operating Characteristic curve) for binary outcomes. As a probability of concordance, the higher is the C-index, the better is the model discrimination vs. lesser probability values.

### Usage

```
Cindex(risk, times, delta=NULL)
```

### Arguments

risk	A vector or prognostic risk scores.
times	A vector of failure times.
delta	The corresponding failure time status code: 0, right-censored; 1, failure; or 2, left-censored. Defaults to all failures if not specified.

### Value

The return value is the calculated C-index.

### References

Harrell FE, Califf RM, Pryor DB, Lee KL, Rosati RA. (1982) Evaluating the yield of medical tests. JAMA, May 14;247(18):2543-6.

### See Also

[predict.nft](#)

### Examples

```
data(lung)
N=length(lung$status)

##lung$status: 1=censored, 2=dead
##delta: 0=censored, 1=dead
delta=lung$status-1

## this study reports time in days
times=lung$time
times=times/7 ## weeks

## matrix of covariates
```

```
x.train=cbind(lung[ , -(1:3)])
## lung$sex:      Male=1 Female=2

## Not run:
  set.seed(99)
  post=nft(x.train, times, delta, K=0)
  pred=predict(post, x.train, XPtr=TRUE, seed=21)
  print(Cindex(pred$logt.test.mean, times, delta))

## End(Not run)
```

---

galaxy

*Galaxy velocities*

---

### Description

This data set consider physical information on velocities (km/second) for 82 galaxies reported by Roeder (1990). These are drawn from six well-separated conic sections of the Corona Borealis region.

### Usage

```
data(galaxy)
```

### Format

A data frame with 82 observations on the following variable.

speed a numeric vector giving the speed of galaxies ((km/second))

### Source

Roeder, K. (1990) Density estimation with confidence sets exemplified by superclusters and voids in the galaxies, *Journal of the American Statistical Association*, 85: 617-624.

### References

Escobar, M.D. and West, M. (1995) Bayesian Density Estimation and Inference Using Mixtures. *Journal of the American Statistical Association*, 90: 577-588.

### Examples

```
data(galaxy)
## maybe str(galaxy) ; plot(galaxy) ...
```

---

lung

*NCCTG Lung Cancer Data*

---

### **Description**

Survival for 228 patients with advanced lung cancer was recorded up to a median of roughly one year by the North Central Cancer Treatment Group. Performance scores rate how well the patient can perform usual daily activities.

### **Format**

inst:	Institution code
time:	Survival time in days
status:	censoring status 1=censored, 2=dead
age:	Age in years
sex:	Male=1 Female=2
ph.ecog:	ECOG performance score (0=good 5=dead)
ph.karno:	Karnofsky performance score (bad=0-good=100) rated by physician
pat.karno:	Karnofsky performance score as rated by patient
meal.cal:	Calories consumed at meals
wt.loss:	Weight loss in last six months

### **Source**

Terry Therneau

### **References**

Loprinzi CL. Laurie JA. Wieand HS. Krook JE. Novotny PJ. Kugler JW. Bartel J. Law M. Bateman M. Klatt NE. et al. Prospective evaluation of prognostic variables from patient-completed questionnaires. North Central Cancer Treatment Group. *Journal of Clinical Oncology*. 12(3):601-7, 1994.

### **Examples**

```
data(lung)
```



nft

*Fit NFT BART models.***Description**

The `nft()` function is for fitting NFT BART (Nonparametric Failure Time Bayesian Additive Regression Tree) models.

**Usage**

```
nft(
  ## data
  x.train, times, delta=NULL, x.test=matrix(nrow=0, ncol=0),
  rm.const=TRUE, rm.dupe=TRUE,
  impute.bin=NULL, impute.prob=NULL,
  ## multi-threading
  tc=getOption("mc.cores", 1),
  ##MCMC
  nskip=1000, ndpost=2000, nadapt=1000, adaptevery=100,
  chv=NULL,
  method="spearman", use="pairwise.complete.obs",
  pbd=c(0.7, 0.7), pb=c(0.5, 0.5),
  stepwpert=c(0.1, 0.1), probchv=c(0.1, 0.1),
  minnumbot=c(5, 5),
  ## BART and HBART prior parameters
  ntree=c(50, 10), numcut=100, xicuts=NULL,
  power=c(2, 2), base=c(0.95, 0.95),
  ## f function
  k=5, sigmaf=NA, dist='weibull',
  ## s function
  sigmav=NULL, total.lambda=NA, total.nu=10, mask=NULL,
  ## survival analysis
  K=100, events=NULL, TSVS=FALSE,
  ## DPM LIO
  drawDPM=1L,
  alpha=1, alpha.a=1, alpha.b=0.1, alpha.draw=1,
  Neal.m=2, constrain=1,
  m0=0, k0.a=1.5, k0.b=7.5, k0=1, k0.draw=1,
  a0=3, b0.a=2, b0.b=1, b0=1, b0.draw=1,
  ## misc
  na.rm=FALSE, probs=c(0.025, 0.975), printevery=100,
  transposed=FALSE
)
```

**Arguments**

`x.train`            nxp matrix of predictor variables for the training data.

<code>times</code>	nx1 vector of the observed times for the training data.
<code>delta</code>	nx1 vector of the time type for the training data: 0, for right-censoring; 1, for an event; and, 2, for left-censoring.
<code>x.test</code>	m $\times$ p matrix of predictor variables for the test set.
<code>impute.bin</code>	Indices of the columns of <code>x.train</code> to be imputed.
<code>impute.prob</code>	nx1 vector of prior probabilities for imputation.
<code>rm.const</code>	To remove constant variables or not.
<code>rm.dupe</code>	To remove duplicate variables or not.
<code>tc</code>	Number of OpenMP threads to use.
<code>nskip</code>	Number of MCMC iterations to burn-in and discard.
<code>ndpost</code>	Number of MCMC iterations kept after burn-in.
<code>nadapt</code>	Number of MCMC iterations for adaptation prior to burn-in.
<code>adaptevery</code>	Adapt MCMC proposal distributions every <code>adaptevery</code> iteration.
<code>chv</code>	Predictor correlation matrix used as a pre-conditioner for MCMC change-of-variable proposals.
<code>method,use</code>	Correlation options for change-of-variable proposal pre-conditioner.
<code>pbd</code>	Probability of performing a birth/death proposal, otherwise perform a rotate proposal.
<code>pb</code>	Probability of performing a birth proposal given that we choose to perform a birth/death proposal.
<code>stepwpert</code>	Initial width of proposal distribution for perturbing cut-points.
<code>probchv</code>	Probability of performing a change-of-variable proposal. Otherwise, only do a perturb proposal.
<code>minnumbot</code>	Minimum number of observations required in leaf (terminal) nodes.
<code>ntree</code>	Vector of length two for the number of trees used for the mean model and the number of trees used for the variance model.
<code>numcut</code>	Number of cutpoints to use for each predictor variable.
<code>xicuts</code>	More detailed construction of cut-points can be specified by the <code>xicuts</code> function and provided here.
<code>power</code>	Power parameter in the tree depth penalizing prior.
<code>base</code>	Base parameter in the tree depth penalizing prior.
<code>k</code>	Prior hyperparameter for the mean model.
<code>sigmaf</code>	SD of <code>y.train</code> desired for f function leaf prior.
<code>dist</code>	Distribution to be passed to intercept-only AFT model to center <code>y.train</code> .
<code>sigmav</code>	Initialization of square-root of variance parameter.
<code>total.lambda</code>	A rudimentary estimate of the process standard deviation. Used in calibrating the variance prior.
<code>total.nu</code>	Shape parameter for the variance prior.
<code>mask</code>	If a proportion is provided, then said quantile of $\max_i \text{sd}(x_i)$ is used to mask non-stationary departures (with respect to convergence) above this threshold.

K	Number of grid points for which to estimate survival probability.
events	Grid points for which to estimate survival probability.
TSVS	Setting to TRUE will avoid unnecessary processing for Thompson sampling variable selection, i.e., all that is needed is the variable counts from the tree branch decision rules.
drawDPM	Whether to utilize DPM or not.
alpha	Initial value of DPM concentration parameter.
alpha.a	Gamma prior parameter setting for DPM concentration parameter where $E[\alpha]=\alpha.a/\alpha.b$ .
alpha.b	See alpha.a above.
alpha.draw	Whether to draw alpha or it is fixed at the initial value.
neal.m	The number of additional atoms for Neal 2000 DPM algorithm 8.
constrain	Whether to perform constrained DPM or unconstrained.
m0	Center of the error distribution: defaults to zero.
k0.a	First Gamma prior argument for k0.
k0.b	Second Gamma prior argument for k0.
k0	Initial value of k0.
k0.draw	Whether to fix k0 or draw it if from the DPM LIO prior hierarchy: $k0 \sim \text{Gamma}(k0.a, k0.b)$ , i.e., $E[k0]=k0.a/k0.b$ .
a0	First Gamma prior argument for tau.
b0.a	First Gamma prior argument for b0.
b0.b	Second Gamma prior argument for b0.
b0	Initial value of b0.
b0.draw	Whether to fix b0 or draw it from the DPM LIO prior hierarchy: $b0 \sim \text{Gamma}(b0.a, b0.b)$ , i.e., $E[b0]=b0.a/b0.b$ .
na.rm	Value to be passed to the predict function.
probs	Value to be passed to the predict function.
printevery	Outputs MCMC algorithm status every printevery iterations.
transposed	Specify TRUE if all of the pre-processing for x.train/x.test has been conducted prior to the call (including transposing).

## Details

nft() is the function to fit time-to-event data. The most general form of the model allowed is  $Y(\mathbf{x}) = \mu + f(\mathbf{x}) + sd(\mathbf{x})Z$  where  $E$  follows a nonparametric error distribution by default.

The nft() function returns a fit object of S3 class type nft that is essentially a list containing the following items.

**Value**

ots,oid,ovar,oc,otheta	These are XPtrs to the BART $f(x)$ objects in RAM that are only available for fits generated in the current R session.
sts,sid,svar,sc,stheta	Similarly, these are XPtrs to the HBART $sd(x)$ objects.
fmu	The constant $\mu$ .
f.train,s.train	The trained $f(x)$ and $sd(x)$ respectively: matrices with <code>ndpost</code> rows and $n$ columns.
f.train.mean,s.train.mean	The posterior mean of the trained $f(x)$ and $sd(x)$ respectively: vectors of length $n$ .
f.trees,s.trees	Character strings representing the trained fits of $f(x)$ and $sd(x)$ respectively to facilitate usage of the <code>predict</code> function when XPtrs are unavailable.
dpalpha	The draws of the DPM concentration parameter $\alpha$ .
dpn,dpn.	The number of atom clusters per DPM, $J$ , for all draws including burn-in and excluding burn-in respectively.
dpmu	The draws of the DPM parameter $\mu[i]$ where $i = 1, \dots, n$ indexes subjects: a matrix with <code>ndpost</code> rows and $n$ columns.
dpmu.	The draws of the DPM parameter $\mu[j]$ where $j = 1, \dots, J$ indexes atom clusters: a matrix with <code>ndpost</code> rows and $J$ columns.
dpwt.	The weights for efficient DPM calculations by atom clusters (as opposed to subjects) for use with <code>dpmu</code> . (and <code>dpsd</code> .; see below): a matrix with <code>ndpost</code> rows and $J$ columns.
dpsd,dpsd.	Similarly, the draws of the DPM parameter $\tau[i]$ transformed into the standard deviation $\sigma[i]$ for convenience.
dpC	The indices $j$ for each subject $i$ corresponding to their shared atom cluster.
z.train	The data values/augmentation draws of <code>logt</code> .
f.tmind/f.tavgd/f.tmaxd	The min/average/max tier degree of trees in the $f$ ensemble.
s.tmind/s.tavgd/s.tmaxd	The min/average/max tier degree of trees in the $s$ ensemble.
f.varcount,s.varcount	Variable importance counts of branch decision rules for each $x$ of $f$ and $s$ respectively: matrices with <code>ndpost</code> rows and $p$ columns.
f.varcount.mean,s.varcount.mean	Similarly, the posterior mean of the variable importance counts for each $x$ of $f$ and $s$ respectively: vectors of length $p$ .
f.varprob,s.varprob	Similarly, re-weighting the posterior mean of the variable importance counts as sum-to-one probabilities for each $x$ of $f$ and $s$ respectively: vectors of length $p$ .
LPML	The log Pseudo-Marginal Likelihood as typically calculated for right-/left-censoring.

pred	The object returned from the predict function where <code>x.test=x.train</code> in order to calculate the <code>soffset</code> item that is needed to use predict when XPtrs are not available.
soffset	See pred above.
aft	The AFT model fit used to initialize NFT BART.
elapsed	The elapsed time of the run in seconds.

### Author(s)

Rodney Sparapani: <rsparapa@mcw.edu>

### References

Sparapani R., Logan B., Laud P. (2021) Nonparametric Failure Time: Time-to-event Machine Learning with Heteroskedastic Bayesian Additive Regression Trees and Low Information Omnibus Dirichlet Process Mixtures *MCW Biostatistics Technical Report 72* <https://www.mcw.edu/-/media/MCW/Departments/Biostatistics/tr72.pdf?la=en>.

### See Also

[predict.nft](#)

### Examples

```
##library(nftbart)
data(lung)
N=length(lung$status)

##lung$status: 1=censored, 2=dead
##delta: 0=censored, 1=dead
delta=lung$status-1

## this study reports time in days rather than weeks or months
times=lung$time
times=times/7 ## weeks

## matrix of covariates
x.train=cbind(lung[, -(1:3)])
## lung$sex:      Male=1 Female=2

## token run just to test installation
post=nft(x.train, times, delta, K=0,
         nskip=0, ndpost=10, nadapt=4, adaptevery=1)

set.seed(99)
post=nft(x.train, times, delta, K=0)
XPtr=TRUE

x.test = rbind(x.train, x.train)
```

```

x.test[ , 2]=rep(1:2, each=N)
K=75
events=seq(0, 150, length.out=K+1)
pred = predict(post, x.test, K=K, events=events[-1],
               XPtr=XPtr, FPD=TRUE)

plot(events, c(1, pred$surv.fpd.mean[1:K]), type='l', col=4,
      ylim=0:1,
      xlab=expression(italic(t)), sub='weeks',
      ylab=expression(italic(S)(italic(t), italic(x))))
lines(events, c(1, pred$surv.fpd.upper[1:K]), lty=2, lwd=2, col=4)
lines(events, c(1, pred$surv.fpd.lower[1:K]), lty=2, lwd=2, col=4)
lines(events, c(1, pred$surv.fpd.mean[K+1:K]), lwd=2, col=2)
lines(events, c(1, pred$surv.fpd.upper[K+1:K]), lty=2, lwd=2, col=2)
lines(events, c(1, pred$surv.fpd.lower[K+1:K]), lty=2, lwd=2, col=2)
legend('topright', c('Adv. lung cancer\nmortality example',
                    'M', 'F'), lwd=2, col=c(0, 4, 2), lty=1)

```

---

nft2

*Fit NFT BART models.*


---

## Description

The `nft2()` function is for fitting NFT BART (Nonparametric Failure Time Bayesian Additive Regression Tree) models with different train/test matrices for  $f$  and  $sd$  functions.

## Usage

```

nft2(
  ## data
  xftrain, xstrain, times, delta=NULL,
  xftest=matrix(nrow=0, ncol=0),
  xstest=matrix(nrow=0, ncol=0),
  rm.const=TRUE, rm.dupe=TRUE,
  ## multi-threading
  tc=getOption("mc.cores", 1),
  ##MCMC
  nskip=1000, ndpost=2000, nadapt=1000, adaptevery=100,
  chvf=NULL, chvs=NULL,
  method="spearman", use="pairwise.complete.obs",
  pbd=c(0.7, 0.7), pb=c(0.5, 0.5),
  stepwpert=c(0.1, 0.1), probchv=c(0.1, 0.1),
  minnumbot=c(5, 5),
  ## BART and HBART prior parameters
  ntree=c(50, 10), numcut=100,
  xifcuts=NULL, xiscuts=NULL,
  power=c(2, 2), base=c(0.95, 0.95),

```

```

## f function
k=5, sigmaf=NA, dist='weibull',
## s function
sigmav=NULL, total.lambda=NA, total.nu=10, mask=NULL,
## survival analysis
K=100, events=NULL, TSVS=FALSE,
## DPM LIO
drawDPM=1L,
alpha=1, alpha.a=1, alpha.b=0.1, alpha.draw=1,
neal.m=2, constrain=1,
m0=0, k0.a=1.5, k0.b=7.5, k0=1, k0.draw=1,
a0=3, b0.a=2, b0.b=1, b0=1, b0.draw=1,
## misc
na.rm=FALSE, probs=c(0.025, 0.975), printevery=100,
transposed=FALSE
)

```

## Arguments

xfttrain	n x pf matrix of predictor variables for the training data.
xstrain	n x ps matrix of predictor variables for the training data.
times	n x 1 vector of the observed times for the training data.
delta	n x 1 vector of the time type for the training data: 0, for right-censoring; 1, for an event; and, 2, for left-censoring.
xfttest	m x pf matrix of predictor variables for the test set.
xstest	m x ps matrix of predictor variables for the test set.
rm.const	To remove constant variables or not.
rm.dupe	To remove duplicate variables or not.
tc	Number of OpenMP threads to use.
nskip	Number of MCMC iterations to burn-in and discard.
ndpost	Number of MCMC iterations kept after burn-in.
nadapt	Number of MCMC iterations for adaptation prior to burn-in.
adaptevery	Adapt MCMC proposal distributions every adaptevery iteration.
chvf, chvs	Predictor correlation matrix used as a pre-conditioner for MCMC change-of-variable proposals.
method, use	Correlation options for change-of-variable proposal pre-conditioner.
pbd	Probability of performing a birth/death proposal, otherwise perform a rotate proposal.
pb	Probability of performing a birth proposal given that we choose to perform a birth/death proposal.
stepwpert	Initial width of proposal distribution for perturbing cut-points.
probchv	Probability of performing a change-of-variable proposal. Otherwise, only do a perturb proposal.

minnumbot	Minimum number of observations required in leaf (terminal) nodes.
nrtree	Vector of length two for the number of trees used for the mean model and the number of trees used for the variance model.
numcut	Number of cutpoints to use for each predictor variable.
xifcuts,xiscuts	More detailed construction of cut-points can be specified by the xicuts function and provided here.
power	Power parameter in the tree depth penalizing prior.
base	Base parameter in the tree depth penalizing prior.
k	Prior hyperparameter for the mean model.
sigmaf	SD of $y.train$ desired for f function leaf prior.
dist	Distribution to be passed to intercept-only AFT model to center $y.train$ .
sigmav	Initialization of square-root of variance parameter.
total.lambda	A rudimentary estimate of the process standard deviation. Used in calibrating the variance prior.
total.nu	Shape parameter for the variance prior.
mask	If a proportion is provided, then said quantile of $\max_i sd(x_i)$ is used to mask non-stationary departures (with respect to convergence) above this threshold.
K	Number of grid points for which to estimate survival probability.
events	Grid points for which to estimate survival probability.
TSVS	Setting to TRUE will avoid unnecessary processing for Thompson sampling variable selection, i.e., all that is needed is the variable counts from the tree branch decision rules.
drawDPM	Whether to utilize DPM or not.
alpha	Initial value of DPM concentration parameter.
alpha.a	Gamma prior parameter setting for DPM concentration parameter where $E[\alpha]=\alpha.a/\alpha.b$ .
alpha.b	See alpha.a above.
alpha.draw	Whether to draw alpha or it is fixed at the initial value.
neal.m	The number of additional atoms for Neal 2000 DPM algorithm 8.
constrain	Whether to perform constrained DPM or unconstrained.
m0	Center of the error distribution: defaults to zero.
k0.a	First Gamma prior argument for $k0$ .
k0.b	Second Gamma prior argument for $k0$ .
k0	Initial value of $k0$ .
k0.draw	Whether to fix $k0$ or draw it if from the DPM LIO prior hierarchy: $k0 \sim \text{Gamma}(k0.a, k0.b)$ , i.e., $E[k0]=k0.a/k0.b$ .
a0	First Gamma prior argument for $\tau$ .
b0.a	First Gamma prior argument for $b0$ .
b0.b	Second Gamma prior argument for $b0$ .



<code>b0</code>	Initial value of <code>b0</code> .
<code>b0.draw</code>	Whether to fix <code>b0</code> or draw it from the DPM LIO prior hierarchy: $b0 \sim \text{Gamma}(b0.a, b0.b)$ , i.e., $E[b0] = b0.a / b0.b$ .
<code>na.rm</code>	Value to be passed to the <code>predict</code> function.
<code>probs</code>	Value to be passed to the <code>predict</code> function.
<code>printevery</code>	Outputs MCMC algorithm status every <code>printevery</code> iterations.
<code>transposed</code>	Specify TRUE if all of the pre-processing for <code>xftrain/xstrain/xfctest/xstest</code> has been conducted prior to the call (including transposing).

### Details

`nft2()` is the function to fit time-to-event data. The most general form of the model allowed is  $Y(\mathbf{x}) = \mu + f(\mathbf{x}) + sd(\mathbf{x})Z$  where  $E$  follows a nonparametric error distribution by default.

The `nft2()` function returns a fit object of S3 class type `nft2` that is essentially a list containing the following items.

### Value

<code>ots,oid,ovar,oc,otheta</code>	These are XPtrs to the BART $f(x)$ objects in RAM that are only available for fits generated in the current R session.
<code>sts,sid,svar,sc,stheta</code>	Similarly, these are XPtrs to the HBART $sd(x)$ objects.
<code>fmu</code>	The constant $\mu$ .
<code>f.train,s.train</code>	The trained $f(x)$ and $sd(x)$ respectively: matrices with <code>ndpost</code> rows and $n$ columns.
<code>f.train.mean,s.train.mean</code>	The posterior mean of the trained $f(x)$ and $sd(x)$ respectively: vectors of length $n$ .
<code>f.trees,s.trees</code>	Character strings representing the trained fits of $f(x)$ and $sd(x)$ respectively to facilitate usage of the <code>predict</code> function when XPtrs are unavailable.
<code>dpalpha</code>	The draws of the DPM concentration parameter $\alpha$ .
<code>dpn,dpn.</code>	The number of atom clusters per DPM, $J$ , for all draws including burn-in and excluding burn-in respectively.
<code>dpmu</code>	The draws of the DPM parameter $\mu[i]$ where $i = 1, \dots, n$ indexes subjects: a matrix with <code>ndpost</code> rows and $n$ columns.
<code>dpmu.</code>	The draws of the DPM parameter $\mu[j]$ where $j = 1, \dots, J$ indexes atom clusters: a matrix with <code>ndpost</code> rows and $J$ columns.
<code>dpwt.</code>	The weights for efficient DPM calculations by atom clusters (as opposed to subjects) for use with <code>dpmu.</code> (and <code>dpsd.</code> ; see below): a matrix with <code>ndpost</code> rows and $J$ columns.
<code>dpsd,dpsd.</code>	Similarly, the draws of the DPM parameter $\tau[i]$ transformed into the standard deviation $\sigma[i]$ for convenience.

dpC	The indices $j$ for each subject $i$ corresponding to their shared atom cluster.
z.train	The data values/augmentation draws of $\log t$ .
f.tmind/f.tavgd/f.tmaxd	The min/average/max tier degree of trees in the $f$ ensemble.
s.tmind/s.tavgd/s.tmaxd	The min/average/max tier degree of trees in the $s$ ensemble.
f.varcount, s.varcount	Variable importance counts of branch decision rules for each $x$ of $f$ and $s$ respectively: matrices with $\text{ndpost}$ rows and $p$ columns.
f.varcount.mean, s.varcount.mean	Similarly, the posterior mean of the variable importance counts for each $x$ of $f$ and $s$ respectively: vectors of length $p$ .
f.varprob, s.varprob	Similarly, re-weighting the posterior mean of the variable importance counts as sum-to-one probabilities for each $x$ of $f$ and $s$ respectively: vectors of length $p$ .
LPML	The log Pseudo-Marginal Likelihood as typically calculated for right-/left-censoring.
pred	The object returned from the predict function where $x.test=x.train$ in order to calculate the <code>soffset</code> item that is needed to use predict when <code>XPtrs</code> are not available.
soffset	See <code>pred</code> above.
aft	The AFT model fit used to initialize NFT BART.
elapsed	The elapsed time of the run in seconds.

**Author(s)**

Rodney Sparapani: <rsparapa@mcw.edu>

**References**

Sparapani R., Logan B., Laud P. (2021) Nonparametric Failure Time: Time-to-event Machine Learning with Heteroskedastic Bayesian Additive Regression Trees and Low Information Omnibus Dirichlet Process Mixtures *MCW Biostatistics Technical Report 72* <https://www.mcw.edu/-/media/MCW/Departments/Biostatistics/tr72.pdf?1a=en>.

**See Also**

[predict.nft2](#)

**Examples**

```
##library(nftbart)
data(lung)
N=length(lung$status)

##lung$status: 1=censored, 2=dead
##delta: 0=censored, 1=dead
```

```

delta=lung$status-1

## this study reports time in days rather than weeks or months
times=lung$time
times=times/7 ## weeks

## matrix of covariates
x.train=cbind(lung[, -(1:3)])
## lung$sex:      Male=1 Female=2

## token run just to test installation
post=nft2(x.train, x.train, times, delta, K=0,
          nskip=0, ndpost=10, nadapt=4, adaptevery=1)

set.seed(99)
post=nft2(x.train, x.train, times, delta, K=0)
XPtr=TRUE

x.test = rbind(x.train, x.train)
x.test[, 2]=rep(1:2, each=N)
K=75
events=seq(0, 150, length.out=K+1)
pred = predict(post, x.test, x.test, K=K, events=events[-1],
              XPtr=XPtr, FPD=TRUE)

plot(events, c(1, pred$surv.fpd.mean[1:K]), type='l', col=4,
      ylim=0:1,
      xlab=expression(italic(t)), sub='weeks',
      ylab=expression(italic(S)(italic(t), italic(x))))
lines(events, c(1, pred$surv.fpd.upper[1:K]), lty=2, lwd=2, col=4)
lines(events, c(1, pred$surv.fpd.lower[1:K]), lty=2, lwd=2, col=4)
lines(events, c(1, pred$surv.fpd.mean[K+1:K]), lwd=2, col=2)
lines(events, c(1, pred$surv.fpd.upper[K+1:K]), lty=2, lwd=2, col=2)
lines(events, c(1, pred$surv.fpd.lower[K+1:K]), lty=2, lwd=2, col=2)
legend('topright', c('Adv. lung cancer\nmortality example',
                    'M', 'F'), lwd=2, col=c(0, 4, 2), lty=1)

```

---

predict.aftree

*Estimating the survival and the hazard for AFT BART models.*


---

## Description

The function `predict.aftree()` is provided for performing posterior inference via test data set estimates stored in a `aftree` object returned from `AFTree()` in a similar fashion as that of `predict.nft`. N.B. the `x.test` matrix must be provided on the `AFTree()` function call. Here we are only calculating the survival function by default, and, if requested, the hazard as well.

**Usage**

```
## S3 method for class 'aftree'
predict(
  ## data
  object,
  ## predictions
  events=NULL,
  FPD=FALSE,
  probs=c(0.025, 0.975),
  take.logs=TRUE,
  seed=NULL,
  ## default settings
  ndpost=nrow(object$mix.prop),
  nclust=ncol(object$mix.prop),
  ## etc.
  ...)
```

**Arguments**

object	Object of type <code>nft</code> from a previous call to <code>nft()</code> .
events	You must specify a grid of time-points; however, they can be a matrix with rows for each subject.
FPD	Whether to yield the usual predictions or marginal predictions calculated by the partial dependence function.
probs	A vector of length two containing the lower and upper quantiles to be calculated for the predictions.
take.logs	Whether or not to take logarithms.
seed	If provided, then this value is used to generate random natural logarithms of event times from the predictive distribution.
ndpost	The number of MCMC samples generated.
nclust	The number of DPM clusters generated.
...	The et cetera objects passed to the <code>predict</code> method. Currently, it has no functionality.

**Details**

Returns a list with the following entries. If `hazard=TRUE` is specified, then a similar set of entries for the hazard are produced.

**Value**

surv.fpd	Survival function posterior draws on a grid of time-points by the partial dependence function when requested.
surv.fpd.mean	Survival function estimates on a grid of time-points by the partial dependence function when requested.

- surv.fpd.lower Survival function lower quantiles on a grid of time-points by the partial dependence function when requested.
- surv.fpd.upper Survival function upper quantiles on a grid of time-points by the partial dependence function when requested.

**Author(s)**

Rodney Sparapani: <rsparapa@mcw.edu>

**See Also**

[predict.nft](#)

---

predict.nft

*Drawing Posterior Predictive Realizations for NFT BART models.*

---

**Description**

The function `predict.nft()` is the main function for drawing posterior predictive realizations at new inputs using a fitted model stored in a `nft` object returned from `nft()`.

**Usage**

```
## S3 method for class 'nft'
predict(
  ## data
  object,
  x.test=object$x.train,
  ## multi-threading
  tc=getOption("mc.cores", 1), ##OpenMP thread count
  ## current process fit vs. previous process fit
  XPtr=TRUE,
  ## predictions
  K=0,
  events=object$events,
  FPD=FALSE,
  probs=c(0.025, 0.975),
  take.logs=TRUE,
  na.rm=FALSE,
  seed=NULL,
  ## default settings for NFT:BART/HBART/DPM
  fmu=object$fmu,
  soffset=object$soffset,
  drawDPM=object$drawDPM,
  ## etc.
  ...)
```

**Arguments**

<code>object</code>	Object of type <code>nft</code> from a previous call to <code>nft()</code> .
<code>x.test</code>	New input settings in the form of a matrix at which to construct predictions. Defaults to the training inputs.
<code>tc</code>	Number of OpenMP threads to use for parallel computing.
<code>XPtr</code>	If <code>object</code> was created during the currently running R process, then (via an <code>Rcpp XPtr</code> ) the BART/HBART tree ensemble objects can be accessed in RAM; otherwise, those objects will need to be loaded from their string encodings.
<code>K</code>	The length of the grid of time-points to be used for survival predictions. Set to zero to avoid these calculations which can be time-consuming for large data sets.
<code>events</code>	You can specify the grid of time-points; otherwise, they are derived from quantiles of the augmented event times.
<code>FPD</code>	Whether to yield the usual predictions or marginal predictions calculated by the partial dependence function.
<code>probs</code>	A vector of length two containing the lower and upper quantiles to be calculated for the predictions.
<code>take.logs</code>	Whether or not to take logarithms.
<code>na.rm</code>	Whether NA values should be removed from the summaries.
<code>seed</code>	If provided, then this value is used to generate random natural logarithms of event times from the predictive distribution.
<code>fmu</code>	BART centering parameter for the test data. Defaults to the value used by <code>nft()</code> when training the model.
<code>soffset</code>	HBART centering parameter for the test data. Defaults to the value used by <code>nft()</code> when training the model.
<code>drawDPM</code>	Whether NFT BART was fit with, or without, DPM.
<code>...</code>	The et cetera objects passed to the <code>predict</code> method. Currently, it has no functionality.

**Details**

`predict.nft()` is the main function for calculating posterior predictions and uncertainties once a model has been fit by `nft()`.

Returns a list with the following entries.

**Value**

<code>f.test</code>	Posterior realizations of the mean function stored in a matrix. Omitted if partial dependence functions are performed since these will typically be large.
<code>s.test</code>	Posterior realizations of the SD function stored in a matrix. Omitted if partial dependence functions are performed since these will typically be large.
<code>f.test.mean</code>	Posterior predictive mean of mean function.
<code>f.test.lower</code>	Posterior predictive lower quantile of mean function.

f.test.upper	Posterior predictive upper quantile of mean function.
s.test.mean	Posterior predictive mean of SD function.
s.test.lower	Posterior predictive lower quantile of SD function.
s.test.upper	Posterior predictive upper quantile of SD function.
surv.fpd	Survival function posterior draws on a grid of time-points by the partial dependence function when requested.
surv.fpd.mean	Survival function estimates on a grid of time-points by the partial dependence function when requested.
surv.fpd.lower	Survival function lower quantiles on a grid of time-points by the partial dependence function when requested.
surv.fpd.upper	Survival function upper quantiles on a grid of time-points by the partial dependence function when requested.

**Author(s)**

Rodney Sparapani: <rsparapa@mcw.edu>

**See Also**

[nft](#)

---

predict.nft2

*Drawing Posterior Predictive Realizations for NFT BART models.*

---

**Description**

The function `predict.nft2()` is the main function for drawing posterior predictive realizations at new inputs using a fitted model stored in a `nft2` object returned from `nft2()`.

**Usage**

```
## S3 method for class 'nft2'
predict(
  ## data
  object,
  xftest=object$xftrain,
  xstest=object$xstrain,
  ## multi-threading
  tc=getOption("mc.cores", 1), ##OpenMP thread count
  ## current process fit vs. previous process fit
  XPtr=TRUE,
  ## predictions
  K=0,
  events=object$events,
  FPD=FALSE,
```

```

probs=c(0.025, 0.975),
take.logs=TRUE,
na.rm=FALSE,
seed=NULL,
## default settings for NFT:BART/HBART/DPM
fmu=object$fmu,
soffset=object$soffset,
drawDPM=object$drawDPM,
## etc.
...)
```

### Arguments

object	Object of type nft2 from a previous call to nft2().
xfctest, xstest	New input settings in the form of a matrix at which to construct predictions. Defaults to the training inputs.
tc	Number of OpenMP threads to use for parallel computing.
XPtr	If object was created during the currently running R process, then (via an Rcpp XPtr) the BART/HBART tree ensemble objects can be accessed in RAM; otherwise, those objects will need to be loaded from their string encodings.
K	The length of the grid of time-points to be used for survival predictions. Set to zero to avoid these calculations which can be time-consuming for large data sets.
events	You can specify the grid of time-points; otherwise, they are derived from quantiles of the augmented event times.
FPD	Whether to yield the usual predictions or marginal predictions calculated by the partial dependence function.
probs	A vector of length two containing the lower and upper quantiles to be calculated for the predictions.
take.logs	Whether or not to take logarithms.
na.rm	Whether NA values should be removed from the summaries.
seed	If provided, then this value is used to generate random natural logarithms of event times from the predictive distribution.
fmu	BART centering parameter for the test data. Defaults to the value used by nft2() when training the model.
soffset	HBART centering parameter for the test data. Defaults to the value used by nft2() when training the model.
drawDPM	Whether NFT BART was fit with, or without, DPM.
...	The et cetera objects passed to the predict method. Currently, it has no functionality.

### Details

predict.nft2() is the main function for calculating posterior predictions and uncertainties once a model has been fit by nft2().

Returns a list with the following entries.



**Value**

<code>f.test</code>	Posterior realizations of the mean function stored in a matrix. Omitted if partial dependence functions are performed since these will typically be large.
<code>s.test</code>	Posterior realizations of the SD function stored in a matrix. Omitted if partial dependence functions are performed since these will typically be large.
<code>f.test.mean</code>	Posterior predictive mean of mean function.
<code>f.test.lower</code>	Posterior predictive lower quantile of mean function.
<code>f.test.upper</code>	Posterior predictive upper quantile of mean function.
<code>s.test.mean</code>	Posterior predictive mean of SD function.
<code>s.test.lower</code>	Posterior predictive lower quantile of SD function.
<code>s.test.upper</code>	Posterior predictive upper quantile of SD function.
<code>surv.fpd</code>	Survival function posterior draws on a grid of time-points by the partial dependence function when requested.
<code>surv.fpd.mean</code>	Survival function estimates on a grid of time-points by the partial dependence function when requested.
<code>surv.fpd.lower</code>	Survival function lower quantiles on a grid of time-points by the partial dependence function when requested.
<code>surv.fpd.upper</code>	Survival function upper quantiles on a grid of time-points by the partial dependence function when requested.

**Author(s)**

Rodney Sparapani: <rsparapa@mcw.edu>

**See Also**

[nft2](#)

---

tsvs

*Variable selection with NFT BART models.*

---

**Description**

The `tsvs()` function is for Thompson sampling variable selection with NFT BART.

**Usage**

```
tsvs(
  ## data
  x.train, times, delta=NULL,
  rm.const=TRUE, rm.dupe=TRUE,
  ##tsvs args
  K=20, a.=1, b.=0.5, C=0.5,
  rds.file='tsvs.rds', pdf.file='tsvs.pdf',
```

```

## multi-threading
tc=getOption("mc.cores", 1), ##OpenMP thread count
##MCMC
nskip=1000, ndpost=2000,
nadapt=1000, adaptevery=100,
chv=NULL,
method="spearman", use="pairwise.complete.obs",
pbd=c(0.7, 0.7), pb=c(0.5, 0.5),
stepwpert=c(0.1, 0.1), probchv=c(0.1, 0.1),
minnumbot=c(5, 5),
## BART and HBART prior parameters
ntree=c(10, 2), numcut=100, xicuts=NULL,
power=c(2, 2), base=c(0.95, 0.95),
## f function
k=5, sigmaf=NA,
dist='weibull',
## s function
sigmav=NULL, total.lambda=NA, total.nu=10, mask=0.95,
## survival analysis
##K=100, events=NULL,
## DPM LIO
drawDPM=1L,
alpha=1, alpha.a=1, alpha.b=0.1, alpha.draw=1,
neal.m=2, constrain=1,
m0=0, k0.a=1.5, k0.b=7.5, k0=1, k0.draw=1,
a0=3, b0.a=2, b0.b=1, b0=1, b0.draw=1,
## misc
na.rm=FALSE, probs=c(0.025, 0.975), printevery=100,
transposed=FALSE
)

```

### Arguments

x.train	nxp matrix of predictor variables for the training data.
times	nx1 vector of the observed times for the training data.
delta	nx1 vector of the time type for the training data: 0, for right-censoring; 1, for an event; and, 2, for left-censoring.
rm.const	To remove constant variables or not.
rm.dupe	To remove duplicate variables or not.
K	The number of Thompson sampling steps to take. Not to be confused with the size of the time grid for survival distribution estimation.
a.	The prior parameter for successes of a Beta distribution.
b.	The prior parameter for failures of a Beta distribution.
C	The probability cut-off for variable selection.
rds.file	File name to store RDS object containing Thompson sampling parameters.

pdf.file	File name to store PDF graphic of variables selected.
tc	Number of OpenMP threads to use.
nskip	Number of MCMC iterations to burn-in and discard.
ndpost	Number of MCMC iterations kept after burn-in.
nadapt	Number of MCMC iterations for adaptation prior to burn-in.
adaptevery	Adapt MCMC proposal distributions every adaptevery iteration.
chv	Predictor correlation matrix used as a pre-conditioner for MCMC change-of-variable proposals.
method,use	Correlation options for change-of-variable proposal pre-conditioner.
pbd	Probability of performing a birth/death proposal, otherwise perform a rotate proposal.
pb	Probability of performing a birth proposal given that we choose to perform a birth/death proposal.
stepwpert	Initial width of proposal distribution for perturbing cut-points.
probchv	Probability of performing a change-of-variable proposal. Otherwise, only do a perturb proposal.
minnumbot	Minimum number of observations required in leaf (terminal) nodes.
ntree	Vector of length two for the number of trees used for the mean model and the number of trees used for the variance model.
numcut	Number of cutpoints to use for each predictor variable.
xicuts	More detailed construction of cut-points can be specified by the xicuts function and provided here.
power	Power parameter in the tree depth penalizing prior.
base	Base parameter in the tree depth penalizing prior.
k	Prior hyperparameter for the mean model.
sigmaf	SD of $y.train$ desired for f function leaf prior.
dist	Distribution to be passed to intercept-only AFT model to center $y.train$ .
sigmav	Initialization of square-root of variance parameter.
total.lambda	A rudimentary estimate of the process standard deviation. Used in calibrating the variance prior.
total.nu	Shape parameter for the variance prior.
mask	If a proportion is provided, then said quantile of $\max_i sd(x_i)$ is used to mask non-stationary departures (with respect to convergence) above this threshold.
drawDPM	Whether to utilize DPM or not.
alpha	Initial value of DPM concentration parameter.
alpha.a	Gamma prior parameter setting for DPM concentration parameter where $E[\alpha]=\alpha.a/\alpha.b$ .
alpha.b	See alpha.a above.
alpha.draw	Whether to draw alpha or it is fixed at the initial value.
neal.m	The number of additional atoms for Neal 2000 DPM algorithm 8.

<code>constrain</code>	Whether to perform constrained DPM or unconstrained.
<code>m0</code>	Center of the error distribution: defaults to zero.
<code>k0.a</code>	First Gamma prior argument for $k_0$ .
<code>k0.b</code>	Second Gamma prior argument for $k_0$ .
<code>k0</code>	Initial value of $k_0$ .
<code>k0.draw</code>	Whether to fix $k_0$ or draw it from the DPM LIO prior hierarchy: $k_0 \sim \text{Gamma}(k_0.a, k_0.b)$ , i.e., $E[k_0] = k_0.a/k_0.b$ .
<code>a0</code>	First Gamma prior argument for $\tau$ .
<code>b0.a</code>	First Gamma prior argument for $b_0$ .
<code>b0.b</code>	Second Gamma prior argument for $b_0$ .
<code>b0</code>	Initial value of $b_0$ .
<code>b0.draw</code>	Whether to fix $b_0$ or draw it from the DPM LIO prior hierarchy: $b_0 \sim \text{Gamma}(b_0.a, b_0.b)$ , i.e., $E[b_0] = b_0.a/b_0.b$ .
<code>na.rm</code>	Value to be passed to the <code>predict</code> function.
<code>probs</code>	Value to be passed to the <code>predict</code> function.
<code>printevery</code>	Outputs MCMC algorithm status every <code>printevery</code> iterations.
<code>transposed</code>	<code>tsvs</code> handles all of the pre-processing for <code>x.train/x.test</code> (including transposing) computational efficiency.

## Details

`tsvs()` is the function to perform variable selection.

The `tsvs()` function returns a fit object of S3 class type `list` as well as storing it in `rds.file` for sampling in progress.

## Author(s)

Rodney Sparapani: <[rsparapa@mcw.edu](mailto:rsparapa@mcw.edu)>

## References

Sparapani R., Logan B., Laud P. (2021) Nonparametric Failure Time: Time-to-event Machine Learning with Heteroskedastic Bayesian Additive Regression Trees and Low Information Omnibus Dirichlet Process Mixtures *MCW Biostatistics Technical Report 72* <https://www.mcw.edu/-/media/MCW/Departments/Biostatistics/tr72.pdf?la=en>.

Liu Y., Rockova V. (2021) Variable selection via Thompson sampling. *Journal of the American Statistical Association*. Jun 29:1-8.

## See Also

[tsvs2](#)

## Examples

```
##library(nftbart)
data(lung)
N=length(lung$status)

##lung$status: 1=censored, 2=dead
##delta: 0=censored, 1=dead
delta=lung$status-1

## this study reports time in days rather than weeks or months
times=lung$time
times=times/7 ## weeks

## matrix of covariates
x.train=cbind(lung[, -(1:3)])
## lung$sex:      Male=1 Female=2

##vars=tsvs(x.train, times, delta)
vars=tsvs(x.train, times, delta, K=0) ## K=0 just returns 0
```

---

tsvs2

---

*Variable selection with NFT BART models.*


---

## Description

The `tsvs2()` function is for Thompson sampling variable selection with NFT BART.

## Usage

```
tsvs2(
  ## data
  xftrain, xstrain, times, delta=NULL,
  rm.const=TRUE, rm.dupe=TRUE,
  ##tsvs args
  K=20, a.=1, b.=0.5, C=0.5,
  rds.file='tsvs2.rds', pdf.file='tsvs2.pdf',
  ## multi-threading
  tc=getOption("mc.cores", 1), ##OpenMP thread count
  ##MCMC
  nskip=1000, ndpost=2000,
  nadapt=1000, adaptevery=100,
  chvf=NULL, chvs=NULL,
  method="spearman", use="pairwise.complete.obs",
  pbd=c(0.7, 0.7), pb=c(0.5, 0.5),
  stepwpert=c(0.1, 0.1), probchv=c(0.1, 0.1),
```

```

minnumbot=c(5, 5),
## BART and HBART prior parameters
ntree=c(10, 2), numcut=100,
xifcuts=NULL, xiscuts=NULL,
power=c(2, 2), base=c(0.95, 0.95),
## f function
k=5, sigmaf=NA,
dist='weibull',
## s function
sigmav=NULL, total.lambda=NA, total.nu=10, mask=0.95,
## survival analysis
##K=100, events=NULL,
## DPM LIO
drawDPM=1L,
alpha=1, alpha.a=1, alpha.b=0.1, alpha.draw=1,
neal.m=2, constrain=1,
m0=0, k0.a=1.5, k0.b=7.5, k0=1, k0.draw=1,
a0=3, b0.a=2, b0.b=1, b0=1, b0.draw=1,
## misc
na.rm=FALSE, probs=c(0.025, 0.975), printevery=100,
transposed=FALSE
)

```

## Arguments

xftrain	n x pf matrix of predictor variables for the training data.
xstrain	n x ps matrix of predictor variables for the training data.
times	nx1 vector of the observed times for the training data.
delta	nx1 vector of the time type for the training data: 0, for right-censoring; 1, for an event; and, 2, for left-censoring.
rm.const	To remove constant variables or not.
rm.dupe	To remove duplicate variables or not.
K	The number of Thompson sampling steps to take. Not to be confused with the size of the time grid for survival distribution estimation.
a.	The prior parameter for successes of a Beta distribution.
b.	The prior parameter for failures of a Beta distribution.
C	The probability cut-off for variable selection.
rds.file	File name to store RDS object containing Thompson sampling parameters.
pdf.file	File name to store PDF graphic of variables selected.
tc	Number of OpenMP threads to use.
nskip	Number of MCMC iterations to burn-in and discard.
ndpost	Number of MCMC iterations kept after burn-in.
nadapt	Number of MCMC iterations for adaptation prior to burn-in.

<code>adaptevery</code>	Adapt MCMC proposal distributions every <code>adaptevery</code> iteration.
<code>chvf, chvs</code>	Predictor correlation matrix used as a pre-conditioner for MCMC change-of-variable proposals.
<code>method, use</code>	Correlation options for change-of-variable proposal pre-conditioner.
<code>pb</code>	Probability of performing a birth/death proposal, otherwise perform a rotate proposal.
<code>pb</code>	Probability of performing a birth proposal given that we choose to perform a birth/death proposal.
<code>stepwpert</code>	Initial width of proposal distribution for perturbing cut-points.
<code>probchv</code>	Probability of performing a change-of-variable proposal. Otherwise, only do a perturb proposal.
<code>minnumbot</code>	Minimum number of observations required in leaf (terminal) nodes.
<code>ntree</code>	Vector of length two for the number of trees used for the mean model and the number of trees used for the variance model.
<code>numcut</code>	Number of cutpoints to use for each predictor variable.
<code>xifcuts, xiscuts</code>	More detailed construction of cut-points can be specified by the <code>xicuts</code> function and provided here.
<code>power</code>	Power parameter in the tree depth penalizing prior.
<code>base</code>	Base parameter in the tree depth penalizing prior.
<code>k</code>	Prior hyperparameter for the mean model.
<code>sigmaf</code>	SD of <code>y.train</code> desired for <code>f</code> function leaf prior.
<code>dist</code>	Distribution to be passed to intercept-only AFT model to center <code>y.train</code> .
<code>sigmav</code>	Initialization of square-root of variance parameter.
<code>total.lambda</code>	A rudimentary estimate of the process standard deviation. Used in calibrating the variance prior.
<code>total.nu</code>	Shape parameter for the variance prior.
<code>mask</code>	If a proportion is provided, then said quantile of $\max_i \text{sd}(x_i)$ is used to mask non-stationary departures (with respect to convergence) above this threshold.
<code>drawDPM</code>	Whether to utilize DPM or not.
<code>alpha</code>	Initial value of DPM concentration parameter.
<code>alpha.a</code>	Gamma prior parameter setting for DPM concentration parameter where $E[\alpha]=\alpha.a/\alpha.b$ .
<code>alpha.b</code>	See <code>alpha.a</code> above.
<code>alpha.draw</code>	Whether to draw <code>alpha</code> or it is fixed at the initial value.
<code>neal.m</code>	The number of additional atoms for Neal 2000 DPM algorithm 8.
<code>constrain</code>	Whether to perform constrained DPM or unconstrained.
<code>m0</code>	Center of the error distribution: defaults to zero.
<code>k0.a</code>	First Gamma prior argument for <code>k0</code> .
<code>k0.b</code>	Second Gamma prior argument for <code>k0</code> .

<code>k0</code>	Initial value of $k_0$ .
<code>k0.draw</code>	Whether to fix $k_0$ or draw it if from the DPM LIO prior hierarchy: $k_0 \sim \text{Gamma}(k_0.a, k_0.b)$ , i.e., $E[k_0] = k_0.a / k_0.b$ .
<code>a0</code>	First Gamma prior argument for $\tau$ .
<code>b0.a</code>	First Gamma prior argument for $b_0$ .
<code>b0.b</code>	Second Gamma prior argument for $b_0$ .
<code>b0</code>	Initial value of $b_0$ .
<code>b0.draw</code>	Whether to fix $b_0$ or draw it from the DPM LIO prior hierarchy: $b_0 \sim \text{Gamma}(b_0.a, b_0.b)$ , i.e., $E[b_0] = b_0.a / b_0.b$ .
<code>na.rm</code>	Value to be passed to the <code>predict</code> function.
<code>probs</code>	Value to be passed to the <code>predict</code> function.
<code>printevery</code>	Outputs MCMC algorithm status every <code>printevery</code> iterations.
<code>transposed</code>	<code>tsvs</code> handles all of the pre-processing for <code>x.train/x.test</code> (including transposing) computational efficiency.

### Details

`tsvs2()` is the function to perform variable selection.

The `tsvs2()` function returns a fit object of S3 class type `list` as well as storing it in `rds.file` for sampling in progress.

### Author(s)

Rodney Sparapani: <[rsparapa@mcw.edu](mailto:rsparapa@mcw.edu)>

### References

Sparapani R., Logan B., Laud P. (2021) Nonparametric Failure Time: Time-to-event Machine Learning with Heteroskedastic Bayesian Additive Regression Trees and Low Information Omnibus Dirichlet Process Mixtures *MCW Biostatistics Technical Report 72* <https://www.mcw.edu/-/media/MCW/Departments/Biostatistics/tr72.pdf?la=en>.

Liu Y., Rockova V. (2021) Variable selection via Thompson sampling. *Journal of the American Statistical Association*. Jun 29:1-8.

### See Also

[tsvs](#)

### Examples

```
##library(nftbart)
data(lung)
N=length(lung$status)

##lung$status: 1=censored, 2=dead
```



```
##delta: 0=censored, 1=dead
delta=lung$status-1

## this study reports time in days rather than weeks or months
times=lung$time
times=times/7 ## weeks

## matrix of covariates
x.train=cbind(lung[, -(1:3)])
## lung$sex:      Male=1 Female=2

##vars=tsvs2(x.train, x.train, times, delta)
vars=tsvs2(x.train, x.train, times, delta, K=0) ## K=0 just returns 0
```

---

xicuts

*Specifying cut-points for the covariates*

---

## Description

This function allows you to create a list that specifies the cut-points for the covariates.

## Usage

```
xicuts(x.train, transposed=FALSE, numcut=100)
```

## Arguments

x.train	The training matrix to derive cut-points from.
transposed	Whether or not the matrix has been transposed yet.
numcut	The number of cut-points to create.

## Details

The cut-points are generated uniformly from min. to max., i.e., the distribution of the data is ignored.

## Value

An object is returned of type `BARTcutinfo` which is essentially a list.

# Index

## \* datasets

galaxy, [7](#)

lung, [8](#)

bartModelMatrix, [2](#)

bMM, [3](#), [3](#)

cancer (lung), [8](#)

CDimpute, [5](#)

Cindex, [6](#)

galaxy, [7](#)

lung, [8](#)

nft, [9](#), [23](#)

nft2, [14](#), [25](#)

predict.aftree, [19](#)

predict.nft, [6](#), [13](#), [21](#), [21](#)

predict.nft2, [18](#), [23](#)

tsvs, [25](#), [32](#)

tsvs2, [28](#), [29](#)

xicuts, [4](#), [33](#)