

# Package ‘oaqc’

November 14, 2017

**Title** Computation of the Orbit-Aware Quad Census

**Version** 1.0

**Description** Implements the efficient algorithm by Ortmann and Brandes (2017) <doi:10.1007/s41109-017-0027-2> to compute the orbit-aware frequency distribution of induced and non-induced quads, i.e. subgraphs of size four. Given an edge matrix, data frame, or a graph object (e.g., 'igraph'), the orbit-aware counts are computed respective each of the edges and nodes.

**Depends** R (>= 3.4)

**Suggests** igraph, knitr, rmarkdown

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**NeedsCompilation** yes

**SystemRequirements** C++11

**RoxygenNote** 6.0.1

**VignetteBuilder** knitr

**Author** Mark Ortmann [aut, cre],  
Felix Schoenenberger [aut]

**Maintainer** Mark Ortmann <mark.ortmann@uni.kn>

**Repository** CRAN

**Date/Publication** 2017-11-14 15:17:21 UTC

## R topics documented:

annotate_result . . . . .	2
as.edge_list . . . . .	2
oaqc . . . . .	3

<b>Index</b>	<b>4</b>
--------------	----------

---

annotate_result	<i>Annotates the igraph object with orbit labels.</i>
-----------------	---

---

**Description**

Annotates the igraph object with orbit labels.

**Usage**

```
annotate_result(graph, orbits, non_ind_freq)
```

**Arguments**

graph	Unmodified input graph.
orbits	List with n_orbits, e_orbits matrices.
non_ind_freq	A flag indicating whether non-induced frequencies have to be written or not.

**Value**

orbits if the input is not an igraph, the annotated igraph instead.

---

as.edge_list	<i>Coerce graph input.</i>
--------------	----------------------------

---

**Description**

Coerce graph input.

**Usage**

```
as.edge_list(graph)
```

**Arguments**

graph	A matrix, data.frame or graph object.
-------	---------------------------------------

**Value**

Edge list matrix.

---

`oaqc`*Orbit-aware Quad Census computation*

---

**Description**

Calculates the orbit-aware quad census on an edge and node level, see `vignette('oaqc')`.

**Usage**

```
oaqc(graph, non_ind_freq = F, file = "")
```

**Arguments**

<code>graph</code>	A matrix, data.frame or graph object.
<code>non_ind_freq</code>	A flag indicating whether non-induced frequencies have to be returned or not.
<code>file</code>	Name (and location) of the file to be written.

**Value**

orbit-aware quad census on a node and edge level. Consult `vignette('oaqc')` to see the correspondence between orbit and quad.

**Examples**

```
k4 <- data.frame(
  source = c(0, 0, 0, 1, 1, 2),
  target = c(1, 2, 3, 2, 3, 3)
)

k4orbits <- oaqc(k4, non_ind_freq = TRUE)
print(k4orbits)
```

# Index

`annotate_result`, [2](#)  
`as.edge_list`, [2](#)

`oaqc`, [3](#)  
`oaqc-package (oaqc)`, [3](#)