

Package ‘sRdpData’

March 29, 2022

Type Package

Title Strategies of Resistance Data Project

Version 0.1.0

Author Harriet Jane Goers

Maintainer Harriet Jane Goers <hgoers@umd.edu>

Description Provides you with easy, programmatic access to SRDP data.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

URL <https://github.com/hgoers/sRdpData>

BugReports <https://github.com/hgoers/sRdpData/issues>

Depends R (>= 2.10)

RoxygenNote 7.1.2

Imports tibble, dplyr, magrittr, rlang

Suggests testthat

Config/testthat/edition 3

NeedsCompilation no

Repository CRAN

Date/Publication 2022-03-29 07:30:05 UTC

R topics documented:

groups	2
orgs	2
srdp_groups	4
srdp_orgs	4
srdp_tactics	5
Index	6

groups	<i>All self-determination movements</i>
--------	---

Description

A dataset containing details of all self-determination movements and the countries they challenged from 1960 to 2005.

Usage

groups

Format

A data frame with 5549 rows and 5 variables:

kgcid group's unique ID

group_name group's name

year calendar year

country country the group is challenging

country_iso3c the ISO3C for the country the group is challenging

Source

<http://www.kathleengallaghercunningham.com/data-projects.html>

orgs	<i>All self-determination movements' and their factions' use of violent and non-violent tactics</i>
------	---

Description

A dataset containing details of all self-determination movements' and their factions' use of violent and non-violent tactics from 1960 to 2005.

Usage

orgs

Format

A data frame with 12017 rows and 19 variables:

kgcid group's unique ID

group_name group's name

facid organisation's unique ID

fac_name organisation's name

year calendar year

violence_state Any violence committed against government or people working for government (military and police forces included)

fatal_violence_state Any violence committed against government or people working for government (military and police forces included) wherein at least one person died (regardless of who that person is)

violence_org Any violence committed against another organization operating within the same group in the dataset

fatal_violence_org Any violence committed against another organization operating within the same group in the dataset wherein at least one person died (regardless of who that person is)

violence_ingroup Any violence committed against civilians of the group's population

fatal_violence_ingroup Any violence committed against civilians in the group's population wherein at least one person died (regardless of who that person is)

violence_outgroup Any violence against civilians outside of the group's population

fatal_violence_outgroup Any violence against civilians outside of the group's population wherein at least one person died (regardless of who that person is)

economic_noncoop Reports of strikes, tax refusal or consumer boycotts that are either organized by the organization, or people from the organization have participated

protest_demonstration Rally, protest, or demonstration either organized by the organization, or people from the organization have participated

nvintervention Sit-ins, occupations, or blockades reported; either organized by the organization, or people from the organization have participated

social_noncoop Hunger strike, self-immolation or other self-harm reported; either organized by the organization, or people from the organization have participated

institutional Organization registers as political party, participates in an election, participates in a national or local electoral campaign

political_nocoop Organization boycotts an election or withdrawals from political office or coalition in the government

Source

<http://www.kathleengallaghercunningham.com/data-projects.html>

srdp_groups	<i>Access to SRDP group-level data.</i>
-------------	---

Description

This function provides a dataset of all SRDP groups, the countries they are challenging, and their start and end dates. It covers the period between 1960 and 2005. You can use this function to access a long dataframe (one observation for each group-year dyad), or a wide dataframe (one observation for each group, with their start and end years provided in specific columns).

Usage

```
srdp_groups(wide = FALSE)
```

Arguments

wide	Logical. When FALSE (default), provides a dataframe with one observation for every group-year dyad. When TRUE, provides a dataframe with one observation for every group.
------	---

Details

Please note, if a group started before 1960, its start year is listed as *NA*. If a group ended after 2005, its end year is listed as *NA*.

Value

A tibble, with each group's kgcid, name, country, start year, end year, country challenged

Examples

```
groups <- srdp_groups(wide = TRUE)
```

srdp_orgs	<i>Access to SRDP organisation-level data.</i>
-----------	--

Description

This function provides a dataset of all organizations, their groups, and their start and end dates. It covers the period between 1960 and 2005. You can use this function to access a long dataframe (one observation for each organization-year dyad), or a wide dataframe (one observation for each organization, with their start and end years provided in specific columns).

Usage

```
srdp_orgs(wide = FALSE)
```

Arguments

`wide` Logical. When FALSE (default), provides a dataframe with one observation for every organization-year dyad. When TRUE, provides a dataframe with one observation for every organization.

Details

Please note, if an organization started before 1960, its start year is listed as *NA*. If an organization ended after 2005, its end year is listed as *NA*.

Value

A tibble, with each organization's `kgcid`, group name, `facid`, faction name, start year, and end year

Examples

```
orgs <- srdp_orgs(wide = TRUE)
```

<code>srdp_tactics</code>	<i>Access to SRDP organization-level tactical data.</i>
---------------------------	---

Description

This function provides a dataset of all SRDP organizations, their groups, the countries they are challenging, and their yearly use of violent and non-violent tactics. It covers the period between 1960 and 2005.

Usage

```
srdp_tactics()
```

Value

A tibble, with each group's `facid`, name, `kgcid`, name, country, country challenged, and tactics

Examples

```
tactics <- srdp_tactics()
```

Index

* **datasets**

groups, [2](#)

orgs, [2](#)

groups, [2](#)

orgs, [2](#)

srdp_groups, [4](#)

srdp_orgs, [4](#)

srdp_tactics, [5](#)