

Package ‘stencilaschema’

February 22, 2021

Title Bindings for Stencila Schema

Description Provides R bindings for the Stencila Schema <<https://schema.stenci.la>>. This package is primarily aimed at R developers wanting to programmatically generate, or modify, executable documents.

URL <https://github.com/stencila/schema#readme>

BugReports <https://github.com/stencila/schema/issues>

License Apache License (>= 2)

Language en-gb

Version 1.0.0

Encoding UTF-8

Suggests covr, devtools, lintr, pkgdown, rhub, roxygen2, spelling, testthat

RoxygenNote 7.1.1

Collate 'typing.R' 'types.R'

NeedsCompilation no

Author Nokome Bentley [aut, cre]

Maintainer Nokome Bentley <nokome@stenci.la>

Repository CRAN

Date/Publication 2021-02-22 10:40:03 UTC

R topics documented:

Any	4
Array	4
ArrayValidator	5
Article	6
as_scalar	8
as_type	8
AudioObject	9
BlockContent	11

BooleanValidator	12
Brand	12
check_property	13
Cite	14
CiteGroup	15
Code	15
CodeBlock	16
CodeBlockTypes	17
CodeChunk	17
CodeError	19
CodeExpression	20
CodeFragment	20
CodeFragmentTypes	21
CodeTypes	22
Collection	22
Comment	24
ConstantValidator	26
ContactPoint	27
ContactPointTypes	28
CreativeWork	28
CreativeWorkTypes	30
Datatable	31
DatatableColumn	33
Date	34
DefinedTerm	34
Delete	35
Emphasis	36
Entity	36
EntityTypes	37
Enum	37
EnumValidator	38
Figure	38
Function	40
Grant	41
GrantTypes	42
Heading	43
ImageObject	43
Include	46
InlineContent	46
IntegerValidator	47
is_class	48
is_type	48
last_class	49
Link	49
List	50
ListItem	51
Mark	52
MarkTypes	52

Math	53
MathBlock	53
MathFragment	54
MathTypes	55
MediaObject	55
MediaObjectTypes	58
MonetaryGrant	58
Node	59
NontextualAnnotation	60
NumberValidator	60
NumberValidatorTypes	61
Organization	62
Paragraph	63
Parameter	64
Periodical	65
Person	67
PostalAddress	68
Product	70
PropertyValue	71
PublicationIssue	72
PublicationVolume	74
Quote	76
QuoteBlock	77
Review	78
SoftwareApplication	80
SoftwareEnvironment	82
SoftwareSession	83
SoftwareSourceCode	85
StringValidator	87
Strong	88
Subscript	88
Superscript	89
Table	89
TableCell	92
TableRow	92
ThematicBreak	93
Thing	93
ThingTypes	94
TupleValidator	95
Union	95
ValidatorTypes	96
Variable	96
VariableTypes	97
VideoObject	97
VolumeMount	100

Any	<i>Any type</i>
-----	-----------------

Description

Any type

Usage

Any()

Value

A list of class Any

Examples

Any()

Array	<i>Array type</i>
-------	-------------------

Description

Array type

Usage

Array(items)

Arguments

items The type that items in the array should be

Value

A list of class Array describing the valid items of an array

Examples

```
Array(numeric)
Array("numeric")
Array(Person)
Array(Union(character, Person))
```

ArrayValidator	<i>A validator specifying constraints on an array node.</i>
----------------	---

Description

A validator specifying constraints on an array node.

Usage

```
ArrayValidator(  
    contains,  
    id,  
    itemsValidator,  
    maxItems,  
    meta,  
    minItems,  
    uniqueItems  
)
```

Arguments

contains	An array node is valid if at least one of its items is valid against the contains schema.
id	The identifier for this item.
itemsValidator	Another validator node specifying the constraints on all items in the array.
maxItems	An array node is valid if its size is less than, or equal to, this value.
meta	Metadata associated with this item.
minItems	An array node is valid if its size is greater than, or equal to, this value.
uniqueItems	A flag to indicate that each value in the array should be unique.

Value

A list of class ArrayValidator

See Also

[Entity](#)

Article

An article, including news and scholarly articles.

Description

An article, including news and scholarly articles.

Usage

```
Article(  
  about,  
  alternateNames,  
  authors,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  pageEnd,  
  pageStart,  
  pagination,  
  parts,  
  publisher,  
  references,  
  text,  
  title,  
  url,  
  version  
)
```

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
pageEnd	The page on which the article ends; for example "138" or "xvi".
pageStart	The page on which the article starts; for example "135" or "xiii".
pagination	Any description of pages that is not separated into pageStart and pageEnd; for example, "1-6, 9, 55".
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Article

See Also

[CreativeWork](#)

as_scalar	<i>Declare that a node is scalar</i>
-----------	--------------------------------------

Description

Declare that a node is scalar

Usage

```
as_scalar(node)
```

Arguments

node	The node to declare as a scalar
------	---------------------------------

Value

The node with the scalar class added to it

as_type	<i>Coerce a value to conform to the type Principally, marks values as scalar where possible</i>
---------	---

Description

Coerce a value to conform to the type Principally, marks values as scalar where possible

Usage

```
as_type(value, type)
```

Arguments

value	The value to coerce
type	The type to coerce it to

Value

The value, possibly coerced to the type

AudioObject

An audio file

Description

An audio file

Usage

```
AudioObject(  
  contentUrl,  
  about,  
  alternateNames,  
  authors,  
  bitrate,  
  caption,  
  comments,  
  content,  
  contentSize,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  embedUrl,  
  format,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  parts,  
  publisher,  
  references,  
  text,  
  title,  
  transcript,  
  url,
```

```

    version
  )

```

Arguments

contentUrl	URL for the actual bytes of the media object, for example the image file or video file. Required.
about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
bitrate	Bitrate in megabits per second (Mbit/s, Mb/s, Mbps).
caption	The caption for this audio recording.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
contentSize	File size in megabits (Mbit, Mb).
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
embedUrl	URL that can be used to embed the media on a web page via a specific media player.
format	Media type (MIME type) as per http://www.iana.org/assignments/media-types/media-types.xhtml .
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.

parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
transcript	The transcript of this audio recording.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class AudioObject

See Also

[MediaObject](#)

BlockContent	<i>Union type for valid block content.</i>
--------------	--

Description

Union type for valid block content.

Usage

BlockContent

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

BooleanValidator	<i>A schema specifying that a node must be a boolean value.</i>
------------------	---

Description

A schema specifying that a node must be a boolean value.

Usage

```
BooleanValidator(id, meta)
```

Arguments

id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class BooleanValidator

See Also

[Entity](#)

Brand	<i>A brand used by an organization or person for labeling a product, product group, or similar.</i>
-------	---

Description

A brand used by an organization or person for labeling a product, product group, or similar.

Usage

```
Brand(  
  name,  
  alternateNames,  
  description,  
  id,  
  identifiers,  
  images,  
  logo,  
  meta,  
  reviews,  
  url  
)
```

Arguments

name	The name of the item. Required.
alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
logo	A logo associated with the brand.
meta	Metadata associated with this item.
reviews	Reviews of the brand.
url	The URL of the item.

Value

A list of class Brand

See Also

[Thing](#)

check_property	<i>Check that a value is present if required and conforms to the specified type for a property.</i>
----------------	---

Description

Check that a value is present if required and conforms to the specified type for a property.

Usage

```
check_property(type_name, property_name, is_required, is_missing, type, value)
```

Arguments

type_name	The name of the type that they property is on
property_name	The name of the property
is_required	Is a value for the property required?
is_missing	Is a value for the property missing?
type	The type to check against
value	The value to check

Value

The value, if it is valid, nothing otherwise

Cite

A reference to a CreativeWork that is cited in another CreativeWork.

Description

A reference to a CreativeWork that is cited in another CreativeWork.

Usage

```
Cite(
  target,
  citationMode,
  content,
  id,
  meta,
  pageEnd,
  pageStart,
  pagination,
  prefix,
  suffix
)
```

Arguments

target	The target of the citation (URL or reference ID). Required.
citationMode	How the cite is rendered in the surrounding text.
content	Optional structured content/text of this citation.
id	The identifier for this item.
meta	Metadata associated with this item.
pageEnd	The page on which the work ends; for example "138" or "xvi".
pageStart	The page on which the work starts; for example "135" or "xiii".
pagination	Any description of pages that is not separated into pageStart and pageEnd; for example, "1-6, 9, 55".
prefix	A prefix to show before the citation.
suffix	A suffix to show after the citation.

Value

A list of class Cite

See Also

[Entity](#)

CiteGroup	<i>A group of Cite nodes</i>
-----------	------------------------------

Description

A group of Cite nodes

Usage

CiteGroup(items, id, meta)

Arguments

items	One or more Cites to be referenced in the same surrounding text. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class CiteGroup

See Also

[Entity](#)

Code	<i>Base type for code nodes e.g. CodeBlock, CodeExpression.</i>
------	---

Description

Base type for code nodes e.g. CodeBlock, CodeExpression.

Usage

Code(text, format, id, meta, programmingLanguage)

Arguments

text	The text of the code. Required.
format	Media type, typically expressed using a MIME format, of the code.
id	The identifier for this item.
meta	Metadata associated with this item.
programmingLanguage	The programming language of the code.

Value

A list of class Code

See Also

[Entity](#)

CodeBlock

A code block.

Description

A code block.

Usage

```
CodeBlock(text, exportFrom, format, id, importTo, meta, programmingLanguage)
```

Arguments

text	The text of the code. Required.
exportFrom	A compilation directive giving the name of the variable to export into the content of the code block.
format	Media type, typically expressed using a MIME format, of the code.
id	The identifier for this item.
importTo	A compilation directive giving the name of the variable to import the content of the code block as.
meta	Metadata associated with this item.
programmingLanguage	The programming language of the code.

Value

A list of class CodeBlock

See Also

[Code](#)

CodeBlockTypes	<i>All type schemas that are derived from CodeBlock</i>
----------------	---

Description

All type schemas that are derived from CodeBlock

Usage

CodeBlockTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

CodeChunk	<i>A executable chunk of code.</i>
-----------	------------------------------------

Description

A executable chunk of code.

Usage

```
CodeChunk(  
  text,  
  alters,  
  assigns,  
  caption,  
  declares,  
  duration,  
  errors,  
  exportFrom,  
  format,  
  id,  
  importTo,  
  imports,  
  label,  
  meta,  
  outputs,  
  programmingLanguage,  
  reads,  
  uses  
)
```

Arguments

text	The text of the code. Required.
alters	Names of variables that the code chunk alters.
assigns	Variables that the code chunk assigns to.
caption	A caption for the CodeChunk.
declares	Variables that the code chunk declares.
duration	Duration in seconds of the last execution of the chunk.
errors	Errors when compiling or executing the chunk.
exportFrom	A compilation directive giving the name of the variable to export into the content of the code block.
format	Media type, typically expressed using a MIME format, of the code.
id	The identifier for this item.
importTo	A compilation directive giving the name of the variable to import the content of the code block as.
imports	Software packages that the code chunk imports
label	A short label for the CodeChunk.
meta	Metadata associated with this item.
outputs	Outputs from executing the chunk.
programmingLanguage	The programming language of the code.
reads	Filesystem paths that this code chunk reads from.
uses	Names of variables that the code chunk uses (but does not alter).

Value

A list of class CodeChunk

See Also

[CodeBlock](#)

Examples

```
CodeChunk(
  programmingLanguage = "r",
  text = "plot(1)",
  label = "Figure 1",
  id = "fig1",
  caption = list(
    Heading(
      content = list("Figure title"),
      depth = 2
    ),
    Paragraph(
```

```
        content = list(
            "A paragraph with some",
            Strong(content = list("strong emphasis")),
            "in it."
        )
    )
)
```

CodeError	<i>An error that occurred when parsing, compiling or executing a Code node.</i>
-----------	---

Description

An error that occurred when parsing, compiling or executing a Code node.

Usage

```
CodeError(errorMessage, errorType, id, meta, stackTrace)
```

Arguments

errorMessage	The error message or brief description of the error. Required.
errorType	The type of error e.g. "SyntaxError", "ZeroDivisionError".
id	The identifier for this item.
meta	Metadata associated with this item.
stackTrace	Stack trace leading up to the error.

Value

A list of class CodeError

See Also

[Entity](#)

CodeExpression	<i>An expression defined in programming language source code.</i>
----------------	---

Description

An expression defined in programming language source code.

Usage

```
CodeExpression(text, errors, format, id, meta, output, programmingLanguage)
```

Arguments

text	The text of the code. Required.
errors	Errors when compiling or executing the chunk.
format	Media type, typically expressed using a MIME format, of the code.
id	The identifier for this item.
meta	Metadata associated with this item.
output	The value of the expression when it was last evaluated.
programmingLanguage	The programming language of the code.

Value

A list of class CodeExpression

See Also

[CodeFragment](#)

CodeFragment	<i>Inline code.</i>
--------------	---------------------

Description

Inline code.

Usage

```
CodeFragment(text, format, id, meta, programmingLanguage)
```

Arguments

text	The text of the code. Required.
format	Media type, typically expressed using a MIME format, of the code.
id	The identifier for this item.
meta	Metadata associated with this item.
programmingLanguage	The programming language of the code.

Value

A list of class CodeFragment

See Also

[Code](#)

CodeFragmentTypes *All type schemas that are derived from CodeFragment*

Description

All type schemas that are derived from CodeFragment

Usage

CodeFragmentTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

CodeTypes	<i>All type schemas that are derived from Code</i>
-----------	--

Description

All type schemas that are derived from Code

Usage

CodeTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

Collection	<i>A created collection of CreativeWorks or other artefacts.</i>
------------	--

Description

A created collection of CreativeWorks or other artefacts.

Usage

```
Collection(
  parts,
  about,
  alternateNames,
  authors,
  comments,
  content,
  dateAccepted,
  dateCreated,
  dateModified,
  datePublished,
  dateReceived,
  description,
  editors,
  fundedBy,
  funders,
  genre,
  id,
```

```

    identifiers,
    images,
    isPartOf,
    keywords,
    licenses,
    maintainers,
    meta,
    name,
    publisher,
    references,
    text,
    title,
    url,
    version
)

```

Arguments

parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more. Required.
about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.

maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Collection

See Also

[CreativeWork](#)

Comment

A comment on an item, e.g on a Article, or SoftwareSourceCode.

Description

A comment on an item, e.g on a Article, or SoftwareSourceCode.

Usage

```

Comment(
  about,
  alternateNames,
  authors,
  commentAspect,
  comments,
  content,
  dateAccepted,
  dateCreated,
  dateModified,
  datePublished,
  dateReceived,
  description,
  editors,
  fundedBy,
  funders,
  genre,

```



```

    id,
    identifiers,
    images,
    isPartOf,
    keywords,
    licenses,
    maintainers,
    meta,
    name,
    parentItem,
    parts,
    publisher,
    references,
    text,
    title,
    url,
    version
)

```

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
commentAspect	The part or facet of the item that is being commented on.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.

licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parentItem	The parent comment of this comment.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Comment

See Also

[CreativeWork](#)

ConstantValidator	<i>A validator specifying a constant value that a node must have.</i>
-------------------	---

Description

A validator specifying a constant value that a node must have.

Usage

```
ConstantValidator(id, meta, value)
```

Arguments

id	The identifier for this item.
meta	Metadata associated with this item.
value	The value that the node must have.

Value

A list of class ConstantValidator

See Also

[Entity](#)

ContactPoint	<i>A contact point, for example, a R&D department.</i>
--------------	--

Description

A contact point, for example, a R&D department.

Usage

```
ContactPoint(  
  alternateNames,  
  availableLanguages,  
  description,  
  emails,  
  id,  
  identifiers,  
  images,  
  meta,  
  name,  
  telephoneNumbers,  
  url  
)
```

Arguments

alternateNames	Alternate names (aliases) for the item.
availableLanguages	Languages (human not programming) in which it is possible to communicate with the organization/department etc.
description	A description of the item.
emails	Email address for correspondence.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
name	The name of the item.
telephoneNumbers	Telephone numbers for the contact point.
url	The URL of the item.

Value

A list of class ContactPoint

See Also[Thing](#)

ContactPointTypes	<i>All type schemas that are derived from ContactPoint</i>
-------------------	--

Description

All type schemas that are derived from ContactPoint

Usage

ContactPointTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

CreativeWork	<i>A creative work, including books, movies, photographs, software programs, etc.</i>
--------------	---

Description

A creative work, including books, movies, photographs, software programs, etc.

Usage

```
CreativeWork(
  about,
  alternateNames,
  authors,
  comments,
  content,
  dateAccepted,
  dateCreated,
  dateModified,
  datePublished,
  dateReceived,
  description,
  editors,
```

```

    fundedBy,
    funders,
    genre,
    id,
    identifiers,
    images,
    isPartOf,
    keywords,
    licenses,
    maintainers,
    meta,
    name,
    parts,
    publisher,
    references,
    text,
    title,
    url,
    version
)

```

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.

keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class CreativeWork

See Also

[Thing](#)

CreativeWorkTypes *All type schemas that are derived from CreativeWork*

Description

All type schemas that are derived from CreativeWork

Usage

CreativeWorkTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

Datatable	<i>A table of data.</i>
-----------	-------------------------

Description

A table of data.

Usage

```
Datatable(  
  columns,  
  about,  
  alternateNames,  
  authors,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  parts,  
  publisher,  
  references,  
  text,  
  title,  
  url,  
  version  
)
```

Arguments

columns	The columns of data. Required.
---------	---------------------------------------

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Datatable

See Also

[CreativeWork](#)

DatatableColumn	<i>A column of data within a Datatable.</i>
-----------------	---

Description

A column of data within a Datatable.

Usage

```
DatatableColumn(  
    name,  
    values,  
    alternateNames,  
    description,  
    id,  
    identifiers,  
    images,  
    meta,  
    url,  
    validator  
)
```

Arguments

name	The name of the item. Required.
values	The data values of the column. Required.
alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
url	The URL of the item.
validator	The validator to use to validate data in the column.

Value

A list of class DatatableColumn

See Also

[Thing](#)

Date	<i>A date encoded as a ISO 8601 string.</i>
------	---

Description

A date encoded as a ISO 8601 string.

Usage

```
Date(value, id, meta)
```

Arguments

value	The date as an ISO 8601 string. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Date

See Also

[Entity](#)

DefinedTerm	<i>A word, name, acronym, phrase, etc. with a formal definition.</i>
-------------	--

Description

A word, name, acronym, phrase, etc. with a formal definition.

Usage

```
DefinedTerm(  
    name,  
    alternateNames,  
    description,  
    id,  
    identifiers,  
    images,  
    meta,  
    termCode,  
    url  
)
```

Arguments

name	The name of the item. Required.
alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
termCode	A code that identifies this DefinedTerm within a DefinedTermSet
url	The URL of the item.

Value

A list of class DefinedTerm

See Also

[Thing](#)

Delete

Content that is marked for deletion

Description

Content that is marked for deletion

Usage

Delete(content, id, meta)

Arguments

content	The content that is marked. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Delete

See Also

[Mark](#)

Emphasis	<i>Emphasised content.</i>
----------	----------------------------

Description

Emphasised content.

Usage

```
Emphasis(content, id, meta)
```

Arguments

content	The content that is marked. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Emphasis

See Also

[Mark](#)

Entity	<i>The most simple compound (ie. non-atomic like number, string etc) type.</i>
--------	--

Description

The most simple compound (ie. non-atomic like number, string etc) type.

Usage

```
Entity(id, meta)
```

Arguments

id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Entity

EntityTypes	<i>All type schemas that are derived from Entity</i>
-------------	--

Description

All type schemas that are derived from Entity

Usage

EntityTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

Enum	<i>An enumeration</i>
------	-----------------------

Description

An enumeration

Usage

Enum(...)

Arguments

... The values in the enumeration

Value

A list of class Enum describing the valid values in an enumeration

Examples

Enum("apple", "pear", "orange")

EnumValidator	<i>A schema specifying that a node must be one of several values.</i>
---------------	---

Description

A schema specifying that a node must be one of several values.

Usage

```
EnumValidator(id, meta, values)
```

Arguments

id	The identifier for this item.
meta	Metadata associated with this item.
values	A node is valid if it is equal to any of these values.

Value

A list of class EnumValidator

See Also

[Entity](#)

Figure	<i>Encapsulates one or more images, videos, tables, etc, and provides captions and labels for them.</i>
--------	---

Description

Encapsulates one or more images, videos, tables, etc, and provides captions and labels for them.

Usage

```
Figure(  
  about,  
  alternateNames,  
  authors,  
  caption,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateModified,
```

```

    datePublished,
    dateReceived,
    description,
    editors,
    fundedBy,
    funders,
    genre,
    id,
    identifiers,
    images,
    isPartOf,
    keywords,
    label,
    licenses,
    maintainers,
    meta,
    name,
    parts,
    publisher,
    references,
    text,
    title,
    url,
    version
  )

```

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
caption	A caption for the figure.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.

id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
label	A short label for the figure.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Figure

See Also

[CreativeWork](#)

Function	<i>A function with a name, which might take Parameters and return a value of a certain type.</i>
----------	--

Description

A function with a name, which might take Parameters and return a value of a certain type.

Usage

```
Function(id, meta, name, parameters, returns)
```


Arguments

id	The identifier for this item.
meta	Metadata associated with this item.
name	The name of the function.
parameters	The parameters of the function.
returns	The return type of the function.

Value

A list of class Function

See Also

[Entity](#)

Grant	<i>A grant, typically financial or otherwise quantifiable, of resources.</i>
-------	--

Description

A grant, typically financial or otherwise quantifiable, of resources.

Usage

```
Grant(
  alternateNames,
  description,
  fundedItems,
  id,
  identifiers,
  images,
  meta,
  name,
  sponsors,
  url
)
```

Arguments

alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
fundedItems	Indicates an item funded or sponsored through a Grant.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.

images	Images of the item.
meta	Metadata associated with this item.
name	The name of the item.
sponsors	A person or organization that supports a thing through a pledge, promise, or financial contribution.
url	The URL of the item.

Value

A list of class Grant

See Also

[Thing](#)

GrantTypes

All type schemas that are derived from Grant

Description

All type schemas that are derived from Grant

Usage

GrantTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

Heading	<i>Heading</i>
---------	----------------

Description

Heading

Usage

Heading(content, depth, id, meta)

Arguments

content	Content of the heading. Required.
depth	The depth of the heading.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Heading

See Also

[Entity](#)

ImageObject	<i>An image file.</i>
-------------	-----------------------

Description

An image file.

Usage

```
ImageObject(  
  contentUrl,  
  about,  
  alternateNames,  
  authors,  
  bitrate,  
  caption,  
  comments,  
  content,  
  contentSize,
```

```

dateAccepted,
dateCreated,
dateModified,
datePublished,
dateReceived,
description,
editors,
embedUrl,
format,
fundedBy,
funders,
genre,
id,
identifiers,
images,
isPartOf,
keywords,
licenses,
maintainers,
meta,
name,
parts,
publisher,
references,
text,
thumbnail,
title,
url,
version
)

```

Arguments

contentUrl	URL for the actual bytes of the media object, for example the image file or video file. Required.
about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
bitrate	Bitrate in megabits per second (Mbit/s, Mb/s, Mbps).
caption	The caption for this image.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
contentSize	File size in megabits (Mbit, Mb).
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.

datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
embedUrl	URL that can be used to embed the media on a web page via a specific media player.
format	Media type (MIME type) as per http://www.iana.org/assignments/media-types/media-types.xhtml .
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
thumbnail	Thumbnail image of this image.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class ImageObject

See Also

[MediaObject](#)

Include	<i>A directive to include content from an external source (e.g. file, URL) or content.</i>
---------	--

Description

A directive to include content from an external source (e.g. file, URL) or content.

Usage

Include(source, content, format, id, meta)

Arguments

source	The source of the content, a URL or file path, or the content itself. Required.
content	The content to be included.
format	Media type, typically expressed using a MIME format, of the source content.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Include

See Also

[Entity](#)

InlineContent	<i>Union type for valid inline content.</i>
---------------	---

Description

Union type for valid inline content.

Usage

InlineContent

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

IntegerValidator *A validator specifying the constraints on an integer node.*

Description

A validator specifying the constraints on an integer node.

Usage

```
IntegerValidator(  
    exclusiveMaximum,  
    exclusiveMinimum,  
    id,  
    maximum,  
    meta,  
    minimum,  
    multipleOf  
)
```

Arguments

exclusiveMaximum	The exclusive upper limit for a numeric node.
exclusiveMinimum	The exclusive lower limit for a numeric node.
id	The identifier for this item.
maximum	The inclusive upper limit for a numeric node.
meta	Metadata associated with this item.
minimum	The inclusive lower limit for a numeric node.
multipleOf	A number that a numeric node must be a multiple of.

Value

A list of class IntegerValidator

See Also

[NumberValidator](#)

is_class	<i>Is a value of a particular class</i>
----------	---

Description

Is a value of a particular class

Usage

```
is_class(value, clas)
```

Arguments

value	The value to check
-------	--------------------

clas	The class the check against
------	-----------------------------

Value

TRUE if the value has the class as its last class, FALSE otherwise

is_type	<i>Does a value conform to the type?</i>
---------	--

Description

Does a value conform to the type?

Usage

```
is_type(value, type)
```

Arguments

value	The value to check
-------	--------------------

type	The type to check against
------	---------------------------

Value

TRUE if the value conforms to the type, FALSE otherwise

last_class	<i>Get the last class for an object The last class is usually the "highest" in the inheritance tree</i>
------------	---

Description

Get the last class for an object The last class is usually the "highest" in the inheritance tree

Usage

```
last_class(obj)
```

Arguments

obj	The object to get the last class for
-----	--------------------------------------

Value

The class that is last in the list of classes for the object

Link	<i>A hyperlink to other pages, sections within the same document, resources, or any URL.</i>
------	--

Description

A hyperlink to other pages, sections within the same document, resources, or any URL.

Usage

```
Link(content, target, exportFrom, id, importTo, meta, relation, title)
```

Arguments

content	The textual content of the link. Required.
target	The target of the link. Required.
exportFrom	A compilation directive giving the name of the variable to export to the link target.
id	The identifier for this item.
importTo	A compilation directive giving the name of the variable to import the link target as.
meta	Metadata associated with this item.
relation	The relation between the target and the current thing.
title	A title for the link.

Value

A list of class Link

See Also

[Entity](#)

List

A list of items.

Description

A list of items.

Usage

```
List(items, id, meta, order)
```

Arguments

items	The items in the list Required .
id	The identifier for this item.
meta	Metadata associated with this item.
order	Type of ordering.

Value

A list of class List

See Also

[Entity](#)

ListItem	<i>A single item in a list.</i>
----------	---------------------------------

Description

A single item in a list.

Usage

```
ListItem(  
    alternateNames,  
    content,  
    description,  
    id,  
    identifiers,  
    images,  
    isChecked,  
    item,  
    meta,  
    name,  
    position,  
    url  
)
```

Arguments

alternateNames	Alternate names (aliases) for the item.
content	The content of the list item.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isChecked	A flag to indicate if this list item is checked.
item	The item represented by this list item.
meta	Metadata associated with this item.
name	The name of the item.
position	The position of the item in a series or sequence of items.
url	The URL of the item.

Value

A list of class ListItem

See Also

[Thing](#)

Mark *A base class for nodes that mark some other inline content in some way (e.g. as being emphasised, or quoted).*

Description

A base class for nodes that mark some other inline content in some way (e.g. as being emphasised, or quoted).

Usage

```
Mark(content, id, meta)
```

Arguments

content	The content that is marked. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Mark

See Also

[Entity](#)

MarkTypes *All type schemas that are derived from Mark*

Description

All type schemas that are derived from Mark

Usage

```
MarkTypes
```

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

Math	<i>A mathematical variable or equation.</i>
------	---

Description

A mathematical variable or equation.

Usage

Math(text, errors, id, mathLanguage, meta)

Arguments

text	The text of the equation in the language. Required.
errors	Errors that occurred when parsing the math equation.
id	The identifier for this item.
mathLanguage	The language used for the equation e.g tex, mathml, asciimath.
meta	Metadata associated with this item.

Value

A list of class Math

See Also

[Entity](#)

MathBlock	<i>A block of math, e.g an equation, to be treated as block content.</i>
-----------	--

Description

A block of math, e.g an equation, to be treated as block content.

Usage

MathBlock(text, errors, id, mathLanguage, meta)

Arguments

text	The text of the equation in the language. Required.
errors	Errors that occurred when parsing the math equation.
id	The identifier for this item.
mathLanguage	The language used for the equation e.g tex, mathml, asciimath.
meta	Metadata associated with this item.

Value

A list of class MathBlock

See Also

[Math](#)

MathFragment	<i>A fragment of math, e.g a variable name, to be treated as inline content.</i>
--------------	--

Description

A fragment of math, e.g a variable name, to be treated as inline content.

Usage

```
MathFragment(text, errors, id, mathLanguage, meta)
```

Arguments

text	The text of the equation in the language. Required.
errors	Errors that occurred when parsing the math equation.
id	The identifier for this item.
mathLanguage	The language used for the equation e.g tex, mathml, asciimath.
meta	Metadata associated with this item.

Value

A list of class MathFragment

See Also

[Math](#)

MathTypes	<i>All type schemas that are derived from Math</i>
-----------	--

Description

All type schemas that are derived from Math

Usage

MathTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

MediaObject	<i>A media object, such as an image, video, or audio object embedded in a web page or a downloadable dataset.</i>
-------------	---

Description

A media object, such as an image, video, or audio object embedded in a web page or a downloadable dataset.

Usage

```
MediaObject(
  contentUrl,
  about,
  alternateNames,
  authors,
  bitrate,
  comments,
  content,
  contentSize,
  dateAccepted,
  dateCreated,
  dateModified,
  datePublished,
  dateReceived,
  description,
  editors,
```

```

    embedUrl,
    format,
    fundedBy,
    funders,
    genre,
    id,
    identifiers,
    images,
    isPartOf,
    keywords,
    licenses,
    maintainers,
    meta,
    name,
    parts,
    publisher,
    references,
    text,
    title,
    url,
    version
)

```

Arguments

contentUrl	URL for the actual bytes of the media object, for example the image file or video file. Required.
about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
bitrate	Bitrate in megabits per second (Mbit/s, Mb/s, Mbps).
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
contentSize	File size in megabits (Mbit, Mb).
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
embedUrl	URL that can be used to embed the media on a web page via a specific media player.

format	Media type (MIME type) as per http://www.iana.org/assignments/media-types/media-types.xhtml .
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class MediaObject

See Also

[CreativeWork](#)

MediaObjectTypes	<i>All type schemas that are derived from MediaObject</i>
------------------	---

Description

All type schemas that are derived from MediaObject

Usage

MediaObjectTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

MonetaryGrant	<i>A monetary grant.</i>
---------------	--------------------------

Description

A monetary grant.

Usage

```
MonetaryGrant(  
    alternateNames,  
    amounts,  
    description,  
    fundedItems,  
    funders,  
    id,  
    identifiers,  
    images,  
    meta,  
    name,  
    sponsors,  
    url  
)
```

Arguments

alternateNames	Alternate names (aliases) for the item.
amounts	The amount of money.
description	A description of the item.
fundedItems	Indicates an item funded or sponsored through a Grant.
funders	A person or organization that supports (sponsors) something through some kind of financial contribution.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
name	The name of the item.
sponsors	A person or organization that supports a thing through a pledge, promise, or financial contribution.
url	The URL of the item.

Value

A list of class MonetaryGrant

See Also

[Grant](#)

Node

Union type for all valid nodes.

Description

Union type for all valid nodes.

Usage

Node

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

NontextualAnnotation *Inline text that has a non-textual annotation.*

Description

Inline text that has a non-textual annotation.

Usage

```
NontextualAnnotation(content, id, meta)
```

Arguments

content	The content that is marked. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class NontextualAnnotation

See Also

[Mark](#)

NumberValidator *A validator specifying the constraints on a numeric node.*

Description

A validator specifying the constraints on a numeric node.

Usage

```
NumberValidator(  
    exclusiveMaximum,  
    exclusiveMinimum,  
    id,  
    maximum,  
    meta,  
    minimum,  
    multipleOf  
)
```

Arguments

exclusiveMaximum	The exclusive upper limit for a numeric node.
exclusiveMinimum	The exclusive lower limit for a numeric node.
id	The identifier for this item.
maximum	The inclusive upper limit for a numeric node.
meta	Metadata associated with this item.
minimum	The inclusive lower limit for a numeric node.
multipleOf	A number that a numeric node must be a multiple of.

Value

A list of class NumberValidator

See Also

[Entity](#)

NumberValidatorTypes *All type schemas that are derived from NumberValidator*

Description

All type schemas that are derived from NumberValidator

Usage

NumberValidatorTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

Organization	<i>An organization such as a school, NGO, corporation, club, etc.</i>
--------------	---

Description

An organization such as a school, NGO, corporation, club, etc.

Usage

```

Organization(
  address,
  alternateNames,
  brands,
  contactPoints,
  departments,
  description,
  funders,
  id,
  identifiers,
  images,
  legalName,
  logo,
  members,
  meta,
  name,
  parentOrganization,
  url
)

```

Arguments

address	Postal address for the organization.
alternateNames	Alternate names (aliases) for the item.
brands	Brands that the organization is connected with.
contactPoints	Correspondence/Contact points for the organization.
departments	Departments within the organization. For example, Department of Computer Science, Research & Development etc.
description	A description of the item.
funders	Organization(s) or person(s) funding the organization.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
legalName	Legal name for the Organization. Should only include letters and spaces.
logo	The logo of the organization.

members	Person(s) or organization(s) who are members of this organization.
meta	Metadata associated with this item.
name	The name of the item.
parentOrganization	Entity that the Organization is a part of. For example, parentOrganization to a department is a university.
url	The URL of the item.

Value

A list of class Organization

See Also

[Thing](#)

Paragraph

Paragraph

Description

Paragraph

Usage

Paragraph(content, id, meta)

Arguments

content	The contents of the paragraph. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Paragraph

See Also

[Entity](#)

Parameter	<i>A parameter that can be set and used in evaluated code.</i>
-----------	--

Description

A parameter that can be set and used in evaluated code.

Usage

```
Parameter(
  name,
  default,
  id,
  isExtensible,
  isReadOnly,
  isRequired,
  isVariadic,
  meta,
  validator,
  value
)
```

Arguments

name	The name of the variable. Required.
default	The default value of the parameter.
id	The identifier for this item.
isExtensible	Indicates that this parameter is variadic and can accept multiple named arguments.
isReadOnly	Whether or not a property is mutable. Default is false.
isRequired	Is this parameter required, if not it should have a default or default is assumed to be null.
isVariadic	Indicates that this parameter is variadic and can accept multiple arguments.
meta	Metadata associated with this item.
validator	The validator that the value is validated against.
value	The value of the variable.

Value

A list of class Parameter

See Also

[Variable](#)

Periodical

A periodical publication.

Description

A periodical publication.

Usage

```
Periodical(  
  about,  
  alternateNames,  
  authors,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateEnd,  
  dateModified,  
  datePublished,  
  dateReceived,  
  dateStart,  
  description,  
  editors,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  issns,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  parts,  
  publisher,  
  references,  
  text,  
  title,  
  url,  
  version  
)
```

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateEnd	The date this Periodical ceased publication.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
dateStart	The date this Periodical was first published.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
issns	The International Standard Serial Number(s) (ISSN) that identifies this serial publication.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Periodical

See Also

[CreativeWork](#)

Person

A person (alive, dead, undead, or fictional).

Description

A person (alive, dead, undead, or fictional).

Usage

```
Person(  
  address,  
  affiliations,  
  alternateNames,  
  description,  
  emails,  
  familyNames,  
  funders,  
  givenNames,  
  honorificPrefix,  
  honorificSuffix,  
  id,  
  identifiers,  
  images,  
  jobTitle,  
  memberOf,  
  meta,  
  name,  
  telephoneNumbers,  
  url  
)
```

Arguments

address	Postal address for the person.
affiliations	Organizations that the person is affiliated with.
alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
emails	Email addresses for the person.

familyNames	Family name. In the U.S., the last name of a person.
funders	A person or organization that supports (sponsors) something through some kind of financial contribution.
givenNames	Given name. In the U.S., the first name of a person.
honorificPrefix	An honorific prefix preceding a person's name such as Dr/Mrs/Mr.
honorificSuffix	An honorific suffix after a person's name such as MD/PhD/MSCSW.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
jobTitle	The job title of the person (for example, Financial Manager).
memberOf	An organization (or program membership) to which this person belongs.
meta	Metadata associated with this item.
name	The name of the item.
telephoneNumbers	Telephone numbers for the person.
url	The URL of the item.

Value

A list of class Person

See Also

[Thing](#)

Examples

```
Person(
  honorificPrefix = "Dr",
  givenNames = list("Jane", "J"),
  familyNames = list("Jamieson")
)
```

PostalAddress

A physical mailing address.

Description

A physical mailing address.

Usage

```
PostalAddress(
  addressCountry,
  addressLocality,
  addressRegion,
  alternateNames,
  availableLanguages,
  description,
  emails,
  id,
  identifiers,
  images,
  meta,
  name,
  postOfficeBoxNumber,
  postalCode,
  streetAddress,
  telephoneNumbers,
  url
)
```

Arguments

addressCountry	The country.
addressLocality	The locality in which the street address is, and which is in the region.
addressRegion	The region in which the locality is, and which is in the country.
alternateNames	Alternate names (aliases) for the item.
availableLanguages	Languages (human not programming) in which it is possible to communicate with the organization/department etc.
description	A description of the item.
emails	Email address for correspondence.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
name	The name of the item.
postOfficeBoxNumber	The post office box number.
postalCode	The postal code.
streetAddress	The street address.
telephoneNumbers	Telephone numbers for the contact point.
url	The URL of the item.

Value

A list of class PostalAddress

See Also

[ContactPoint](#)

Product	<i>Any offered product or service. For example, a pair of shoes; a haircut; or an episode of a TV show streamed online.</i>
---------	---

Description

Any offered product or service. For example, a pair of shoes; a haircut; or an episode of a TV show streamed online.

Usage

```
Product(
  alternateNames,
  brands,
  description,
  id,
  identifiers,
  images,
  logo,
  meta,
  name,
  productID,
  url
)
```

Arguments

alternateNames	Alternate names (aliases) for the item.
brands	Brands that the product is labelled with.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
logo	The logo of the product.
meta	Metadata associated with this item.
name	The name of the item.
productID	Product identification code.
url	The URL of the item.

Value

A list of class Product

See Also

[Thing](#)

Property Value	<i>A property-value pair.</i>
----------------	-------------------------------

Description

A property-value pair.

Usage

```
Property Value(
    value,
    alternateNames,
    description,
    id,
    identifiers,
    images,
    meta,
    name,
    propertyID,
    url
)
```

Arguments

value	The value of the property. Required.
alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
name	The name of the item.
propertyID	A commonly used identifier for the characteristic represented by the property.
url	The URL of the item.

Value

A list of class PropertyValue

See Also[Thing](#)

PublicationIssue	<i>A part of a successively published publication such as a periodical or publication volume, often numbered.</i>
------------------	---

Description

A part of a successively published publication such as a periodical or publication volume, often numbered.

Usage

```
PublicationIssue(  
  about,  
  alternateNames,  
  authors,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  issueNumber,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  pageEnd,  
  pageStart,  
  pagination,  
  parts,  
  publisher,  
  references,
```



```

    text,
    title,
    url,
    version
)

```

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
issueNumber	Identifies the issue of publication; for example, "iii" or "2".
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
pageEnd	The page on which the issue ends; for example "138" or "xvi".
pageStart	The page on which the issue starts; for example "135" or "xiii".
pagination	Any description of pages that is not separated into pageStart and pageEnd; for example, "1-6, 9, 55".
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.

publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class PublicationIssue

See Also

[CreativeWork](#)

PublicationVolume	<i>A part of a successively published publication such as a periodical or multi-volume work.</i>
-------------------	--

Description

A part of a successively published publication such as a periodical or multi-volume work.

Usage

```

PublicationVolume(
  about,
  alternateNames,
  authors,
  comments,
  content,
  dateAccepted,
  dateCreated,
  dateModified,
  datePublished,
  dateReceived,
  description,
  editors,
  fundedBy,
  funders,
  genre,
  id,
  identifiers,
  images,
  isPartOf,

```

keywords,
 licenses,
 maintainers,
 meta,
 name,
 pageEnd,
 pageStart,
 pagination,
 parts,
 publisher,
 references,
 text,
 title,
 url,
 version,
 volumeNumber
)

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.

maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
pageEnd	The page on which the volume ends; for example "138" or "xvi".
pageStart	The page on which the volume starts; for example "135" or "xiii".
pagination	Any description of pages that is not separated into pageStart and pageEnd; for example, "1-6, 9, 55".
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.
volumeNumber	Identifies the volume of publication or multi-part work; for example, "iii" or "2".

Value

A list of class PublicationVolume

See Also

[CreativeWork](#)

Quote

Inline, quoted content.

Description

Inline, quoted content.

Usage

Quote(content, cite, id, meta)

Arguments

content	The content that is marked. Required.
cite	The source of the quote.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Quote

See Also

[Mark](#)

QuoteBlock	<i>A section quoted from somewhere else.</i>
------------	--

Description

A section quoted from somewhere else.

Usage

```
QuoteBlock(content, cite, id, meta)
```

Arguments

content	The content of the quote. Required.
cite	The source of the quote.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class QuoteBlock

See Also

[Entity](#)

Review	<i>A review of an item, e.g of an Article, or SoftwareSourceCode.</i>
--------	---

Description

A review of an item, e.g of an Article, or SoftwareSourceCode.

Usage

```
Review(  
  about,  
  alternateNames,  
  authors,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  itemReviewed,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  parts,  
  publisher,  
  references,  
  reviewAspect,  
  text,  
  title,  
  url,  
  version  
)
```

Arguments

about	The subject matter of the content.
-------	------------------------------------

alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
itemReviewed	The item that is being reviewed.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
reviewAspect	The part or facet of the item that is being reviewed.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Review

See Also

[CreativeWork](#)

SoftwareApplication *A software application.*

Description

A software application.

Usage

```
SoftwareApplication(  
  about,  
  alternateNames,  
  authors,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  parts,  
  publisher,  
  references,  
  softwareRequirements,  
  softwareVersion,  
  text,  
  title,  
  url,  
  version  
)
```

Arguments

about The subject matter of the content.

alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
softwareRequirements	Requirements for application, including shared libraries that are not included in the application distribution.
softwareVersion	Version of the software.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class SoftwareApplication

See Also

[CreativeWork](#)

SoftwareEnvironment *A computational environment.*

Description

A computational environment.

Usage

```
SoftwareEnvironment(
  name,
  adds,
  alternateNames,
  description,
  extends,
  id,
  identifiers,
  images,
  meta,
  removes,
  url
)
```

Arguments

name	The name of the item. Required.
adds	The packages that this environment adds to the base environments listed under extends (if any).,
alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
extends	Other environments that this environment extends by adding or removing packages.,
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
removes	The packages that this environment removes from the base environments listed under extends (if any).,
url	The URL of the item.

Value

A list of class SoftwareEnvironment

See Also

[Thing](#)

SoftwareSession	<i>Definition of a compute session, including its software and compute resource requirements and status.</i>
-----------------	--

Description

Definition of a compute session, including its software and compute resource requirements and status.

Usage

```
SoftwareSession(  
    alternateNames,  
    clientsLimit,  
    clientsRequest,  
    cpuLimit,  
    cpuRequest,  
    dateEnd,  
    dateStart,  
    description,  
    durationLimit,  
    durationRequest,  
    environment,  
    id,  
    identifiers,  
    images,  
    memoryLimit,  
    memoryRequest,  
    meta,  
    name,  
    networkTransferLimit,  
    networkTransferRequest,  
    status,  
    timeoutLimit,  
    timeoutRequest,  
    url,  
    volumeMounts  
)
```

Arguments

<code>alternateNames</code>	Alternate names (aliases) for the item.
<code>clientsLimit</code>	The maximum number of concurrent clients the session is limited to.
<code>clientsRequest</code>	The maximum number of concurrent clients requested for the session.
<code>cpuLimit</code>	The amount of CPU the session is limited to.
<code>cpuRequest</code>	The amount of CPU requested for the session.
<code>dateEnd</code>	The date-time that the session ended.
<code>dateStart</code>	The date-time that the session began.
<code>description</code>	A description of the item.
<code>durationLimit</code>	The maximum duration (seconds) the session is limited to.
<code>durationRequest</code>	The maximum duration (seconds) requested for the session.
<code>environment</code>	The software environment to execute this session in.
<code>id</code>	The identifier for this item.
<code>identifiers</code>	Any kind of identifier for any kind of Thing.
<code>images</code>	Images of the item.
<code>memoryLimit</code>	The amount of memory that the session is limited to.
<code>memoryRequest</code>	The amount of memory requested for the session.
<code>meta</code>	Metadata associated with this item.
<code>name</code>	The name of the item.
<code>networkTransferLimit</code>	The amount of network data transfer (GiB) that the session is limited to.
<code>networkTransferRequest</code>	The amount of network data transfer (GiB) requested for the session.
<code>status</code>	The status of the session (starting, stopped, etc).
<code>timeoutLimit</code>	The inactivity timeout (seconds) the session is limited to.
<code>timeoutRequest</code>	The inactivity timeout (seconds) requested for the session.
<code>url</code>	The URL of the item.
<code>volumeMounts</code>	Volumes to mount in the session.

Value

A list of class `SoftwareSession`

See Also

[Thing](#)

SoftwareSourceCode	<i>Computer programming source code. Example: Full (compile ready) solutions, code snippet samples, scripts, templates.</i>
--------------------	---

Description

Computer programming source code. Example: Full (compile ready) solutions, code snippet samples, scripts, templates.

Usage

```
SoftwareSourceCode(  
  about,  
  alternateNames,  
  authors,  
  codeRepository,  
  codeSampleType,  
  comments,  
  content,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  fundedBy,  
  funders,  
  genre,  
  id,  
  identifiers,  
  images,  
  isPartOf,  
  keywords,  
  licenses,  
  maintainers,  
  meta,  
  name,  
  parts,  
  programmingLanguage,  
  publisher,  
  references,  
  runtimePlatform,  
  softwareRequirements,  
  targetProducts,  
  text,  
  title,
```

```

    url,
    version
)

```

Arguments

about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
codeRepository	Link to the repository where the un-compiled, human readable code and related code is located.
codeSampleType	What type of code sample: full (compile ready) solution, code snippet, inline code, scripts, template.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
programmingLanguage	The computer programming language.
publisher	A publisher of the CreativeWork.

references	References to other creative works, such as another publication, web page, scholarly article, etc.
runtimePlatform	Runtime platform or script interpreter dependencies (Example - Java v1, Python2.3, .Net Framework 3.0).
softwareRequirements	Dependency requirements for the software.
targetProducts	Target operating system or product to which the code applies.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class SoftwareSourceCode

See Also

[CreativeWork](#)

StringValidator	<i>A schema specifying constraints on a string node.</i>
-----------------	--

Description

A schema specifying constraints on a string node.

Usage

```
StringValidator(id, maxLength, meta, minLength, pattern)
```

Arguments

id	The identifier for this item.
maxLength	The maximum length for a string node.
meta	Metadata associated with this item.
minLength	The minimum length for a string node.
pattern	A regular expression that a string node must match.

Value

A list of class StringValidator

See Also

[Entity](#)

Strong *Strongly emphasised content.*

Description

Strongly emphasised content.

Usage

Strong(content, id, meta)

Arguments

content	The content that is marked. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Strong

See Also

[Mark](#)

Subscript *Subscribed content.*

Description

Subscribed content.

Usage

Subscript(content, id, meta)

Arguments

content	The content that is marked. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Subscript

See Also[Mark](#)

Superscript	<i>Superscripted content.</i>
-------------	-------------------------------

Description

Superscripted content.

Usage

```
Superscript(content, id, meta)
```

Arguments

content	The content that is marked. Required.
id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class Superscript

See Also[Mark](#)

Table	<i>A table.</i>
-------	-----------------

Description

A table.

Usage

```

Table(
  rows,
  about,
  alternateNames,
  authors,
  caption,
  comments,
  content,
  dateAccepted,
  dateCreated,
  dateModified,
  datePublished,
  dateReceived,
  description,
  editors,
  fundedBy,
  funders,
  genre,
  id,
  identifiers,
  images,
  isPartOf,
  keywords,
  label,
  licenses,
  maintainers,
  meta,
  name,
  parts,
  publisher,
  references,
  text,
  title,
  url,
  version
)

```

Arguments

rows	Rows of cells in the table. Required.
about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
caption	A caption for the table.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.

dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
label	A short label for the table.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
title	The title of the creative work.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class Table

See Also

[CreativeWork](#)

TableCell	<i>A cell within a Table.</i>
-----------	-------------------------------

Description

A cell within a Table.

Usage

```
TableCell(content, cellType, colspan, id, meta, name, rowspan)
```

Arguments

content	Contents of the table cell. Required.
cellType	Indicates whether the cell is a header or data.
colspan	How many columns the cell extends.
id	The identifier for this item.
meta	Metadata associated with this item.
name	The name of the cell.
rowspan	How many columns the cell extends.

Value

A list of class TableCell

See Also

[Entity](#)

TableRow	<i>A row within a Table.</i>
----------	------------------------------

Description

A row within a Table.

Usage

```
TableRow(cells, id, meta, rowType)
```

Arguments

cells	An array of cells in the row. Required.
id	The identifier for this item.
meta	Metadata associated with this item.
rowType	If present, indicates that all cells in this row should be treated as header cells.

Value

A list of class TableRow

See Also

[Entity](#)

ThematicBreak	<i>A thematic break, such as a scene change in a story, a transition to another topic, or a new document.</i>
---------------	---

Description

A thematic break, such as a scene change in a story, a transition to another topic, or a new document.

Usage

ThematicBreak(id, meta)

Arguments

id	The identifier for this item.
meta	Metadata associated with this item.

Value

A list of class ThematicBreak

See Also

[Entity](#)

Thing	<i>The most generic type of item.</i>
-------	---------------------------------------

Description

The most generic type of item.

Usage

Thing(alternateNames, description, id, identifiers, images, meta, name, url)

Arguments

alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
name	The name of the item.
url	The URL of the item.

Value

A list of class Thing

See Also

[Entity](#)

ThingTypes

All type schemas that are derived from Thing

Description

All type schemas that are derived from Thing

Usage

ThingTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

TupleValidator	<i>A validator specifying constraints on an array of heterogeneous items.</i>
----------------	---

Description

A validator specifying constraints on an array of heterogeneous items.

Usage

```
TupleValidator(id, items, meta)
```

Arguments

id	The identifier for this item.
items	An array of validators specifying the constraints on each successive item in the array.
meta	Metadata associated with this item.

Value

A list of class TupleValidator

See Also

[Entity](#)

Union	<i>Union type</i>
-------	-------------------

Description

Union type

Usage

```
Union(...)
```

Arguments

...	The types in the union
-----	------------------------

Value

A list of class Union describing the valid sub types of a union type

Examples

```
Union(character, Person)
```

ValidatorTypes	<i>Union type for all validator types.</i>
----------------	--

Description

Union type for all validator types.

Usage

ValidatorTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

Variable	<i>A variable representing a name / value pair.</i>
----------	---

Description

A variable representing a name / value pair.

Usage

Variable(name, id, isReadOnly, meta, validator, value)

Arguments

name	The name of the variable. Required.
id	The identifier for this item.
isReadOnly	Whether or not a property is mutable. Default is false.
meta	Metadata associated with this item.
validator	The validator that the value is validated against.
value	The value of the variable.

Value

A list of class Variable

See Also

[Entity](#)

VariableTypes	<i>All type schemas that are derived from Variable</i>
---------------	--

Description

All type schemas that are derived from Variable

Usage

VariableTypes

Format

An object of class Union of length 1.

Value

A list of class Union describing valid subtypes of this type

VideoObject	<i>A video file.</i>
-------------	----------------------

Description

A video file.

Usage

```
VideoObject(  
  contentUrl,  
  about,  
  alternateNames,  
  authors,  
  bitrate,  
  caption,  
  comments,  
  content,  
  contentSize,  
  dateAccepted,  
  dateCreated,  
  dateModified,  
  datePublished,  
  dateReceived,  
  description,  
  editors,  
  embedUrl,
```

```

format,
fundedBy,
funders,
genre,
id,
identifiers,
images,
isPartOf,
keywords,
licenses,
maintainers,
meta,
name,
parts,
publisher,
references,
text,
thumbnail,
title,
transcript,
url,
version
)

```

Arguments

contentUrl	URL for the actual bytes of the media object, for example the image file or video file. Required.
about	The subject matter of the content.
alternateNames	Alternate names (aliases) for the item.
authors	The authors of this creative work.
bitrate	Bitrate in megabits per second (Mbit/s, Mb/s, Mbps).
caption	The caption for this video recording.
comments	Comments about this creative work.
content	The structured content of this creative work c.f. property text.
contentSize	File size in megabits (Mbit, Mb).
dateAccepted	Date/time of acceptance.
dateCreated	Date/time of creation.
dateModified	Date/time of most recent modification.
datePublished	Date of first publication.
dateReceived	Date/time that work was received.
description	A description of the item.
editors	People who edited the CreativeWork.

embedUrl	URL that can be used to embed the media on a web page via a specific media player.
format	Media type (MIME type) as per http://www.iana.org/assignments/media-types/media-types.xhtml .
fundedBy	Grants that funded the CreativeWork; reverse of fundedItems.
funders	People or organizations that funded the CreativeWork.
genre	Genre of the creative work, broadcast channel or group.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
isPartOf	An item or other CreativeWork that this CreativeWork is a part of.
keywords	Keywords or tags used to describe this content. Multiple entries in a keywords list are typically delimited by commas.
licenses	License documents that applies to this content, typically indicated by URL.
maintainers	The people or organizations who maintain this CreativeWork.
meta	Metadata associated with this item.
name	The name of the item.
parts	Elements of the collection which can be a variety of different elements, such as Articles, Datatables, Tables and more.
publisher	A publisher of the CreativeWork.
references	References to other creative works, such as another publication, web page, scholarly article, etc.
text	The textual content of this creative work.
thumbnail	Thumbnail image of this video recording.
title	The title of the creative work.
transcript	The transcript of this video recording.
url	The URL of the item.
version	The version of the creative work.

Value

A list of class VideoObject

See Also

[MediaObject](#)

 VolumeMount

Describes a volume mount from a host to container.

Description

Describes a volume mount from a host to container.

Usage

```

VolumeMount(
  mountDestination,
  alternateNames,
  description,
  id,
  identifiers,
  images,
  meta,
  mountOptions,
  mountSource,
  mountType,
  name,
  url
)

```

Arguments

mountDestination	The mount location inside the container. Required.
alternateNames	Alternate names (aliases) for the item.
description	A description of the item.
id	The identifier for this item.
identifiers	Any kind of identifier for any kind of Thing.
images	Images of the item.
meta	Metadata associated with this item.
mountOptions	A list of options to use when applying the mount.
mountSource	The mount source directory on the host.
mountType	The type of mount.
name	The name of the item.
url	The URL of the item.

Value

A list of class VolumeMount

See Also

[Thing](#)

Index

* datasets

- BlockContent, [11](#)
 - CodeBlockTypes, [17](#)
 - CodeFragmentTypes, [21](#)
 - CodeTypes, [22](#)
 - ContactPointTypes, [28](#)
 - CreativeWorkTypes, [30](#)
 - EntityTypes, [37](#)
 - GrantTypes, [42](#)
 - InlineContent, [46](#)
 - MarkTypes, [52](#)
 - MathTypes, [55](#)
 - MediaObjectTypes, [58](#)
 - Node, [59](#)
 - NumberValidatorTypes, [61](#)
 - ThingTypes, [94](#)
 - ValidatorTypes, [96](#)
 - VariableTypes, [97](#)
-
- Any, [4](#)
 - Array, [4](#)
 - ArrayValidator, [5](#)
 - Article, [6](#)
 - as_scalar, [8](#)
 - as_type, [8](#)
 - AudioObject, [9](#)
-
- BlockContent, [11](#)
 - BooleanValidator, [12](#)
 - Brand, [12](#)
-
- check_property, [13](#)
 - Cite, [14](#)
 - CiteGroup, [15](#)
 - Code, [15](#), [16](#), [21](#)
 - CodeBlock, [16](#), [18](#)
 - CodeBlockTypes, [17](#)
 - CodeChunk, [17](#)
 - CodeError, [19](#)
 - CodeExpression, [20](#)
 - CodeFragment, [20](#), [20](#)
 - CodeFragmentTypes, [21](#)
 - CodeTypes, [22](#)
 - Collection, [22](#)
 - Comment, [24](#)
 - ConstantValidator, [26](#)
 - ContactPoint, [27](#), [70](#)
 - ContactPointTypes, [28](#)
 - CreativeWork, [8](#), [24](#), [26](#), [28](#), [32](#), [40](#), [57](#), [67](#), [74](#), [76](#), [79](#), [82](#), [87](#), [91](#)
 - CreativeWorkTypes, [30](#)
-
- Datatable, [31](#)
 - DatatableColumn, [33](#)
 - Date, [34](#)
 - DefinedTerm, [34](#)
 - Delete, [35](#)
-
- Emphasis, [36](#)
 - Entity, [5](#), [12](#), [14–16](#), [19](#), [26](#), [34](#), [36](#), [38](#), [41](#), [43](#), [46](#), [50](#), [52](#), [53](#), [61](#), [63](#), [77](#), [87](#), [92–96](#)
 - EntityTypes, [37](#)
 - Enum, [37](#)
 - EnumValidator, [38](#)
-
- Figure, [38](#)
 - Function, [40](#)
-
- Grant, [41](#), [59](#)
 - GrantTypes, [42](#)
-
- Heading, [43](#)
-
- ImageObject, [43](#)
 - Include, [46](#)
 - InlineContent, [46](#)
 - IntegerValidator, [47](#)
 - is_class, [48](#)
 - is_type, [48](#)

- last_class, 49
- Link, 49
- List, 50
- ListItem, 51

- Mark, 35, 36, 52, 60, 77, 88, 89
- MarkTypes, 52
- Math, 53, 54
- MathBlock, 53
- MathFragment, 54
- MathTypes, 55
- MediaObject, 11, 45, 55, 99
- MediaObjectTypes, 58
- MonetaryGrant, 58

- Node, 59
- NontextualAnnotation, 60
- NumberValidator, 47, 60
- NumberValidatorTypes, 61

- Organization, 62

- Paragraph, 63
- Parameter, 64
- Periodical, 65
- Person, 67
- PostalAddress, 68
- Product, 70
- PropertyValue, 71
- PublicationIssue, 72
- PublicationVolume, 74

- Quote, 76
- QuoteBlock, 77

- Review, 78

- SoftwareApplication, 80
- SoftwareEnvironment, 82
- SoftwareSession, 83
- SoftwareSourceCode, 85
- StringValidator, 87
- Strong, 88
- Subscript, 88
- Superscript, 89

- Table, 89
- TableCell, 92
- TableRow, 92
- ThematicBreak, 93

- Thing, 13, 28, 30, 33, 35, 42, 51, 63, 68, 71, 72, 83, 84, 93, 101
- ThingTypes, 94
- TupleValidator, 95

- Union, 95

- ValidatorTypes, 96
- Variable, 64, 96
- VariableTypes, 97
- VideoObject, 97
- VolumeMount, 100